





# AMAI

© Design by Dirk Wynants for Extremis, 2021

Furniture that is as flexible as your lifestyle: meet AMAi, a true marvel of multifunctionality. Take every moment to new heights with the adjustable tabletop, lights, electricity, a catering station and a sunshade.



GOOD  
DESIGN





NeoCon  
METROPOLISLIKES

All our designs are original creations and protected by intellectual property rights.

## Extremis



Time to break free from the four walls of the office! Round up your colleagues and take those meetings outside. With AMAi's height-adjustable tabletop, shade system, and power access, you'll be as productive as ever. Do you sometimes take work outdoors?







# AMAi

An effortless dinner event with friends or a focused brainstorm session with colleagues? AMAi is a landing place for togetherness, adapting instantly to every new experience.



## Extremis

This trendy and laid-back coffee shop is the perfect setting for the AMAi table in galvanized steel. An ideal spot to enjoy a latte with some home-made cake! The add-on table creates some extra space alongside the tabletop. This add-on table pins onto the side caps of the frame and can be used both in the standard and high position.







## Extremis



It's time to steal the show! With the perfect height to prepare meals and drinks, you have an outdoor cooking corner to share delicious togetherness with friends. Share a glass at the bar, throw together a meal and eat at the high or low table. At daytime or under the night sky, AMAi is a table without limits.









→  
2 fast charging (60W)  
USB-C ports.



The frame overhead can  
have an optional LED light  
and 2 fast charging USB-C  
ports to offer connectivity  
at all times.

# AMAI

AMAI is the flexibility that you desire, all the time, indoors and outdoors. Two A-shaped side frames provide a solid construction. In between these frames, you can position the tabletop into two

heights: standard or high. Thanks to the innovative design, even a single person can smoothly slide the tabletop from 'sitting height' into 'standing height' and vice versa.

Configure me



## Types



**AMAI**  
(With or without lighting & charging module)  
(304 x 113 x 230 cm)



**AMAI catering station**  
(With or without lighting & charging module)  
(304 x 113 x 230 cm)



**Bench**  
(249 x 40 x 51 cm)



**HiLo bench - short/long**  
(116/250 x 47 x 74 cm)

## Accessories & options



Extension module



Leveling feet



Add-on table



Shades



Screenholder



Bar add-on  
(Catering station only)



Lighting & charging module



Wheelchair accessible

## Materials & colors

### A-frame & top profile



Black  
RAL9005



Beach beige  
RAL1019



Off white  
RAL9002



Copper brown  
RAL8004



Galvanized steel



Galvanized steel

### Tabletop centerplate & tabletop side profiles



Black  
RAL9005



Beach beige  
RAL1019




Off white  
RAL9002



Copper brown  
RAL8004




Hellwood  
(Centerplate)




White hi-tech polyester

### Shade fabric

### Sunbrella® cushions (HiLo bench backrest)



Grey chiné



Coconut



Marble



# AMAi bench


© design by Dirk Wynants

extremis®




## Dimensions

The AMAi bench is available in one dimension



## Box dimensions

The AMAi bench comes in 2 boxes



| Box dimensions (mm) |       | L    | W   | H   | Qty | Volume (m3) | Gross weight (kg) | Net weight (kg) | Packaging weight (kg) |
|---------------------|-------|------|-----|-----|-----|-------------|-------------------|-----------------|-----------------------|
| Bench               | Box 1 | 2386 | 324 | 76  | 1   | 0,06        | 19,50             | 17,50           | 2,00                  |
|                     | Box 2 | 554  | 474 | 164 | 1   | 0,04        | 6,30              | 5,30            | 1,00                  |
| Total:              |       |      |     |     |     | 0,10        | 25,80             | 22,80           | 3,00                  |

Bench profiles & legs

Black (RAL9005)  
Structured powder coating

Beach beige (RAL1019)  
Structured powder coating

Off white (RAL9002)  
Structured powder coating

Copper brown (RAL8004)  
Structured powder coating



| Materials   | Key facts   | Thickness | Layer thickness | Density       | In/outdoor       | Water | UV color fastness   | Flame retarding        |
|---|---|-----------|-----------------|---------------|------------------|-------|---|------------------------|
|   |   | mm        | micron          |               |                  |       |   |                        |
| Structured powder coated stainless steel legs     | <ul style="list-style-type: none"><li>• Easy to clean</li><li>• Stainless steel (for protection against rust), then powder coated</li><li>• More scratch-resistant than non structured powder coating</li></ul>                   | 2         | 50 - 100        | 8,00 10³kg/m³ | Outdoor & indoor | n.a.  | Very good: color can fade to some extent when exposed to UV | NEN-EN13501-1 A1 *     |
| Structured powder coated aluminium bench profiles | <ul style="list-style-type: none"><li>• A technique of applying dry paint to a part</li><li>• Electrostatically charged and sprayed onto the object</li><li>• More scratch-resistant than non structured powder coating</li></ul> | 2-10      | 50 - 100        | 2,70 10³kg/m³ | Outdoor & indoor | n.a.  | Very good: color can fade to some extent when exposed to UV | NEN-EN13501-1 A2-s1 ** |

|                     |  |
|---------------------|--|
| NEN-EN13501-1 A1    | Class A1 products will not contribute to fire in any stage, including fully developed fire. For this reason, they are assumed to be capable of satisfying all requirements of all lower classes as well.                 |
| NEN-EN13501-1 A2-sl | Satisfying the same criteria as class B for the SBI-test according to EN 13823. In addition, under conditions of a fully developed fire these products will significantly contribute to the fire load a fire growthwell. |

Maintenance

Find maintenance instructions at the [product care](#) section of [extremis.com](http://extremis.com) for

- POWDER COATED PARTS**
- White powder coating obviously requires more maintenance.

## Warnings ⚠

**General**

- Do not use any sharp tools to open the packaging.
- We strongly advise against using power tools.
- Tripping hazard, mind your step.
- Do not put out cigarettes on the bench.
- Not graffiti proof.
- Do not leave children unattended whilst playing on the bench.
- To avoid danger of suffocation, keep plastic bags away from babies and children.
- Colors can differ over years and from batch to batch.

**Product**

- Do not stand or jump on the bench.
- Do not drag the bench, but carry it with minimum 2 people.

**Powder coating**

- White powder coating requires more maintenance.
- Do not use abrasive scouring powders or scourers as they will scratch the surface.
- Color can fade to some extent when exposed to UV.
- Flame retarding - NEN-EN13501-1 A2-sl - Satisfying the same criteria as Class B for the

SBI-test according to EN13823. In addition, under conditions of a fully developed fire these products will not significantly contribute to the fire load and fire growth.

- Dark colors can get very hot in sunny weather.



# AMAi catering station


© Design by Dirk Wynants for Extremis, 2021

extremis®



## Dimensions


The AMAi catering station is available in one dimension




## Box dimensions

The AMAi catering station comes in 6 boxes

Box 1: A-frame (2x)




Box 2: Tabletop



Box 3: Footrest



Box4: Top profile




Box5: Mounting kit



| Box dimensions (mm)   |       | L    | W    | H   | Qty | Volume (m3) | Gross weight (kg) | Net weight (kg) | Packaging weight (kg) |
|-----------------------|-------|------|------|-----|-----|-------------|-------------------|-----------------|-----------------------|
| AMAi catering station | Box 1 | 2350 | 1200 | 84  | 2   | 0,47        | 42,20             | 32,20           | 10,00                 |
|                       | Box 2 | 2852 | 930  | 280 | 1   | 0,74        | 55,00             | 51,00           | 4,00                  |
|                       | Box 3 | 2900 | 190  | 70  | 1   | 0,04        | 10,70             | 9,50            | 1,20                  |
|                       | Box 4 | 2915 | 180  | 150 | 1   | 0,09        | 18,90             | 16,90           | 2,00                  |
|                       | Box 5 | 200  | 150  | 90  | 1   | 0,01        | 0,60              | 0,50            | 0,10                  |
| Total:                |       |      |      |     |     | 1,35        | 127,40            | 110,10          | 17,30                 |

# Catering station extension module


The catering station extension module is available in one dimension




# Box dimensions

The catering station extension module comes in 5 boxes

Box 1: A-frame (1x)




Box 2: Tabletop



Box 3: Footrest



Box4: Top profile



Box6: Mounting kit extension






| Box dimensions (mm)             |       | L    | W    | H   | Qty | Volume (m3) | Gross weight (kg) | Net weight (kg) | Packaging weight (kg) |
|---------------------------------|-------|------|------|-----|-----|-------------|-------------------|-----------------|-----------------------|
| AMAI catering station extension | Box 1 | 2350 | 1200 | 84  | 1   | 0,24        | 21,10             | 16,10           | 5,00                  |
|                                 | Box 2 | 2852 | 930  | 280 | 1   | 0,74        | 55,00             | 51,00           | 4,00                  |
|                                 | Box 3 | 2900 | 190  | 70  | 1   | 0,04        | 10,70             | 9,50            | 1,20                  |
|                                 | Box 4 | 2915 | 180  | 150 | 1   | 0,09        | 18,90             | 16,90           | 2,00                  |
|                                 | Box 6 | 200  | 150  | 90  | 1   | 0,01        | 0,60              | 0,50            | 0,10                  |
| Total:                          |       |      |      |     |     | 1,12        | 106,30            | 94,00           | 12,30                 |



## Bar add-on


The bar add-on is available in one dimension



## Box dimensions

The bar add-on comes in 1 box

Box 7: Bar



| Box dimensions (mm) |       | L    | W   | H   | Qty | Volume (m3) | Gross weight (kg) | Net weight (kg) | Packaging weight (kg) |
|---------------------|-------|------|-----|-----|-----|-------------|-------------------|-----------------|-----------------------|
| Bar add-on          | Box 7 | 2914 | 364 | 414 | 1   | 0,44        | 34,00             | 30,00           | 4,00                  |


## Lighting & charging module

The lighting & charging module is available in one dimension  
The lighting & charging module is already installed in the top profile of AMAi

200 cm dimmable **LED light** in the center of the profile (black RAL9005 powder coated)  
Color temperature of 3000K (warm white)  
100-300 VAC / 50-60 Hz

**USB-C module**  
2 x 60w

**Lighting & charging module**  
With LED light and 2 usb-c ports




## Power supply

The power supply is available in one dimension  
One cable can power 2 AMAi modules.  
In countries where this type of plug is not used, a different plug will need to be fitted

Connection cable Female  
Rubber cable flexibel - H07RN-F  
Length 5 m

24 V — IP68



## Box dimensions

The lighting & charging module is packed inside the top profile

## Box dimensions

The power supply comes in 1 box






**Box 7:** connection cable



| Box dimensions (mm) |       | L   | W   | H   | Qty | Volume (m3) | Gross weight (kg) | Net weight (kg) | Packaging weight (kg) |
|---------------------|-------|-----|-----|-----|-----|-------------|-------------------|-----------------|-----------------------|
| Connection cable    | Box 7 | 200 | 140 | 140 | 1   | 0,01        | 2,20              | 2,00            | 0,20                  |

## Add-on table

The add-on table is available in one dimension



## Box dimensions

The add-on table comes in 1 box


Box 9: Add-on table



| Box dimensions (mm) |       | L   | W   | H   | Qty | Volume (m3) | Gross weight (kg) | Net weight (kg) | Packaging weight (kg) |
|---------------------|-------|-----|-----|-----|-----|-------------|-------------------|-----------------|-----------------------|
| Add-on table        | Box 9 | 940 | 475 | 150 | 1   | 0,07        | 13,50             | 12,80           | 0,70                  |

## Shade

The shade is available in one dimension




| Box dimensions (mm) |        | L    | W   | H   | Qty | Volume (m3) | Gross weight (kg) | Net weight (kg) | Packaging weight (kg) |
|---------------------|--------|------|-----|-----|-----|-------------|-------------------|-----------------|-----------------------|
| Shade (1 set)       | Box 10 | 3015 | 146 | 140 | 1   | 0,06        | 12,00             | 10,00           | 2,00                  |

## Box dimensions


The shade comes in 1 box

Box 10: Fabric + supports



## Market shade

The market shade is available in one dimension




| Box dimensions (mm)  |        | L    | W   | H   | Qty | Volume (m3) | Gross weight (kg) | Net weight (kg) | Packaging weight (kg) |
|----------------------|--------|------|-----|-----|-----|-------------|-------------------|-----------------|-----------------------|
| Market shade (1 set) | Box 11 | 3015 | 146 | 140 | 1   | 0,06        | 13,00             | 11,00           | 2,00                  |

## Box dimensions

The market shade comes in 1 box

Box 11: Fabric + supports






# Monitor holder

The monitor holder is available in one dimension

Vesa connection for computer monitor, not for a television



# Box dimensions

The monitor holder comes in 1 box



Box 12: screenholder



| Box dimensions (mm) |        | L   | W   | H   | Qty | Volume (m3) | Gross weight (kg) | Net weight (kg) | Packaging weight (kg) |
|---------------------|--------|-----|-----|-----|-----|-------------|-------------------|-----------------|-----------------------|
| Monitor holder      | Box 12 | 400 | 300 | 100 | 1   | 0,01        | 1,50              | 1,30            | 0,20                  |

## Leveling feet

The leveling feet is available in one dimension



## Box dimensions

The leveling feet comes in 1 box

Box 13: leveling feet





| Box dimensions (mm)   |        | L   | W   | H  | Qty | Volume (m3) | Gross weight (kg) | Net weight (kg) | Packaging weight (kg) |
|-----------------------|--------|-----|-----|----|-----|-------------|-------------------|-----------------|-----------------------|
| Leveling feet (1 set) | Box 13 | 200 | 150 | 90 | 1   | 0,01        | 0,60              | 0,50            | 0,10                  |

## Floor fastening

The floor fastening is available in one dimension


The height of the floor fastening can also be adjusted.



## Box dimensions

The floor fastening comes in 1 box

Box 14: floor fastening



| Box dimensions (inch)   |        | L   | W   | H  | Qty | Volume (m3) | Gross weight (kg) | Net weight (kg) | Packaging weight (kg) |
|-------------------------|--------|-----|-----|----|-----|-------------|-------------------|-----------------|-----------------------|
| Floor fastening (1 set) | Box 14 | 200 | 150 | 90 | 1   | 0,01        | 0,70              | 0,60            | 0,10                  |

# Materials & colors

Check price list or [www.extremis.com](http://www.extremis.com) for current materials & colors

## A-frame, top profile & tabletop



**Black (RAL9005)**  
Structured powder coating



**Beach beige (RAL1019)**  
Structured powder coating




**Off white (RAL9002)**  
Structured powder coating



**Copper brown (RAL8004)**  
Structured powder coating

## Bar add-on



**Black (RAL9005)**  
Structured powder coating



**Beach beige (RAL1019)**  
Structured powder coating



**Off white (RAL9002)**  
Structured powder coating




**Copper brown (RAL8004)**  
Structured powder coating

## Footrest & shade balleens



**Galvanized steel**  
Standard included

## Shade fabric



**White**  
High-tech polyester



| Materials   | Key facts   | Thickness<br>mm | Layer<br>thickness<br>micron | Density                                | In/outdoor       | Water                             | UV color fastness  | Flame<br>retarding     |
|---|---|-----------------|------------------------------|--|------------------|-----------------------------------|--|------------------------|
| Structured powder coated stainless steel A-frame                        | <ul style="list-style-type: none"> <li>Easy to clean</li> <li>Stainless steel (for protection against rust), then powder coated</li> <li>More scratch-resistant than non structured powder coating</li> </ul>                   | 2               | 50 - 100                     | 8,00 10 <sup>3</sup> kg/m <sup>3</sup> | Outdoor & indoor | n.a.                              | Very good: color can fade to some extent when exposed to UV                | NEN-EN13501-1 A1 *     |
| Structured powder coated aluminium tabletop side profiles & top profile | <ul style="list-style-type: none"> <li>A technique of applying dry paint to a part</li> <li>Electrostatically charged and sprayed onto the object</li> <li>More scratch-resistant than non structured powder coating</li> </ul> | 2-10            | 50 - 100                     | 2,70 10 <sup>3</sup> kg/m <sup>3</sup> | Outdoor & indoor | n.a.                              | Very good: color can fade to some extent when exposed to UV                | NEN-EN13501-1 A2-s1 ** |
| Structured powder coated ZnAlMg steel tabletop centerplate              | <ul style="list-style-type: none"> <li>A technique of applying dry paint to a part</li> <li>Electrostatically charged and sprayed onto the object</li> <li>More scratch-resistant than non structured powder coated</li> </ul>  | 2               | 60                           | 7,50 10 <sup>3</sup> kg/m <sup>3</sup> | Outdoor & indoor | n.a.                              | Very good: color can fade to some extent when exposed to UV                | NEN-EN13501-1 A2-s1 ** |
| Hot dip galvanized steel footrest & shade balleens                      | <ul style="list-style-type: none"> <li>Most durable method for protecting metal from rusting</li> <li>Protective layer</li> <li>Very long life span</li> <li>100% recyclable</li> <li>Cradle to Cradle Certified™</li> </ul>    | 2               | 50 - 100                     | 7,50 10 <sup>3</sup> kg/m <sup>3</sup> | Outdoor & indoor | n.a.                              | Very good, galvanization will however become less shiny when used outdoors | NEN-EN13501-1 A1 *     |
| High-tech polyester fabric  | <ul style="list-style-type: none"> <li>High UV resistance and ultra strong</li> <li>Low weight / high tear strength</li> <li>Long-term appearance</li> </ul>  | 0,37            | n.a.                         | 250 g/m <sup>3</sup>                   | Outdoor & indoor | Water column of 350 mm (EN 20811) | 7/8 (ISO 105-B02)  | /                      |
| LED light   | <ul style="list-style-type: none"> <li>Color temperature of 3000K</li> <li>Beam angle of 50°</li> <li>1380 mA</li> <li>46 W</li> <li>220 V - 50/60 Hz</li> </ul>  | n.a.            | n.a.                         | n.a.                                   | Outdoor & indoor |                                   | /  | /                      |

NEN-EN13501-1 A1 Class A1 products will not contribute to fire in any stage, including fully developed fire. For this reason, they are assumed to be capable of satisfying all requirements of all lower classes as well.  
 NEN-EN13501-1 A2-sl Satisfying the same criteria as class B for the SBI-test according to EN 13823. In addition, under conditions of a fully developed fire these products will significantly contribute to the fire load a fire growthwell.

## Good to know

- There are two types of base- and extension modules, without or with lighting and charging module.
- Patented

## Floor fastening

AMAI comes with an optional floor anchoring set: four steel plates to be fixed with bolts.

## F.A.Q.

Q: How wind resistant is the shade?

A: Tests in a windtunnel have shown that the shade withstands wind speeds up to 6 on the Beaufort scale (49 km/h). Still, we strongly advise to close it sooner (from 4 on the Beaufort scale is the rule of thumb (28 km/h)).

## Maintenance

Find maintenance instructions at the [product care section](#) on [extremis.com](#) for

### POWDER COATED PARTS

- Use Extremis multi cleaner, a 100% biodegradable detergent or common kitchen cleaning products. Avoid using aggressive products. These surfaces are best cleaned with a neutral cleaning product diluted in water.

### GALVANIZED PARTS

- Clean with lukewarm water and a mild detergent or Extremis multi cleaner.

### SHADE FABRIC

- Shake or brush off loose dirt immediately.
- Spray Extremis Multi Cleaner.
- Use a soft brush and make circular movements.
- Let the suds soak in for a moment.
- Rinse thoroughly to remove all soap residue.
- Simply allow to dry.

## Warnings ⚠

|   |  |  |
|---|--|--|
| <p><b>General</b></p> <ul style="list-style-type: none"><li>• Do not use any sharp tools to open the packaging.</li><li>• We strongly advise against using power tools.</li><li>• Tripping hazard, mind your step.</li><li>• Do not put out cigarettes on the table.</li><li>• Not graffiti proof.</li><li>• Do not leave children unattended whilst playing on the table.</li><li>• To avoid danger of suffocation, keep plastic bags away from babies and children.</li><li>• Colors can differ over years and from batch to batch.</li></ul> <p><b>Product</b></p> <ul style="list-style-type: none"><li>• Do not stand or jump on the table.</li><li>• Do not drag the table, but carry it with minimum 2 people.</li><li>• Anchoring the product has to be done by qualified people.</li><li>• For anchoring: use suitable bolts or screws from a specialized store depending on the material your terrace is made of.</li><li>• Tests in a windtunnel have shown that the shade</li></ul> | <p>withstands wind speeds up to 6 on the Beaufort scale (49 km/h). Still, we strongly advise to close it sooner (from 4 on the Beaufort scale is the rule of thumb (28 km/h)).</p> <p><b>Powder coating</b></p> <ul style="list-style-type: none"><li>• White powder coating requires more maintenance.</li><li>• Do not use abrasive scouring powders or scourers as they will scratch the surface.</li><li>• Color can fade to some extent when exposed to UV.</li><li>• Flame retarding - NEN-EN13501-1 A2-sl - Satisfying the same criteria as Class B for the SBI-test according to EN13823. In addition, under conditions of a fully developed fire these products will not significantly contribute to the fire load and fire growth.</li><li>• Dark colors can get very hot in sunny weather.</li></ul> <p><b>Galvanized steel</b></p> <ul style="list-style-type: none"><li>• Galvanization will become less shiny when used outdoors.</li><li>• Flame retarding - NEN-EN13501-1 A1 - Class A1 products will not contribute to fire in any stage,</li></ul> | <p>including fully developed fire. For this reason, they are assumed to be capable of satisfying all requirements of all lower classes as well.</p> <ul style="list-style-type: none"><li>• Possible impurities in the immersion tank can cause black marks during galvanization, which are intrinsic to this industrial finishing technique.</li><li>• White marks on this zinc layer are also intrinsic to this procedure and will disappear when the furniture is put outdoors.</li><li>• This industrial finishing technique may result in a rougher surface. This is intrinsic to the process.</li></ul> <p><b>High-tech polyester</b></p> <ul style="list-style-type: none"><li>• Shake or brush off loose dirt immediately.</li><li>• Do not use any aggressive detergents as they will remove the protective coating of the fabric.</li><li>• We strongly advise you not to use a high-pressure hose for cleaning.</li></ul> |
|---|--|--|

|  |  |
|--|--|
| <p>The content of this document, in particular the mentioned models, is protected by copyrights and/or design rights. The present document and its content is communicated to you for information purposes only. Any partial or total reproduction or any other use without our prior written permission is strictly prohibited. This technical sheet remains subject to possible changes. All dimensions are in mm, unless mentioned otherwise. Extremis is not responsible for the errors in the documentation of products. All measurements are approximate and are provided for informational purposes only.</p> | <p><b>Tech sheet</b></p> <p>20250203</p> |
|--|--|



# AMAi HiLo bench



© design by Dirk Wynants

extremis®




## Dimensions

The AMAi HiLo bench is available in two dimensions  
AMAi HiLo bench short



1044

1158




403

470

450

723




740

403


## Box dimensions

The AMAi HiLo bench short comes in 3 boxes

Box 1: Bench top



Box 2: Backrest




Box 3: Legs



| Box dimensions (mm) |       | L    | W   | H   | Qty | Volume (m3) | Gross weight (kg) | Net weight (kg) | Packaging weight (kg) |
|---------------------|-------|------|-----|-----|-----|-------------|-------------------|-----------------|-----------------------|
| HiLo bench short    | Box 1 | 1070 | 340 | 76  | 1   | 0,30        | 9,20              | 8,30            | 0,90                  |
|                     | Box 2 | 1050 | 100 | 100 | 1   | 0,01        | 4,00              | 3,00            | 1,00                  |
|                     | Box 3 | 570  | 460 | 174 | 1   | 0,05        | 12,00             | 11,30           | 0,70                  |
| Total:              |       |      |     |     |     | 0,36        | 25,20             | 22,60           | 2,60                  |

# Dimensions


AMAi HiLo bench long



# Box dimensions

The AMAi HiLo bench long comes in 3 boxes

Box 1: Bench top



Box 2: Backrest




Box 3: Legs




| Box dimensions (mm) |       | L    | W   | H   | Qty | Volume (m3) | Gross weight (kg) | Net weight (kg) | Packaging weight (kg) |
|---------------------|-------|------|-----|-----|-----|-------------|-------------------|-----------------|-----------------------|
| HiLo bench long     | Box 1 | 2382 | 324 | 76  | 1   | 0,06        | 19,40             | 17,40           | 2,00                  |
|                     | Box 2 | 2394 | 100 | 100 | 1   | 0,02        | 9,10              | 7,10            | 2,00                  |
|                     | Box 3 | 570  | 460 | 174 | 1   | 0,05        | 12,00             | 11,30           | 0,70                  |
| Total:              |       |      |     |     |     | 0,13        | 40,50             | 35,80           | 4,70                  |


Bench profiles, legs & backrest




Black (RAL9005)  
Structured powder coating



Beach beige (RAL1019)  
Structured powder coating




Off white (RAL9002)  
Structured powder coating



Copper brown (RAL8004)  
Structured powder coating

Sunbrella® cushions



Grey chiné  
Sunbrella Natté



Coconut  
Sunbrella Savane



Marble  
Sunbrella Lopi



| Materials   | Key facts  | Thickness<br>mm | Layer<br>thickness<br>micron | Density                                | In/outdoor       | Water  | UV color fastness   | Flame<br>retarding     |
|---|--|-----------------|------------------------------|--|------------------|--|---|------------------------|
| Structured powder coated stainless steel legs     | <ul style="list-style-type: none"><li>Easy to clean</li><li>Stainless steel (for protection against rust), then powder coated</li><li>More scratch-resistant than non structured powder coating</li></ul>  | 2               | 50 - 100                     | 8,00 10 <sup>3</sup> kg/m <sup>3</sup> | Outdoor & indoor | n.a.   | Very good: color can fade to some extent when exposed to UV | NEN-EN13501-1 A1 *     |
| Structured powder coated aluminium bench profiles | <ul style="list-style-type: none"><li>A technique of applying dry paint to a part</li><li>Electrostatically charged and sprayed onto the object</li><li>More scratch-resistant than non structured powder coating</li></ul>  | 2-10            | 50 - 100                     | 2,70 10 <sup>3</sup> kg/m <sup>3</sup> | Outdoor & indoor | n.a.   | Very good: color can fade to some extent when exposed to UV | NEN-EN13501-1 A2-s1 ** |
| Sunbrella® cushions                               | <ul style="list-style-type: none"><li>100% Sunbrella Acrylic</li><li>Best outdoor fabric available for making cushions</li><li>Dirt repellent</li><li>Not waterproof, store inside!</li><li>Machine washable at max. 30°C. Ironing restores the protective layer</li></ul> | 0,50            | n.a.                         | 260 g/m <sup>2</sup>                   | Outdoor & indoor | The fabric has a water column of 350 mm (EN 20811) | 7/8 (ISO 105-B02)   | /                      |

|                     |  |
|---------------------|--|
| NEN-EN13501-1 A1    | Class A1 products will not contribute to fire in any stage, including fully developed fire. For this reason, they are assumed to be capable of satisfying all requirements of all lower classes as well.                 |
| NEN-EN13501-1 A2-sl | Satisfying the same criteria as class B for the SBI-test according to EN 13823. In addition, under conditions of a fully developed fire these products will significantly contribute to the fire load a fire growthwell. |

Maintenance

Find maintenance instructions at the [product care](#) section of [extremis.com](http://extremis.com) for

- POWDER COATED PARTS**
- White powder coating obviously requires more maintenance.

- SUNBRELLA**
- Shake or brush off loose dirt immediately.
  - Spray Extremis Multi Cleaner.
  - Use a soft brush and make circular movements.
  - Let the suds soak in for a moment.
  - Rinse thoroughly to remove all soap residue.
  - Simply allow to dry.
  - It's also possible to put the blanket and the pillow covers in a washing machine (max 40°C). Follow the cleaning instruction on the label

## Warnings ⚠

**General**

- Do not use any sharp tools to open the packaging.
- We strongly advise against using power tools.
- Tripping hazard, mind your step.
- Do not put out cigarettes on the bench.
- Not graffiti proof.
- Do not leave children unattended whilst playing on the bench.
- To avoid danger of suffocation, keep plastic bags away from babies and children.
- Colors can differ over years and from batch to batch.

**Product**

- Do not stand or jump on the bench.
- Do not drag the bench, but carry it with minimum 2 people.
- Short version: Max. 3 people or 240 kg per bench.
- Long version: Max. 5 people or 400 kg per bench.

**Powder coating**

- White powder coating requires more maintenance.
- Do not use abrasive scouring powders or scourers as they will scratch the surface.
- Color can fade to some extent when exposed to UV.

- Flame retarding - NEN-EN13501-1 A2-sl - Satisfying the same criteria as Class B for the SBI-test according to EN13823. In addition, under conditions of a fully developed fire these products will not significantly contribute to the fire load and fire growth.
- Dark colors can get very hot in sunny weather.


**Sunbrella**

- Not waterproof, store inside!
- Shake or brush off loose dirt immediately.
- UV color fastness: 7/8 (ISO 105-B02).



## Dimensions


The AMAi base module is available in one dimension




## Box dimensions

The AMAi comes in 6 boxes

Box 1: A-frame (2x)




Box 2: Tabletop



Box 3: Footrest



Box4: Top profile/tube



Box5: Mounting kit




| Box dimensions (mm)           |               | L    | W    | H   | Qty | Volume (m3) | Gross weight (kg) | Net weight (kg) | Packaging weight (kg) |
|-------------------------------|---------------|------|------|-----|-----|-------------|-------------------|-----------------|-----------------------|
| <b>Powder coated version</b>  | Box 1         | 2350 | 1200 | 84  | 2   | 0,47        | 37,2              | 32,20           | 5,00                  |
| (with powder coated tabletop) | Box 2         | 2900 | 940  | 84  | 1   | 0,23        | 54,30             | 52,30           | 2,00                  |
|                               | Box 3         | 2900 | 190  | 70  | 1   | 0,04        | 10,70             | 9,50            | 1,20                  |
|                               | Box 4         | 2915 | 180  | 150 | 1   | 0,09        | 18,90             | 16,90           | 2,00                  |
|                               | Box 5         | 200  | 150  | 90  | 1   | 0,01        | 0,60              | 0,50            | 0,10                  |
|                               | <b>Total:</b> |      |      |     |     | <b>0,84</b> | <b>121,70</b>     | <b>111,40</b>   | <b>10,30</b>          |
| <b>Galvanized version</b>     | Box 1         | 2350 | 1200 | 84  | 2   | 0,47        | 37,2              | 32,20           | 5,00                  |
| (with powder coated tabletop) | Box 2         | 2900 | 940  | 84  | 1   | 0,23        | 54,30             | 52,30           | 2,00                  |
|                               | Box 3         | 2900 | 190  | 70  | 1   | 0,04        | 10,70             | 9,50            | 1,20                  |
|                               | Box 4         | 2915 | 180  | 150 | 1   | 0,09        | 11,90             | 9,90            | 2,00                  |
|                               | Box 5         | 200  | 150  | 90  | 1   | 0,01        | 0,60              | 0,50            | 0,10                  |
|                               | <b>Total:</b> |      |      |     |     | <b>0,84</b> | <b>114,70</b>     | <b>104,40</b>   | <b>10,30</b>          |



# Extension module


The AMAi extension module is available in one dimension




# Box dimensions

The extension module comes in 5 boxes


Box 1: A-frame (1x)




Box 2: Tabletop



Box 3: Footrest



Box4: Top profile/tube



Box6: Mounting kit extension




| Box dimensions (mm)   |                               | L     | W    | H   | Qty | Volume (m3) | Gross weight (kg) | Net weight (kg) | Packaging weight (kg) |      |
|-----------------------|-------------------------------|-------|------|-----|-----|-------------|-------------------|-----------------|-----------------------|------|
| Powder coated version | Box 1                         | 2350  | 1200 | 84  | 1   | 0,24        | 18,60             | 16,10           | 2,50                  |      |
|                       | (with powder coated tabletop) | Box 2 | 2900 | 940 | 84  | 1           | 0,23              | 54,30           | 52,30                 | 2,00 |
|                       |                               | Box 3 | 2900 | 190 | 70  | 1           | 0,04              | 10,70           | 9,50                  | 1,20 |
|                       |                               | Box 4 | 2915 | 180 | 150 | 1           | 0,09              | 18,90           | 16,90                 | 2,00 |
|                       |                               | Box 6 | 200  | 150 | 90  | 1           | 0,01              | 0,60            | 0,50                  | 0,10 |
| Total:                |                               |       |      |     |     | 0,61        | 103,10            | 95,30           | 7,80                  |      |
| Galvanized version    | Box 1                         | 2350  | 1200 | 84  | 1   | 0,24        | 18,60             | 16,10           | 2,50                  |      |
|                       | (with powder coated tabletop) | Box 2 | 2900 | 940 | 84  | 1           | 0,23              | 54,30           | 52,30                 | 2,00 |
|                       |                               | Box 3 | 2900 | 190 | 70  | 1           | 0,04              | 10,70           | 9,50                  | 1,20 |
|                       |                               | Box 4 | 2915 | 180 | 150 | 1           | 0,09              | 11,90           | 9,90                  | 2,00 |
|                       |                               | Box 6 | 200  | 150 | 90  | 1           | 0,01              | 0,60            | 0,50                  | 0,10 |
| Total:                |                               |       |      |     |     | 0,61        | 96,10             | 88,30           | 7,80                  |      |

# Tabletop options

The tabletop is available in one dimension  
There are multiple material options for the tabletop centerplate

| Tabletop centerplates | Gross weight (kg) | Net weight (kg) | Packaging weight (kg) |
|-----------------------|-------------------|-----------------|-----------------------|
| Powder coated         | 54,30             | 52,30           | 2,00                  |
| Hellwood              | 144,00            | 142,00          | 2,00                  |




## Lighting & charging module

The lighting & charging module is available in one dimension  
The lighting & charging module is already installed in the top profile of AMAi

200 cm dimmable **LED light** in the center of the profile (black RAL9005 powder coated)  
Color temperature of 3000K (warm white)  
100-300 VAC / 50-60 Hz

**USB-C module**  
2 x 60w

**Lighting & charging module**  
With LED light and 2 usb-c ports




## Power supply

The power supply is available in one dimension  
One cable can power 2 AMAi modules.  
In countries where this type of plug is not used, a different plug will need to be fitted

Connection cable Female  
Rubber cable flexibel - H07RN-F  
Length 5 m

24 V — IP68



## Box dimensions

The lighting & charging module is packed inside the top profile

## Box dimensions

The power supply comes in 1 box


**Box 7:** connection cable



| Box dimensions (mm) |       | L   | W   | H   | Qty | Volume (m3) | Gross weight (kg) | Net weight (kg) | Packaging weight (kg) |
|---------------------|-------|-----|-----|-----|-----|-------------|-------------------|-----------------|-----------------------|
| Connection cable    | Box 7 | 200 | 140 | 140 | 1   | 0,01        | 2,20              | 2,00            | 0,20                  |

## Add-on table

The add-on table is available in one dimension



190

516

888

934





150

397

64

190

472



745

1046

3427

## Box dimensions

The add-on table comes in 1 box


Box 9: Add-on table



| Box dimensions (mm) |       | L   | W   | H   | Qty | Volume (m3) | Gross weight (kg) | Net weight (kg) | Packaging weight (kg) |
|---------------------|-------|-----|-----|-----|-----|-------------|-------------------|-----------------|-----------------------|
| Add-on table        | Box 9 | 940 | 475 | 150 | 1   | 0,07        | 13,50             | 12,80           | 0,70                  |

## Shade

The shade is available in one dimension




| Box dimensions (mm) |        | L    | W   | H   | Qty | Volume (m3) | Gross weight (kg) | Net weight (kg) | Packaging weight (kg) |
|---------------------|--------|------|-----|-----|-----|-------------|-------------------|-----------------|-----------------------|
| Shade (1 set)       | Box 10 | 3015 | 146 | 140 | 1   | 0,06        | 12,00             | 10,00           | 2,00                  |

## Box dimensions


The shade comes in 1 box

Box 10: Fabric + supports



## Market shade

The market shade is available in one dimension




| Box dimensions (mm)  |        | L    | W   | H   | Qty | Volume (m3) | Gross weight (kg) | Net weight (kg) | Packaging weight (kg) |
|----------------------|--------|------|-----|-----|-----|-------------|-------------------|-----------------|-----------------------|
| Market shade (1 set) | Box 11 | 3015 | 146 | 140 | 1   | 0,06        | 13,00             | 11,00           | 2,00                  |

## Box dimensions

The market shade comes in 1 box

Box 11: Fabric + supports






# Monitor holder

The monitor holder is available in one dimension

Vesa connection for computer monitor, not for a television



| Box dimensions (mm) |        | L   | W   | H   | Qty | Volume (m3) | Gross weight (kg) | Net weight (kg) | Packaging weight (kg) |
|---------------------|--------|-----|-----|-----|-----|-------------|-------------------|-----------------|-----------------------|
| Monitor holder      | Box 12 | 400 | 300 | 100 | 1   | 0,01        | 1,50              | 1,30            | 0,20                  |

# Box dimensions

The monitor holder comes in 1 box


Box 12: screenholder



# Tabletop fixation

The tabletop fixation is available in one dimension

Can be used in both the standard & high position



| Box dimensions (mm)       |        | L   | W   | H   | Qty | Volume (m3) | Gross weight (kg) | Net weight (kg) | Packaging weight (kg) |
|---------------------------|--------|-----|-----|-----|-----|-------------|-------------------|-----------------|-----------------------|
| Tabletop fixation (1 set) | Box 13 | 200 | 140 | 140 | 1   | 0,01        | 1,10              | 1,00            | 0,10                  |

# Box dimensions



The tabletop fixation comes in 1 box

Box 13: tabletop fixation



## Leveling feet

The leveling feet is available in one dimension



| Box dimensions (mm)   |        | L   | W   | H  | Qty | Volume (m3) | Gross weight (kg) | Net weight (kg) | Packaging weight (kg) |
|-----------------------|--------|-----|-----|----|-----|-------------|-------------------|-----------------|-----------------------|
| Leveling feet (1 set) | Box 14 | 200 | 150 | 90 | 1   | 0,01        | 0,60              | 0,50            | 0,10                  |

## Box dimensions

The leveling feet comes in 1 box



Box 14: leveling feet



## Floor fastening

The floor fastening is available in one dimension

The height of the floor fastening can also be adjusted.




| Box dimensions (inch)   |        | L   | W   | H  | Qty | Volume (m3) | Gross weight (kg) | Net weight (kg) | Packaging weight (kg) |
|-------------------------|--------|-----|-----|----|-----|-------------|-------------------|-----------------|-----------------------|
| Floor fastening (1 set) | Box 15 | 200 | 150 | 90 | 1   | 0,01        | 0,70              | 0,60            | 0,10                  |

## Box dimensions

The floor fastening comes in 1 box

Box 15: floor fastening



# Wheelchair accessibility dimensions

As specifications for wheelchair accessibility vary around the world, please review the dimensions below to ensure the measurements of each solution meet the specifications of your local requirements

Only possible when the tabletop is at standard position, accessible on both side




Accessible on both sides when tabletop is at standard position



Not possible when the tabletop is put in the highest position



Not possible on the ends



2870




685

442


Colors

Check price list or [www.extremis.com](http://www.extremis.com) for current colors


A-frame & top profile/tube




Black (RAL9005)  
Structured powder coating




Beach beige (RAL1019)  
Structured powder coating



Off white (RAL9002)  
Structured powder coating




Copper brown (RAL8004)  
Structured powder coating




Galvanized steel


Tabletop centerplate




Black (RAL9005)  
Structured powder coating




Beach beige (RAL1019)  
Structured powder coating



Off white (RAL9002)  
Structured powder coating




Copper brown (RAL8004)  
Structured powder coating




Hellwood


Tabletop side profiles




Black (RAL9005)  
Structured powder coating



Beach beige (RAL1019)  
Structured powder coating




Off white (RAL9002)  
Structured powder coating




Copper brown (RAL8004)  
Structured powder coating

Footrest & shade balleens




Galvanized steel

Shade fabric



White  
High-tech polyester



| Materials   | Key facts  | Thickness | Layer thickness | Density                                | In/outdoor       | Water                             | UV color fastness  | Flame retarding        |
|---|--|-----------|-----------------|--|------------------|-----------------------------------|--|------------------------|
|   |  | mm        | micron          |  |                  |                                   |  |                        |
| Structured powder coated stainless steel A-frame                        | <ul style="list-style-type: none"> <li>Easy to clean</li> <li>Stainless steel (for protection against rust), then powder coated</li> <li>More scratch-resistant than non structured powder coating</li> </ul>  | 2         | 50 - 100        | 8,00 10 <sup>3</sup> kg/m <sup>3</sup> | Outdoor & indoor | n.a.                              | Very good: color can fade to some extent when exposed to UV                | NEN-EN13501-1 A1 *     |
| Hot dip galvanized steel A-frame, top tube, footrest & shade balleens   | <ul style="list-style-type: none"> <li>Most durable method for protecting metal from rusting</li> <li>Protective layer</li> <li>Very long life span</li> <li>100% recyclable</li> <li>Cradle to Cradle Certified™</li> </ul>   | 2         | 50 - 100        | 7,50 10 <sup>3</sup> kg/m <sup>3</sup> | Outdoor & indoor | n.a.                              | Very good, galvanization will however become less shiny when used outdoors | NEN-EN13501-1 A1 *     |
| Structured powder coated aluminium tabletop side profiles & top profile | <ul style="list-style-type: none"> <li>A technique of applying dry paint to a part</li> <li>Electrostatically charged and sprayed onto the object</li> <li>More scratch-resistant than non structured powder coating</li> </ul>  | 2-10      | 50 - 100        | 2,70 10 <sup>3</sup> kg/m <sup>3</sup> | Outdoor & indoor | n.a.                              | Very good: color can fade to some extent when exposed to UV                | NEN-EN13501-1 A2-s1 ** |
| Structured powder coated ZnAlMg steel tabletop centerplate              | <ul style="list-style-type: none"> <li>A technique of applying dry paint to a part</li> <li>Electrostatically charged and sprayed onto the object</li> <li>More scratch-resistant than non structured powder coated</li> </ul>   | 2         | 60              | 7,50 10 <sup>3</sup> kg/m <sup>3</sup> | Outdoor & indoor | n.a.                              | Very good: color can fade to some extent when exposed to UV                | NEN-EN13501-1 A2-s1 ** |
| Hellwood tabletop centerplate   |  <ul style="list-style-type: none"> <li>Durability CLASS 1</li> <li>Carries the PEFC™ label for durable forestry</li> <li>Feels comfortable in all weather conditions</li> <li>Advisable to oil the wood</li> </ul> | 24        | n.a.            | +/- 600 kg/m <sup>3</sup>              | Outdoor & indoor | n.a.                              | Untreated wood turns grey after a while                                    | /                      |
| High-tech polyester fabric  | <ul style="list-style-type: none"> <li>High UV resistance and ultra strong</li> <li>Low weight / high tear strength</li> <li>Long-term appearance</li> </ul>   | 0,37      | n.a.            | 250 g/m <sup>3</sup>                   | Outdoor & indoor | Water column of 350 mm (EN 20811) | 7/8 (ISO 105-B02)  | /                      |
| LED light   | <ul style="list-style-type: none"> <li>Color temperature of 3000K</li> <li>Power usb-c: 2x60w</li> <li>Lumen +/- 10%: 1045lm/m</li> <li>100-300 VAC / 50-60 Hz</li> </ul>  | n.a.      | n.a.            | n.a.                                   | Outdoor & indoor |                                   | /  | /                      |

NEN-EN13501-1 A1 Class A1 products will not contribute to fire in any stage, including fully developed fire. For this reason, they are assumed to be capable of satisfying all requirements of all lower classes as well.  
 NEN-EN13501-1 A2-s1 Satisfying the same criteria as class B for the SBI-test according to EN 13823. In addition, under conditions of a fully developed fire these products will significantly contribute to the fire load a fire growthwell.



# Good to know

- PEFC™ certified wood (Hellwood) originates from sustainably managed forests.
- There are two types of base- and extension modules, without or with lighting and charging module.
- Patented

# Floor fastening

AMAI comes with an optional floor anchoring set: four steel plates to be fixed with bolts.

# F.A.Q.

Q: Do you need to oil the wood?

A: Just like other types of wood, wood will gradually become rougher and start to turn grey as a consequence of exposure to the sun and rain. Small cracks and crevices can also appear as part of this process. We strongly advise everyone to treat the furniture with our Wood Protector. This 100% natural oil controls the moisture level within the wood, which makes the planks stay stable for longer, and the layer of oil also helps to prevent spilled liquids from being absorbed, so that stains tend to stay superficial. It is best to repeat this treatment at regular intervals.

Q: How wind resistant is the shade?

A: Tests in a windtunnel have shown that the shade withstands wind speeds up to 6 on the Beaufort scale (49 km/h). Still, we strongly advise to close it sooner (from 4 on the Beaufort scale is the rule of thumb (28 km/h)).

# Maintenance

Find maintenance instructions at the [product care section](#) on [extremis.com](#) for

## POWDER COATED PARTS

- Use Extremis multi cleaner, a 100% biodegradable detergent or common kitchen cleaning products. Avoid using aggressive products. These surfaces are best cleaned with a neutral cleaning product diluted in water.

## GALVANIZED PARTS

- Clean with lukewarm water and a mild detergent or Extremis multi cleaner.

## SHADE FABRIC



- Shake or brush off loose dirt immediately.
- Spray Extremis Multi Cleaner.
- Use a soft brush and make circular movements.
- Let the suds soak in for a moment.
- Rinse thoroughly to remove all soap residue.
- Simply allow to dry.

## WOOD

- Clean regularly with mild detergent.
- Thorough cleaning with Extremis Wood Cleaner.
- Oil the wood with Extremis Wood Protector. We recommend oiling the wood at regular intervals depending from location and general weather conditions.
- In order to smoothen the surface again after a thorough cleaning, lightly sand your wood with 120 grit sanding paper or a sanding pad.

## RECOMMENDED USE

- For Extremis Wood protector:

|   |   |   |
|---|---|---|
|  |  |  |
| 2 to 3 wood care treatments   | 1 to 2 wood care treatments   | 300 - 400 ml for one wooden center plate  |

# Warnings ⚠

## General

- Do not use any sharp tools to open the packaging.
- We strongly advise against using power tools.
- Tripping hazard, mind your step.
- Do not put out cigarettes on the table.
- Not graffiti proof.
- Do not leave children unattended whilst playing on the table.
- To avoid danger of suffocation, keep plastic bags away from babies and children.
- Colors can differ over years and from batch to batch.

## Product

- Do not stand or jump on the table.
- Do not drag the table, but carry it with minimum 2 people.
- Anchoring the product has to be done by qualified people.
- For anchoring: use suitable bolts or screws from a specialized store depending on the material your terrace is made of.
- Tests in a windtunnel have shown that the shade withstands wind speeds up to 6 on the Beaufort scale (49 km/h). Still, we strongly advise to close it sooner (from 4 on the Beaufort scale is the rule of thumb (28 km/h)).

## Powder coating

- White powder coating requires more maintenance.
- Do not use abrasive scouring powders or scourers as they will scratch the surface.
- Color can fade to some extent when exposed to UV.
- Flame retarding - NEN-EN13501-1 A2-sl - Satisfying the same criteria as Class B for the SBI-test according to EN13823. In addition, under conditions of a fully developed fire these products will not significantly contribute to the fire load and fire growth.
- Dark colors can get very hot in sunny weather.

## Galvanized steel

- Galvanization will become less shiny when used outdoors.
- Flame retarding - NEN-EN13501-1 A1 - Class A1 products will not contribute to fire in any stage, including fully developed fire. For this reason, they are assumed to be capable of satisfying all requirements of all lower classes as well.
- Possible impurities in the immersion tank can cause black marks during galvanization, which are intrinsic to this industrial finishing technique.
- White marks on this zinc layer are also intrinsic to this procedure and will disappear when the furniture is put outdoors.
- This industrial finishing technique may result in a rougher surface. This is intrinsic to the process.

## Wood

- When delivered, the wood is untreated.
- Wood is a natural material and its look is different for every slat, plank and tree.
- Wood will gradually become rougher and start to turn grey as a consequence of exposure to the sun and rain. We recommend oiling the wood at regular intervals depending from location and general weather conditions.
- Clean regularly with mild detergent. Never use a high pressure cleaner as this will roughen the wood's smooth surface and irreparably damage the wood's fiber.
- Thorough cleaning with Extremis Wood Cleaner.
- We strongly recommend that you treat your wood with wood protector to protect it from stains - small cracks and crevices can also appear as part of this process. We strongly advise everyone to treat the furniture with our Wood Protector.

## High-tech polyester

- Shake or brush off loose dirt immediately.
- Do not use any aggressive detergents as they will remove the protective coating of the fabric.
- We strongly advise you not to use a high-pressure hose for cleaning.

|   |                               |
|---|-------------------------------|
| The content of this document, in particular the mentioned models, is protected by copyrights and/or design rights. The present document and its content is communicated to you for information purposes only. Any partial or total reproduction or any other use without our prior written permission is strictly prohibited. This technical sheet remains subject to possible changes. All dimensions are in mm, unless mentioned otherwise. Extremis is not responsible for the errors in the documentation of products. All measurements are approximate and are provided for informational purposes only. | <b>Tech sheet</b><br>20250203 |
|---|-------------------------------|