





Captain's Chair

© Design by Metrica for Extremis, 2013

The Captain's Chair owes its name to its shape, which draws inspiration from yacht helm chairs. It's a shell offering unrivalled seating comfort, even for large or tall people.

All our designs are original creations and protected by intellectual property rights.

Extremis

→
Optional quilted
cushion.



←
The Captain's Lounge Chair
is perfect for relaxing
indoors or outdoors.
Upgrade it with a handy
Sidekick table and matching
footrest.

Captain's Chair


→
The Pantagruel high tables
and Captain's high sliding
Chairs furnish this cozy
courtyard in Venice, Italy.

↓
Fixed benches or a
Captain's Chair? At the
Marina combo, you always
gather gracefully.



Extremis

The legs of the Captain's Pipe Chair perfectly complement the organic, round shapes of the Panigiri table.



Captain's Chair

Its wide shell offers the ultimate in seating pleasure, even for large or tall people. Thanks to this variety of frames, the chair can be used in all kinds of environments: public spaces,

private homes, indoors, outdoors, etc. It is perfectly suited for terraces, patios, hotels, restaurants, pubs, offices, dining rooms, meeting rooms, bars and lounges, to name but a few possibilities.

Configure me



Types



Lounge
(64 x 63 x 68 cm)



Sliding
(62 x 63 x 82 cm)



High sliding
(60 x 63 x 114 cm)



Pipe
(61 x 63 x 82 cm)

Accessories



Cushions



Quilted cushions

Combine



With Marina combo,
(high) table & double
desk



With Panigiri combo
/ table



With Hopper combo



Footrest
(Lounge Chair only)



Sidekick
(Lounge Chair only)

Materials & colors

Polypropylene shell



Black
RAL9005



Earth



Beach beige
RAL1019



Off fwite
RAL9002



Verdigris



Reed green
RAL6013

Sliding legs



Black
RAL9005



Earth



Beach beige
RAL1019



Off fwite
RAL9002



Verdigris



Reed green
RAL6013



Copper brown
RAL8004



**Galvanized
steel**

Pipe legs & high sliding legs



Black
RAL9005



Earth



Beach beige
RAL1019



Off fwite
RAL9002



Verdigris
(high sliding
legs only)



Earth



Off fwite
RAL9002

Lounge legs, sidekick & footrest



Grey chiné



Dark taupe



Coconut
(Quilted)



Marble
(Quilted)



Charcoal
(Quilted)



Leaf green



Rust

Sunbrella® cushions

Captain's Chair

© Design by Metrica for Extremis, 2013



extremis®



Dimensions

The Captain's sliding Chair is available in one dimension

The Captain's high sliding Chair is available in one dimension



Box dimensions


The Captain's sliding Chairs come in 2 boxes

Max. 6 shells per box: 0,29 m³ | Gross weight: 27,20 kg | Net weight: 24,00 kg | Box height 5-6 shells: 480 mm | Box height 1-4 shells: 410 mm)


Max. 6 sliding legs per box: 0,18 m³ | Gross weight: 24,40 kg | Net weight: 21,00 kg

Max. 2 high sliding legs per box: 0,27 m³ | Gross weight: 13,80 kg | Net weight: 10,40 kg

Box 1: Shell




Box 2: Legs + mounting kit



Box dimensions (mm)		L	W	H	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Sliding Chair	Box 1	735	665	410	1	0,20	7,20	4,00	3,20
1 piece	Box 2	590	590	470	1	0,16	6,90	3,50	3,40
Total						0,36	14,10	7,50	6,60
High sliding Chair	Box 1	735	665	410	1	0,20	7,20	4,00	3,20
1 piece	Box 2	590	590	750	1	0,26	8,60	5,20	3,40
Total						0,46	15,80	9,20	6,60

Dimensions


The Pipe Chair is available in one dimension



Box dimensions

The Pipe Chair comes in 2 boxes
Max. 6 shells per box: 0,29 m³ | Gross weight: 27,20 kg | Net weight: 24,00 kg
Box height 5-6 shells: 480 mm | Box height 1-4 shells: 410 mm

Box 1: Shell




Box 3: Legs + frame + mounting kit



Box dimensions (mm)		L	W	H	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Pipe Chair	Box 1	735	665	410	1	0,20	7,20	4,00	3,20
1 piece	Box 3	464	318	79	1	0,01	5,80	5,30	0,50
					Total	0,21	13,00	9,30	3,70


Quilted cushion

The quilted cushion is available in one dimension
The quilted cushions are delivered inside the box of the shells.



Cushion







The cushion is available in one dimension
The cushions are delivered inside the box of the shells.










Colors

Check price list or www.extremis.com for current colors

Shell

	Black (RAL9005)
	Earth
	Beach beige (RAL1019)
	Off white (RAL9002)
	Verdigris
	Reed green (RAL6013)









Sunbrella® cushions

	Grey chiné Sunbrella Natté
	Dark taupe Sunbrella Natté
	Coconut Sunbrella Savane
	Marble Sunbrella Lopi
	Charcoal Sunbrella Lopi
	Leaf green Sunbrella Heritage
	Rust Sunbrella Heritage






Sunbrella® quilted cushions

	Coconut Sunbrella Savane
	Marble Sunbrella Lopi
	Charcoal Sunbrella Lopi





Sliding legs

	Black (RAL9005) Structured powder coating
	Earth Structured powder coating
	Beach beige (RAL1019) Structured powder coating
	Off white (RAL9002) Structured powder coating
	Verdigris Structured powder coating
	Reed green (RAL6013) Structured powder coating
	Copper brown (RAL8004) Structured powder coating
	Galvanized steel

High sliding legs

	Black (RAL9005) Structured powder coating
	Earth Structured powder coating
	Beach beige (RAL1019) Structured powder coating
	Off white (RAL9002) Structured powder coating
	Verdigris Structured powder coating

Pipe legs

	Black (RAL9005) Structured powder coating
	Earth Structured powder coating
	Beach beige (RAL1019) Structured powder coating
	Off white (RAL9002) Structured powder coating



Captain's Chair – Factsheet

Materials	Key facts	Thickness	Layer thickness	Density	In/outdoor	Water	UV color fastness	Flame retarding
		mm	micron					
Polypropylene shell	<ul style="list-style-type: none"> Reinforced polypropylene (17% fiberglass) 	5 - 8	n.a.	0,90 10 ³ kg/m ³	Outdoor & indoor	n.a.	Very good UV-resistance	/
Structured powder coated zinc steel legs (sliding & high sliding chair)	<ul style="list-style-type: none"> Easy to clean Cold galvanized, then powder coated 	12	100	7,50 10 ³ kg/m ³	Outdoor & indoor	n.a.	Very good: color can fade to some extent when exposed to UV	NEN-EN13501-1 A1 *
Hot dip galvanized steel (sliding chair)	<ul style="list-style-type: none"> Most durable method for protecting metal from rusting Protective layer Very long life span 100% recyclable Cradle to Cradle Certified™ 	2 - 10	50 - 100	7,50 10 ³ kg/m ³	Outdoor & indoor	n.a.	Very good, galvanization will however become less shiny when used outdoors	NEN-EN13501-1 A1 *
Structured powder coated stainless steel legs (pipe chair)	<ul style="list-style-type: none"> Easy to clean Stainless steel (for protection against rust), then powder coated More scratch-resistant than non structured powder coated 		80	8,00 10 ³ kg/m ³	Outdoor & indoor	n.a.	Very good: color can fade to some extent when exposed to UV	NEN-EN13501-1 A1 *
Sunbrella® cushions	<ul style="list-style-type: none"> 100% Sunbrella Acrylic Best outdoor fabric available for making cushions Dirt repellent Not waterproof, store inside! Machine washable at max. 30°C. Ironing restores the protective layer 	0,50	n.a.	260 g/m ²	Outdoor & indoor	The fabric has a water column of 350 mm (EN 20811)	7/8 (ISO 105-B02)	/

NEN-EN13501-1 A1

Class A1 products will not contribute to fire in any stage, including fully developed fire. For this reason, they are assumed to be capable of satisfying all requirements of all lower classes as well.

DIN 4102 - B2/M2

Kleinfrenner: Class B2: All materials used in buildings in Germany need to meet the B2 requirement which is determined using a small flame test.

Good to know

- Because the shells and frames are separately stackable, they don't take up a lot of transport volume.
- No need for extra straps to fix the cushions.
- The quilted cushion perfectly fits into the shell.
- When not using the quilted cushion, simply fold it using the built-in strap and button.
- There is a water drain and ventilation hole in the shell.
- Captain's Chair combines perfectly with:



With Marina combo



With Marina table



With Marina high table



With Panigiri



With Hopper combo



With Pantagruel high table

Maintenance

SHELL

- Use common kitchen cleaning products. Avoid using aggressive products. These surfaces are best cleaned with a neutral cleaning product diluted in water.

POWDER COATED LEGS

- Use Extremis multi cleaner, a 100% biodegradable detergent or common kitchen cleaning products. Avoid using aggressive products. These surfaces are best cleaned with a neutral cleaning product diluted in water.

GALVANIZED STEEL LEGS

- Clean with lukewarm water and a mild detergent or Extremis multi cleaner.

SUNBRELLA

- Shake or brush off loose dirt immediately.
- Spray Extremis Multi Cleaner.
- Use a soft brush and make circular movements.
- Let the suds soak in for a moment.
- Rinse thoroughly to remove all soap residue.
- Simply allow to dry.

F.A.Q.

Q: Is the chair weatherproof?

A: Yes, except for the versions with wheels. The shell and frame of the Captain's Chair are made of durable, UV- & water proof materials. The shape of the shell makes sure water can evacuate easily

Warnings

General

- Do not use any sharp tools to open the packaging.
- We strongly advise against using power tools.
- Tripping hazard, mind your step.
- Do not put out cigarettes on the chair.
- Not graffiti proof.
- Do not leave children unattended whilst playing on the chair.
- To avoid danger of suffocation, keep plastic bags away from babies and children.
- Colors can differ over years and from batch to batch.

Product

- Stains should be removed immediately with a clean, soft cloth, particularly in case of dark-colored liquids such as wine, ink, coffee, coke, oil or bird droppings. If left to dry, these liquids may cause permanent damage.
- The chairs are weatherproof, except for the versions with wheels
- Do not stand on the chairs.

- Max. 120 kg per chair
- Do not lean backwards, always stay on 4 feet.
- Store the cushions indoors when not used.
- Risk of suffocation in plastic bags.

Polypropylene

- Avoid using aggressive & abrasive products.
- Very good UV-resistance.

Powder coating

- White powder coating requires more maintenance.
- Do not use abrasive scouring powders or scourers as they will scratch the surface.
- Color can fade to some extent when exposed to UV.
- Flame retarding - NEN-EN13501-1 A2-s1 - Satisfying the same criteria as Class B for the SBI-test according to EN13823. In addition, under conditions of a fully developed fire these products will not significantly contribute to the fire load and fire growth.
- Dark colors can get very hot in sunny weather.

Galvanized steel

- Galvanization will become less shiny when used outdoors.
- Flame retarding - NEN-EN13501-1 A1 - Class A1 products will not contribute to fire in any stage, including fully developed fire. For this reason, they are assumed to be capable of satisfying all requirements of all lower classes as well.
- Possible impurities in the immersion tank can cause black marks during galvanization, which are intrinsic to this industrial finishing technique.
- White marks on this zinc layer are also intrinsic to this procedure and will disappear when the furniture is put outdoors.
- This industrial finishing technique may result in a rougher surface. This is intrinsic to the process.

Sunbrella

- Not waterproof, store inside!
- Shake or brush off loose dirt immediately.
- UV color fastness: 7/8 (ISO 105-B02).

The content of this document, in particular the mentioned models, is protected by copyrights and/or design rights. The present document and its content is communicated to you for information purposes only. Any partial or total reproduction or any other use without our prior written permission is strictly prohibited. This technical sheet remains subject to possible changes. **All dimensions are in mm**, unless mentioned otherwise. Extremis is not responsible for the errors in the documentation of products. All measurements are approximate and are provided for informational purposes only.

**Tech
sheet**
20250303