





Hopper picnic

© Design by Dirk Wynants for Extremis, 2010

At a lively beer festival, elegance is almost certainly not the main concern, but this hasn't stopped us from trying to improve access to the classic picnic table. We managed to incorporate more space at the sides to get in.



GOOD
DESIGN



Registered in the U.S. Patent and Trademark Office.


All our designs are original creations and protected by intellectual property rights.



Hopper picnic



As fall starts to set in, Hopper picnic awaits with coffee and cake. Take a seat on the benches, equipped with extra comfort thanks to the backrest and cushions.



←

This Ghent townhouse by Baeyens & Beck Architecten is a masterpiece, and the garden is no exception. The outdoor space features a sleek, minimalist black-and-white theme that extends from inside to out, creating a cohesive and sophisticated look.

Extremis

Without taking up any extra space around the table, the broad canopy of the Hopper shade offers this family a refreshing spot to enjoy lunch at these holiday homes in Les Issambres, France.



Hopper picnic



The Hopper picnic beautifully matches this architectural villa in Australia.





Hopper picnic AA



The Hopper picnic AA is a real eye-catcher. The slanted legs are easy on the eye and make it effortless to get in and out.



In the summer vacation, when the parents are off to work, the garden of this magnificent house by Govaert & Vanhoutte architects becomes a realm of children.



Hopper picnic



In the park surrounding the Maersk Tower in Copenhagen, Denmark, Hopper picnic tables offer a natural escape for passers-by. A spot to take lunch outdoors, a meeting with colleagues or a Sunday picnic with family? There are enough tables for all!



At the HQ of Afas Software in the Netherlands, the employees are enjoying a break on one of the many outdoor terraces.

Extremis



The L'Oréal headquarters in Japan are a place where beauty is born and where customers, suppliers and employees meet. With views on the Shinjuku Chuo Park with its blossoming cherry trees, people can take themselves away from work to feel refreshed. The Extremis Hopper picnic AA add to the feeling of nature while fitting perfectly in this "Beauty Valley".



Hopper picnic AA



Pass the bread. Hug your friends. Be Merry! Togetherness is the true essence of the holiday season, it's only fitting to spend in with good people making new memories to cherish.



Extremis

The Hopper picnic table seamlessly complements the wooden planks of this cozy outdoor terrace.



Hopper picnic



Following the tones of
the emerald North Sea,
this Hopper picnic with
Verdigris legs has found its
natural habitat.

Hopper picnic wood

The four pass-through zones make it easy to get in and out of Hopper without having to lift your leg over the bench or disturb your table companions. Its slanted legs and tabletop edges are a clear reference to the hop poles

that are so characteristic of the Westhoek region. If you turn around, you can use the tabletop as a comfortable backrest.

Configure me



Types



Hopper picnic
(178/238/298/358 x 163 x 74 cm)



With Hopper shade

Accessories & options



Backrest



Cushions



Legs with anchoring
holes



Charging module



Wheelchair
accessibility options

Materials & colors

Tabletop, benches & backrest



Iroko



Hellwood

Frame



Galvanized steel

Legs & backrest supports



Galvanized steel




Black
RAL9005



Earth



Beach beige
RAL1019



Off white
RAL9002



Verdigris



Reed green
RAL6013



Copper brown
RAL8004

Hopper picnic AA

Hopper AA (All Aluminum) is a mono-material picnic table with a sleek visual aesthetic, but designed with functionality in mind. Four pass-through zones at the ends eliminate the need to scramble

over the benches to reach the table. A picnic table at heart, this piece adds a playful yet architectural element to any indoor space or outdoor terrace.

Configure me



Types



Hopper picnic AA
(238 / 298 / 358 x 163 x 74 cm)



With Hopper shade

Accessories & options



Backrest



Cushions



Floor fastening



Charging module



Wheelchair
accessibility options

Materials & colors

Tabletop, benches, legs & backrest



Black
RAL9005



Earth



Beach beige
RAL1019



Off white
RAL9002



Verdigris



Reed green
RAL6013



Copper brown
RAL8004


Sunbrella® cushions (for wood & AA version)




Grey chiné



Dark taupe




Coconut



Marble



Charcoal



Leaf green



Rust





Hopper combo

© Design by Dirk Wynants for Extremis, 2010

The Hopper combo combines the best of two worlds: a bench on one side and chairs on the other. The attached bench allows you to slide in from the sides, without having to lift your legs. The open side offers flexibility and welcomes wheelchairs or child seats at any time.

Registered in the U.S. Patent and Trademark Office.

All our designs are original creations and protected by intellectual property rights.

Extremis



What's your preferred seat? A shared bench that creates an exceptional atmosphere or a separate chair that offers the flexibility of personal space? At the Hopper combo table everybody is free to choose their favorite side.



Hopper combo wood

The Hopper combo combines the best of two worlds: a bench on one side and chairs on the other. Grab a few Captain's Chairs to add comfort. The attached bench allows you to slide in from the sides, without having to

lift your legs. The open side offers flexibility and welcomes wheelchairs or child seats at any time. Pick your favorite hardwood for the surface and a powder coated or galvanized finish for the legs.

Configure me



Types



Hopper combo
(178/238/298/358 x 123 x 74 cm)

Combine



With Captain's Chairs

Accessories & options



Backrest



Cushions



Charging module



Wheelchair accessible

Materials & colors

Tabletop, bench & backrest



Iroko



Hellwood

Frame



Galvanized steel

Legs & backrest supports




Black
RAL9005



Earth



Beach beige
RAL1019



Off white
RAL9002



Verdigris



Reed green
RAL6013



Copper brown
RAL8004

Hopper combo AA

With a bench on one side and chairs on the other, this table suits everybody's preferences. Slip in from the sides on the attached benches, or grab a Captain's Chair for a different seating

spot. This mono-material table offers more flexibility thanks to the open sides that welcome wheelchairs or child seats at any time. Available in several colors, Hopper combo AA fits any setting.

Configure me



Types



Hopper combo AA
(238/298/358 x 123 x 74 cm)

Combine



With Captain's Chairs

Accessories & options



Backrest



Cushions



Charging module



Wheelchair accessible

Materials & colors


Tabletop, bench, legs & backrest




Black
RAL9005



Earth



Beach beige
RAL1019



Off white
RAL9002



Verdigris



Reed green
RAL6013



Copper brown
RAL8004


Sunbrella® cushions (for wood & AA version)




Grey chiné



Dark taupe




Coconut



Marble



Charcoal



Leaf green



Rust





Hopper bench

© Design by Dirk Wynants for Extremis, 2010

A quick change of scenery? This versatile bench can be used in more than one way. Take a seat on the bench or turn around to the opposite direction - the backrest now doubles as a tabletop. This design adds comfort to each street, rooftop, garden or balcony.

Registered in the U.S. Patent and Trademark Office.

All our designs are original creations and protected by intellectual property rights.

Extremis

In 2021, the town of Rockford, Michigan closed part of its main street for a few months to create a public gathering space. After seeing how the main street quickly became a bustling place for families and friends, boosting the local businesses as well, the city has made a long-term investment in togetherness by placing Hopper benches along the walkways to bring people together in the public space.



Hopper bench



To create an attractive and lively urban area, Okayama city in Japan has placed 30 Hopper benches along the main street. By shifting from a 'car-centered' to a 'people-first' area, the city has created a spacious area that is fun to walk along. Now, people from all ages feel comfortable using the public space that has shifted from a parking space into a meeting area.



Hopper bench wood

In streetscapes and squares, gardens or balconies, Hopper bench suits any location. This multi-functional design can be used in more ways than a traditional city bench. The attached legs allow you to slide in from

the sides and sit down with a backrest. And the top surface doubles as a tabletop when facing the opposite direction. The versatility of this design allows for a quick change of scenery while adding comfort along the way.

Configure me



Types



Hopper bench
(238/298 x 68 x 74 cm)

Accessories & options



Stabilizing support



Wheelchair accessible

Materials & colors

Tabletop & bench



Iroko



Hellwood

Frame



Galvanized steel

Legs & stabilizing support



Galvanized steel




Black
RAL9005



Earth



Beach beige
RAL1019



Off white
RAL9002



Verdigris



Reed green
RAL6013



Copper brown
RAL8004

Hopper bench AA

This bench can really be used anywhere, the streetscape, in a park, on a balcony or in public spaces... Sit on the bench leaning against the backrest or hop onto the tabletop for a higher perspective. Tired of your

view? Turn around to use it as a table-seat combination. The robust materials can withstand more than one knock, and the natural colors give a timeless look that also stands the test of time esthetically.

Configure me




Types



Hopper bench AA
(238 / 298 x 68 x 74 cm)

Accessories & options



Stabilizing support



Wheelchair accessible

Materials & colors

Tabletop, bench, legs & stabilizing support




Black
RAL9005



Earth



Beach beige
RAL1019



Off white
RAL9002



Verdigris



Reed green
RAL6013



Copper brown
RAL8004





Hopper shade

© Design by Dirk Wynants for Extremis, 2010

Being based in the only hops region in Belgium, we've let the many hop gardens that dominate the landscape inspire our designs. Mimicking the hop fields, the Hopper shade has slanted poles that fold the canopy in an esthetically pleasing way.

All our designs are original creations and protected by intellectual property rights.

Extremis

In front of Japan's SAGA Arena, Hopper tables with Hopper shades line the bustling pedestrian deck, offering a welcoming spot to pause. Whether for coffee or lunch, these shaded tables turn every visit into a moment of discovery.



With the Hopper shade, you're safe: protected from the intense midday sun, sheltered from a passing rain shower, and cocooned in a warm glow during long summer evenings.



Extremis



This garden in Grand Rapids, Michigan, USA, looks like a winter wonderland, straight from a fairytale.

Hopper shade

In the opened and closed positions, Hopper shade echoes the lines of the Hopper design. It opens and closes effortlessly, thanks to an internal spring mechanism that takes up no extra space

beside the table. This foldable canopy creates ample shade for everyone in a simple, aesthetically pleasing way.

Configure me



Types



Hopper shade
(256/316/376 x 268 x 211 cm)

Accessories & options



Assembly to Hopper legs



Assembly under legs



Floor fastening



Concrete base



Cover (included)



With Hopper picnic




With Hopper picnic AA

Materials & colors

High-tech polyester fabric



Grey taupe



White

Poles



Stainless steel

Hopper bench AA





© Design by Dirk Wynants for Extremis, 2019

extremis®



Dimensions


The Hopper bench AA is available in 2 lengths




Box dimensions

The Hopper bench AA comes in 2 boxes

Box 1: Tabletop & bench profiles








Box 2: Legs + mounting kit



Box dimensions (mm)		L	W	H	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Hopper bench AA 240	Box 1	2400	330	270	1	0,21	62,90	58,90	4,00
	Box 2	1125	635	625	1	0,45	37,40	21,20	16,20
	total:					0,66	100,30	80,10	20,20
Hopper bench AA 300	Box 1	3000	330	270	1	0,27	70,50	65,20	5,30
	Box 2	1125	635	625	1	0,45	37,40	21,20	16,20
	total:					0,72	107,90	86,40	21,50

Stabilizing support

The stabilizing support is available in 1 dimensions




Dimensions (mm)	L
Hopper bench 240	3426
Hopper bench 300	3026

Box dimensions (mm)		L	W	H	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Stabilizing support powder coated	Box 3	620	310	55	1	0,01	16,80	16,40	0,40


Floor fastening

Hopper bench always comes with two anchoring holes per leg
When used freestanding with no stabilizing supports
Mark the spots on the ground | Use the fixing media most suited to the type of ground on which you intend to install Hopper bench




Wheelchair accessibility dimensions


As specifications for wheelchair accessibility vary around the world,
plesae review the dimensions below to ensure the measurements of each solution meet the specifications of your local requirements



Only accessible on
side with no bench




Tabletop, bench, legs & stabilizing support




Black (RAL9005)
Structured powder coating



Earth
Structured powder coating



Beach beige (RAL1019)
Structured powder coating



Off white (RAL9002)
Structured powder coating



Verdigris
Structured powder coating



Reed green (RAL6013)
Structured powder coating



Copper brown (RAL8004)
Structured powder coating



Materials	Key facts	Thickness mm	Layer thickness micron	Density	In/outdoor	Water	UV color fastness	Flame retarding
Structured powder coated aluminium tabletop, bench & legs	<ul style="list-style-type: none"> A technique of applying dry paint to a part Electrostatically charged and sprayed onto the object More scratch-resistant than non structured powder coating 	8	50 - 100	2,70 10 ³ kg/m ³	Outdoor & indoor	n.a.	Very good: color can fade to some extent when exposed to UV	NEN -EN13501-1 A2-s1 **
Structured powder coated zinc steel stabilizing support	<ul style="list-style-type: none"> A technique of applying dry paint to a part Electrostatically charged and sprayed onto the object More scratch-resistant than non structured powder coating 	8	50 - 100	2,70 10 ³ kg/m ³	Outdoor & indoor	n.a.	Very good: color can fade to some extent when exposed to UV	NEN -EN13501-1 A2-s1 **

NEN-EN13501-1 A2-s1


Satisfying the same criteria as class B for the SBI-test according to EN 13823. In addition, under conditions of a fully developed fire these products will not significantly contribute to the fire load and fire growth

Good to know

- 'Hopper' stands for 'Hop Picker', because the range is inspired by hop gardens, harvests and beer fests.
- The Hopper bench legs are cut out of an aluminium or metal sheet nearly without any loss of material.

Floor fastening




Hopper bench AA always has two anchoring holes per leg (ø 12mm), to be fixed with bolts.



Important

Use our packaging material for better support to attach the legs to the tabletop.

1. Leave the box on the pallet.
2. Remove the lid of the box.
3. Take the legs out of the box.
4. Put the lid back on the box.
5. Put the tabletop on top of the box.
6. Assemble the Hopper bench AA.



Maintenance


www.extremis.com/maintenance

POWDER COATED PARTS

- Use Extremis multi cleaner, a 100% biodegradable detergent or common kitchen cleaning products. Avoid using aggressive products. These surfaces are best cleaned with a neutral cleaning product diluted in water.

Applications


Against a balustrade or against a wall.



Freestanding (anchored to the floor)



Freestanding with stabilizing supports



Warnings ⚠

General

- Do not use any sharp tools to open the packaging.
- We strongly advise against using power tools.
- Tripping hazard, mind your step.
- Do not put out cigarettes on the table.
- Not graffiti proof.
- Do not leave children unattended whilst playing on the table.
- To avoid danger of suffocation, keep plastic bags away from babies and children.
- Colors can differ over years and from batch to batch.

Product

- Do not drag the bench, but carry it with minimum 2 people.

- The packaging material of the legs must stay intact, you need it to attach the legs to the tabletop.
- 240 cm: max. 5 people or 400 kg per bench - 300 cm: max. 6 people or 480 kg per bench.
- Regularly clean the flat surface of the legs.
- Always fix the Hopper bench to the ground when you are not using the stabilizing supports.
- The bench allows you to sit on the tabletop.

Powder coating

- White powder coating requires more maintenance.
- Do not use abrasive scouring powders or scourers as they will scratch the surface.
- Color can fade to some extent when exposed to UV.
- Flame retarding - NEN-EN13501-1 A2-s1 - Satisfying the same criteria as Class B for the

SBI-test according to EN13823. In addition, under conditions of a fully developed fire these products will not significantly contribute to the fire load and fire growth.

- Dark colors can get very hot in sunny weather.

The content of this document, in particular the mentioned models, is protected by copyrights and/or design rights. The present document and its content is communicated to you for information purposes only. Any partial or total reproduction or any other use without our prior written permission is strictly prohibited. This technical sheet remains subject to possible changes. All dimensions are in **mm**, unless mentioned otherwise. Extremis is not responsible for the errors in the documentation of products. All measurements are approximate and are provided for informational purposes only.

**Tech
sheet**
20240312

Hopper bench





© Design by Dirk Wynants for Extremis, 2010

extremis®



Dimensions


The Hopper bench is available in 2 lengths




Box dimensions

The Hopper bench comes in 2 boxes

Box 1: Tabletop & bench








Box 2: Legs + mounting kit



Box dimensions (mm)		L	W	H	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Hopper bench 240	Box 1	2400	330	270	1	0,21	65,21	61,18	4,03
Galvanized legs	Box 2	1125	635	625	1	0,45	65,80	49,60	16,20
total:						0,66	131,01	110,78	20,23
Hopper bench 240	Box 1	2400	330	270	1	0,21	65,21	61,18	4,03
Powder coated legs	Box 2	1125	635	625	1	0,45	37,40	21,20	16,20
total:						0,66	102,61	82,38	20,23
Hopper bench 300	Box 1	3000	330	270	1	0,20	72,50	67,20	5,30
Galvanized legs	Box 2	1125	635	625	1	0,45	65,80	49,60	16,20
total:						0,72	138,30	116,80	21,50
Hopper bench 300	Box 1	3000	330	270	1	0,20	72,50	67,20	3,00
Powder coated legs	Box 2	1125	635	625	1	0,45	37,40	21,20	16,20
total:						0,72	109,90	88,40	21,50

Stabilizing support

The stabilizing support is available in 1 dimensions
When used freestanding



Stabilizing support box

The stabilizing support comes in 1 box

Box 3: Stabilizing support




Dimensions (mm)	L
Hopper bench 240	2426
Hopper bench 300	3026

Box dimensions (mm)		L	W	H	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Stabilizing support Galvanized	Box 3	620	310	55	1	0,01	16,80	16,40	0,40
Stabilizing support Powder coated	Box 3	620	310	55	1	0,01	16,80	16,40	0,40


Floor fastening

Hopper bench always comes with two anchoring holes per leg
When used freestanding with no stabilizing supports
Mark the spots on the ground | Use the fixing media most suited to the type of ground on which you intend to install Hopper bench




Wheelchair accessibility dimensions

As specifications for wheelchair accessibility vary around the world,
plesae review the dimensions below to ensure the measurements of each solution meet the specifications of your local requirements



Only accessible on
side with no bench



649

Tabletop & bench



Iroko hardwood




Hellwood

Frame




Galvanized steel


Legs & stabilizing support



Black (RAL9005)
Structured powder coating



Earth
Structured powder coating



Beach beige (RAL1019)
Structured powder coating



Off white (RAL9002)
Structured powder coating




Verdigris
Structured powder coating



Reed green (RAL6013)
Structured powder coating




Copper brown (RAL8004)
Structured powder coating



Galvanized steel



Materials	Key facts	Thickness mm	Layer thickness micron	Density	In/outdoor	Water	UV color fastness	Flame retarding
Iroko tabletop & benches	<ul style="list-style-type: none"> Durability CLASS 1 Feels comfortable in all weather conditions Advisable to oil the wood 	30	n.a.	600 à 700 kg/m ³	Outdoor & indoor	n.a.	Untreated wood turns grey after a while	/
Hellwood tabletop & benches	 <ul style="list-style-type: none"> Durability CLASS 1 Carries the PEFC™ label for durable forestry Feels comfortable in all weather conditions Advisable to oil the wood 	30	n.a.	600 kg/m ³	Outdoor & indoor	n.a.	Untreated wood turns grey after a while	/
Hot dip galvanized steel frame	<ul style="list-style-type: none"> Most durable method for protecting metal from rusting Protective layer Very long life span 100% recyclable Cradle to Cradle Certified™ 	2 - 6	50 - 100	7,50 10 ³ kg/m ³	Outdoor & indoor	n.a.	Very good, galvanization will however become less shiny when used outdoors	NEN-EN13501-1 A1 *
Hot dip galvanized steel legs	<ul style="list-style-type: none"> Most durable method for protecting metal from rusting Protective layer Very long life span 100% recyclable Cradle to Cradle Certified™ 	8	50 - 100	7,50 10 ³ kg/m ³	Outdoor & indoor	n.a.	Very good, galvanisation will however become less shiny when used outdoors	NEN-EN13501-1 A1 *
Structured powder coated aluminium tabletop, bench & legs	<ul style="list-style-type: none"> A technique of applying dry paint to a part Electrostatically charged and sprayed onto the object More scratch-resistant than non structured powder coating 	8	50 - 100	2,70 10 ³ kg/m ³	Outdoor & indoor	n.a.	Very good: color can fade to some extent when exposed to UV	NEN-EN13501-1 A2-s1 **
Structured powder coated zinc steel stabilizing support	<ul style="list-style-type: none"> A technique of applying dry paint to a part Electrostatically charged and sprayed onto the object More scratch-resistant than non structured powder coating 	8	50 - 100	2,70 10 ³ kg/m ³	Outdoor & indoor	n.a.	Very good: color can fade to some extent when exposed to UV	NEN-EN13501-1 A2-s1 **

NEN-EN13501-1 A2-s1

Satisfying the same criteria as class B for the SBI-test according to EN 13823. In addition, under conditions of a fully developed fire these products will not significantly contribute to the fire load and fire growth

Good to know

- 'Hopper' stands for 'Hop Picker', because the range is inspired by hop gardens, harvests and beer fests.
- The Hopper bench legs are cut out of an aluminium or metal sheet nearly without any loss of material.
- PEFC™ certified wood originates from sustainably managed forests.

Floor fastening

Hopper bench always has two anchoring holes per leg (ø 12mm), to be fixed with bolts.




F.A.Q.

Q: Do you need to oil the wood?

A: Just like other types of wood, wood will gradually become rougher and start to turn grey as a consequence of exposure to the sun and rain. Small cracks and crevices can also appear as part of this process. We strongly advise everyone to treat the furniture with our Wood Protector. This 100% natural oil controls the moisture level within the wood, which makes the planks stay stable for longer, and the layer of oil also helps to prevent spilled liquids from being absorbed, so that stains tend to stay superficial. It is best to repeat this treatment at regular intervals.

Applications


Against a balustrade or against a wall.



Freestanding (anchored to the floor)



Freestanding with stabilizing supports



Maintenance

www.extremis.com/maintenance

POWDER COATED PARTS

- Use Extremis multi cleaner, a 100% biodegradable detergent or common kitchen cleaning products. Avoid using aggressive products. These surfaces are best cleaned with a neutral cleaning product diluted in water.

GALVANIZED PARTS




- Clean with lukewarm water and a mild detergent or Extremis multi cleaner.

WOOD

- Clean regularly with mild detergent.
- Thorough cleaning with Extremis Wood Cleaner.
- Oil the wood with Extremis Wood Protector. We recommend oiling the wood at regular intervals depending from location and general weather conditions.
- In order to smoothen the surface again after a thorough cleaning, lightly sand your wood with 120 grit sanding paper or a sanding pad.

RECOMMENDED USE


- For Extremis Wood protector:

 1L	 0.5L	
7 to 10 wood care treatments for 240	3 to 5 wood care treatments for 240	100 - 150 ml for one Hopper bench 240
3 to 5 wood care treatments for 300	2 to 4 wood care treatments for 300	150 - 250 ml for one Hopper bench 300

Important

Use our packaging material for better support to attach the legs to the tabletop.

1. Leave the box on the pallet.
2. Remove the lid of the box.
3. Take the legs out of the box.
4. Put the lid back on the box.
5. Put the tabletop on top of the box.
6. Assemble the Hopper bench AA.



Warnings

General

- Do not use any sharp tools to open the packaging.
- We strongly advise against using power tools.
- Tripping hazard, mind your step.
- Do not put out cigarettes on the table.
- Not graffiti proof.
- Do not leave children unattended whilst playing on the table.
- To avoid danger of suffocation, keep plastic bags away from babies and children.
- Colors can differ over years and from batch to batch.

Product

- Do not drag the table, but carry it with minimum 2 people.
- Anchoring the product has to be done by qualified people.
- For anchoring: use suitable bolts or screws from a specialized store depending on the material your terrace is made of.
- The packaging material of the legs must stay intact, you need it to attach the legs to the tabletop.
- 240 cm: max. 5 people or 400 kg per bench - 300 cm: max. 6 people or 480 kg per bench.
- Regularly clean the flat surface of the legs.
- Always fix Hopper bench to the ground when you

are not using the stabilizing supports.

- The table allows you to sit on the tabletop.

Wood

- When delivered, the wood is untreated.
- Wood is a natural material and its look is different for every slat, plank and tree.
- Wood will gradually become rougher and start to turn grey as a consequence of exposure to the sun and rain. We recommend oiling the wood at regular intervals depending from location and general weather conditions.
- Clean regularly with mild detergent. Never use a high pressure cleaner as this will roughen the wood's smooth surface and irreparably damage the wood's fiber.
- Thorough cleaning with Extremis Wood Cleaner.
- We strongly recommend that you treat your wood with wood protector to protect it from stains - small cracks and crevices can also appear as part of this process. We strongly advise everyone to treat the furniture with our Wood Protector.

Galvanized steel

- Galvanization will become less shiny when used outdoors.
- Flame retarding - NEN-EN13501-1 A1 - Class A1

products will not contribute to fire in any stage, including fully developed fire. For this reason, they are assumed to be capable of satisfying all requirements of all lower classes as well.

- Possible impurities in the immersion tank can cause black marks during galvanization, which are intrinsic to this industrial finishing technique.
- White marks on this zinc layer are also intrinsic to this procedure and will disappear when the furniture is put outdoors.
- This industrial finishing technique may result in a rougher surface. This is intrinsic to the process.

Powder coating

- White powder coating requires more maintenance.
- Do not use abrasive scouring powders or scourers as they will scratch the surface.
- Color can fade to some extent when exposed to UV.
- Flame retarding - NEN-EN13501-1 A2-sl - Satisfying the same criteria as Class B for the SBI-test according to EN13823. In addition, under conditions of a fully developed fire these products will not significantly contribute to the fire load and fire growth.
- Dark colors can get very hot in sunny weather.

The content of this document, in particular the mentioned models, is protected by copyrights and/or design rights. The present document and its content is communicated to you for information purposes only. Any partial or total reproduction or any other use without our prior written permission is strictly prohibited. This technical sheet remains subject to possible changes. All dimensions are in **mm**, unless mentioned otherwise. Extremis is not responsible for the errors in the documentation of products. All measurements are approximate and are provided for informational purposes only.


**Tech
sheet**

20240312

Hopper combo AA





© Design by Dirk Wynants for Extremis, 2019

extremis®



Dimensions


The Hopper combo AA is available in 3 lengths




Box dimensions

The Hopper combo AA comes in 4 boxes


Box 1: Tabletop



Box 2: bench



Box 3: Picnic legs + mounting kit





Box 4: Straight legs




Box dimensions (mm)		L	W	H	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Hopper combo AA 240	Box 1	2470	870	150	1	0,32	55,00	43,00	12,00
	Box 2	1650	320	255	1	0,13	27,00	25,00	2,00
	Box 3	1136	646	635	1	0,47	37,40	21,20	16,20
	Box 4	915	320	105	1	0,03	15,00	13,00	2,00
Total:						0,95	134,40	102,20	32,20
Hopper combo AA 300	Box 1	3040	870	150	1	0,40	69,00	54,00	15,00
	Box 2	2420	320	255	1	0,20	34,00	31,00	3,00
	Box 3	1136	646	635	1	0,47	37,40	21,20	16,20
	Box 4	915	320	105	1	0,03	15,00	13,00	2,00
Total:						1,10	155,40	119,20	36,20
Hopper combo AA 360	Box 1	3735	870	150	1	0,49	83,00	65,00	18,00
	Box 2	3020	320	255	1	0,25	41,00	37,00	4,00
	Box 3	1136	646	635	1	0,47	37,40	21,20	16,20
	Box 4	915	320	105	1	0,03	15,00	13,00	2,00
Total:						1,24	176,40	136,20	40,20

Backrest

The backrest is available in 3 lengths



L



1416

Backrest box

The backrests comes in 1 box



Box 5: Profile + supports




Box dimensions (mm)		L	W	H	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Backrest for 240	Box 5	1500	150	100	1	0,02	4,50	4,00	0,50
Backrest for 300	Box 5	2100	150	100	1	0,03	5,25	4,50	0,75
Backrest for 360	Box 5	2700	150	100	1	0,04	6,00	5,00	1,00

Cushion

The cushions are available in 4 lengths



L



270

Cushion box

The cushions comes in 1 plastic bag



Bag 1: cushion

Box dimensions (mm)		L	W	H	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Cushion for 240	Bag 1	1570	270	30	1	0,01	1,60	1,60	0,00
Cushion for 300	Bag 1	2170	270	30	1	0,02	2,00	2,00	0,00
Cushion for 360	Bag 1	2770	270	30	1	0,02	2,40	2,40	0,00


Dimensions (mm)	L
Cushion for 240	1570
Cushion for 300	2170
Cushion for 360	2770

Wheelchair accessibility dimensions

As specifications for wheelchair accessibility vary around the world,
plesae review the dimensions below to ensure the measurements of each solution meet the specifications of your local requirements



Only accessible on
side with no bench










Dimensions (mm)	L	l1
Hopper combo AA 240	2380	2360
Hopper combo AA 300	2980	2960
Hopper combo AA 360	3580	3560






Materials & colors

Check price list or www.extremis.com for current materials & colors

Tabletop, bench, legs & backrest

	Black (RAL9005) Structured powder coating
	Earth Structured powder coating
	Beach beige (RAL1019) Structured powder coating
	Off white (RAL9002) Structured powder coating
	Verdigris Structured powder coating
	Reed green (RAL6013) Structured powder coating
	Copper brown (RAL8004) Structured powder coating

Sunbrella® cushions

	Grey chiné Sunbrella Natté
	Dark taupe Sunbrella Natté
	Coconut Sunbrella Savane
	Marble Sunbrella Lopi
	Charcoal Sunbrella Lopi
	Leaf green Sunbrella Heritage
	Rust Sunbrella Heritage




Materials	Key facts	Thickness mm	Layer thickness micron	Density	In/outdoor	Water	UV color fastness	Flame retarding
Structured powder coated aluminium tabletop, bench, legs & backrest	<ul style="list-style-type: none"> A technique of applying dry paint to a part Electrostatically charged and sprayed onto the object More scratch-resistant than non structured powder coating 	8	50 - 100	2,70 10 ³ kg/m ³	Outdoor & indoor	n.a.	Very good: color can fade to some extent when exposed to UV	NEN -EN13501-1 A2-s1 **
Sunbrella® cushions	<ul style="list-style-type: none"> 100% Sunbrella Acrylic Best outdoor fabric available for making cushions Dirt repellent Not waterproof, store inside! Machine washable at max. 30°C. Ironing restores the protective layer 	0,50	n.a.	260 g/m ²	Outdoor & indoor	The fabric has a water column of 350 mm (EN 20811)	7/8 (ISO 105-B02)	/

NEN-EN13501-1 A2-s1

Satisfying the same criteria as class B for the SBI-test according to EN 13823. In addition, under conditions of a fully developed fire these products will not significantly contribute to the fire load and fire growth

Good to know

- 'Hopper' stands for 'Hop Picker', because the range is inspired by hop gardens, harvests and beer fests.
- The legs (for the benches) are cut out of an aluminium or metal sheet nearly without any loss of material.
- Hopper combo AA allows you to add more seating comfort with Captain's chairs, and allows kids in a kids chair or people in a wheelchair to join the company.



Maintenance

www.extremis.com/maintenance

POWDER COATED PARTS




- Use Extremis multi cleaner, a 100% biodegradable detergent or common kitchen cleaning products. Avoid using aggressive products. These surfaces are best cleaned with a neutral cleaning product diluted in water.

SUNBRELLA

- Shake or brush off loose dirt immediately.
- Spray Extremis Multi Cleaner.
- Use a soft brush and make circular movements.
- Let the suds soak in for a moment.
- Rinse thoroughly to remove all soap residue.
- Simply allow to dry.
- It's also possible to put the cushion in a washing machine (max 40°C). Follow the cleaning instruction on the label.
- If the cushion has metal brackets, we recommend turning the cover inside out first to avoid damaging the washing machine. In this case, leave the zipper open about 10 cm.

Important

- Use our packaging material for better support to attach the legs to the tabletop.
 1. Leave the box on the pallet.
 2. Remove the lid of the box.
 3. Take the legs out of the box.
 4. Put the lid back on the box.
 5. Put the tabletop on top of the box.
 6. Assemble the Hopper combo.



Warnings

General

- Do not use any sharp tools to open the packaging.
- We strongly advise against using power tools.
- Tripping hazard, mind your step.
- Do not put out cigarettes on the table.
- Not graffiti proof.
- Do not leave children unattended whilst playing on the table.
- To avoid danger of suffocation, keep plastic bags away from babies and children.
- Colors can differ over years and from batch to batch.

Product

- Do not drag the table, but carry it with minimum 2 people.

- The packaging material of the legs must stay intact, you need it to attach the legs to the tabletop.
- 240 cm: max. 5 people or 400 kg per bench - 300 cm: max. 6 people or 480 kg per bench - 360 cm: max. 7 people or 560 kg per bench.
- Regularly clean the flat surface of the legs.

Powder coating

- White powder coating requires more maintenance.
- Do not use abrasive scouring powders or scourers as they will scratch the surface.
- Color can fade to some extent when exposed to UV.
- Flame retarding - NEN-EN13501-1 A2-s1 - Satisfying the same criteria as Class B for the SBI-test according to EN13823. In addition, under conditions of a fully developed fire these products

will not significantly contribute to the fire load and fire growth.

- Dark colors can get very hot in sunny weather.

Sunbrella

- Not waterproof, store inside!
- Shake or brush off loose dirt immediately.
- UV color fastness: 7/8 (ISO 105-B02).

The content of this document, in particular the mentioned models, is protected by copyrights and/or design rights. The present document and its content is communicated to you for information purposes only. Any partial or total reproduction or any other use without our prior written permission is strictly prohibited. This technical sheet remains subject to possible changes. All dimensions are in **mm**, unless mentioned otherwise. Extremis is not responsible for the errors in the documentation of products. All measurements are approximate and are provided for informational purposes only.

**Tech
sheet**

20250108

Hopper combo






© Design by Dirk Wynants for Extremis, 2010

extremis®



Dimensions


The Hopper combo is available in 4 lengths



Box dimensions

The Hopper combo comes in 4 boxes


Box 1: Tabletop



Box 2: bench



Box 3: Picnic legs + mounting kit





Box 4: Straight legs



Box dimensions (mm)		L	W	H	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Hopper combo 180	Box 1	2000	870	150	1	0,26	52,40	47,40	5,00
	Box 2	1000	320	255	1	0,08	14,20	12,80	1,40
	Box 3	1125	635	625	1	0,45	37,40	21,20	16,20
	Box 4	915	320	105	1	0,03	15,00	13,00	2,00
	Total:					0,82	119,00	94,40	24,60
Hopper combo 240	Box 1	2470	870	150	1	0,32	68,40	62,20	6,20
	Box 2	1650	320	255	1	0,13	22,00	20,80	1,20
	Box 3	1125	635	625	1	0,45	37,40	21,20	16,20
	Box 4	915	320	105	1	0,03	15,00	13,00	2,00
	Total:					0,93	142,80	117,20	25,60
Hopper combo 300	Box 1	3040	870	150	1	0,40	82,60	74,40	8,20
	Box 2	2420	320	255	1	0,20	31,00	26,80	4,20
	Box 3	1125	635	625	1	0,45	37,40	21,20	16,20
	Box 4	915	320	105	1	0,03	15,00	13,00	2,00
	Total:					1,08	166,00	135,40	30,60
Hopper combo 360	Box 1	3735	870	150	1	0,49	96,40	87,00	9,40
	Box 2	3020	320	255	1	0,25	37,90	35,70	2,20
	Box 3	1125	635	625	1	0,45	37,40	21,20	16,20
	Box 4	915	320	105	1	0,03	15,00	13,00	2,00
	Total:					1,22	186,70	156,90	29,80

Backrest

The backrest is available in 4 lengths




Backrest box

The backrests comes in 2 boxes

Box 5: support (2x)



Box 6: Wooden plank






Dimensions (mm)	L
Backrest for 180	793
Backrest for 240	1393
Backrest for 300	1993
Backrest for 360	2595

Box dimensions (mm)		L	W	H	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Backrest for 180	Box 5	530	265	50	1	0,01	2,20	1,60	0,60
	Box 6	900	165	55	1	0,01	3,40	3,00	0,40
	Total:					0,02	5,60	4,60	1,00
Backrest for 240	Box 5	530	265	50	1	0,01	2,20	1,60	0,60
	Box 6	1500	165	55	1	0,01	5,60	5,20	0,40
	Total:					0,02	7,80	6,80	1,00
Backrest for 300	Box 5	530	265	50	1	0,01	2,20	1,60	0,60
	Box 6	2100	165	55	1	0,02	7,70	7,00	0,70
	Total:					0,01	9,90	8,60	1,30
Backrest for 360	Box 5	530	265	50	1	0,01	2,20	1,60	0,60
	Box 6	2700	165	55	1	0,02	10,80	10,20	0,60
	Total:					0,03	13,00	11,80	1,20

Cushion

The cushions are available in 4 lengths



Cushion bag

The cushion comes in 1 plastic bag



Bag 1: cushion

Dimensions (mm)	L
Cushion for 180	970
Cushion for 240	1570
Cushion for 300	2170
Cushion for 360	2770


Box dimensions (mm)		L	W	H	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Cushion for 180	Bag 1	970	270	30	1	0,01	1,20	1,20	0,00
Cushion for 240	Bag 1	1570	270	30	1	0,01	1,60	1,60	0,00
Cushion for 300	Bag 1	2170	270	30	1	0,02	2,00	2,00	0,00
Cushion for 360	Bag 1	2770	270	30	1	0,02	2,40	2,40	0,00

Wheelchair accessibility dimensions

As specifications for wheelchair accessibility vary around the world,
plesae review the dimensions below to ensure the measurements of each solution meet the specifications of your local requirements



Only accessible on
side with no bench



Dimensions (mm)	L	l1
Hopper combo 180	1780	1760
Hopper combo 240	2380	2360
Hopper combo 300	2980	2960
Hopper combo 360	3580	3560

Materials & colors

Check price list or www.extremis.com for current materials & colors

Tabletop, bench & backrest



Iroko hardwood



Hellwood

Frame



Galvanized steel

Legs & backrest supports



Black (RAL9005)
Structured powder coating



Earth
Structured powder coating



Beach beige (RAL1019)
Structured powder coating



Off white (RAL9002)
Structured powder coating



Verdigris
Structured powder coating



Reed green (RAL6013)
Structured powder coating



Copper brown (RAL8004)
Structured powder coating

Sunbrella® cushions



Grey chiné
Sunbrella Natté



Dark taupe
Sunbrella Natté



Coconut
Sunbrella Savane



Marble
Sunbrella Lopi




Charcoal
Sunbrella Lopi



Leaf green
Sunbrella Heritage



Rust
Sunbrella Heritage

Materials	Key facts	Thickness mm	Layer thickness micron	Density	In/outdoor	Water	UV color fastness	Flame retarding
Iroko tabletop & bench	<ul style="list-style-type: none"> Durability CLASS 1 Feels comfortable in all weather conditions Advisable to oil the wood 	30	n.a.	600 à 700 kg/m³	Outdoor & indoor	n.a.	Untreated wood turns grey after a while	/
Hellwood tabletop & bench	 <ul style="list-style-type: none"> Durability CLASS 1 Carries the PEFC™ label for durable forestry Feels comfortable in all weather conditions Advisable to oil the wood 	30	n.a.	600 kg/m³	Outdoor & indoor	n.a.	Untreated wood turns grey after a while	/
Hot dip galvanized steel frame	<ul style="list-style-type: none"> Most durable method for protecting metal from rusting Protective layer Very long life span 100% recyclable Cradle to Cradle Certified™ 	2 - 6	50 - 100	7,50 10³kg/m³	Outdoor & indoor	n.a.	Very good, galvanization will however become less shiny when used outdoors	NEN-EN13501-1 A1 *
Structured powder coated aluminium legs and backrest supports	<ul style="list-style-type: none"> A technique of applying dry paint to a part Electrostatically charged and sprayed onto the object More scratch-resistant than non structured powder coating 	8	50 - 100	2,70 10³kg/m³	Outdoor & indoor	n.a.	Very good: color can fade to some extent when exposed to UV	NEN-EN13501-1 A2-s1 **
Sunbrella® cushions	<ul style="list-style-type: none"> 100% Sunbrella Acrylic Best outdoor fabric available for making cushions Dirt repellent Not waterproof, store inside! Machine washable at max. 30°C. Ironing restores the protective layer 	0,50	n.a.	260 g/m²	Outdoor & indoor	The fabric has a water column of 350 mm (EN 20811)	7/8 (ISO 105-B02)	/

NEN-EN13501-1 A1

Class A1 products will not contribute to fire in any stage, including fully developed fire. For this reason, they are assumed to be capable of satisfying all requirements of all lower classes as well.

NEN-EN13501-1 A2-s1

Satisfying the same criteria as class B for the SBI-test according to EN 13823. In addition, under conditions of a fully developed fire these products will not significantly contribute to the fire load and fire growth


Good to know

- 'Hopper' stands for 'Hop Picker', because the range is inspired by hop gardens, harvests and beer fests.
- PEFC™ certified wood originates from sustainably managed forests.
- The Hopper picnic legs are cut out of an aluminium or metal sheet nearly without any loss of material.
- Hopper combo allows you to add more seating comfort with Captain's chairs, and allows kids in a kids chair or people in a wheelchair to join the company.



Important

- Use our packaging material for better support to attach the legs to the tabletop.
 1. Leave the box on the pallet.
 2. Remove the lid of the box.
 3. Take the legs out of the box.
 4. Put the lid back on the box.
 5. Put the tabletop on top of the box.
 6. Assemble the Hopper combo.



F.A.Q.

Q: Won't those wide boards curl up after a while?

A: Iroko hardwood & Hellwood are very stable types of wood and Class I. Nevertheless, the tabletop is completely supported by a galvanised frame to which each board is attached separately. The wood has no structural function.

Maintenance

www.extremis.com/maintenance

POWDER COATED PARTS

- Use Extremis multi cleaner, a 100% biodegradable detergent or common kitchen cleaning products. Avoid using aggressive products. These surfaces are best cleaned with a neutral cleaning product diluted in water.

GALVANIZED PARTS

- Clean with lukewarm water and a mild detergent or Extremis multi cleaner.

WOOD




- Clean regularly with mild detergent.
- Thorough cleaning with Extremis Wood Cleaner.
- Oil the wood with Extremis Wood Protector. We recommend oiling the wood at regular intervals depending from location and general weather conditions.
- In order to smoothen the surface again after a thorough cleaning, lightly sand your wood with 120 grit sanding paper or a sanding pad.

SUNBRELLA

- Shake or brush off loose dirt immediately.
- Spray Extremis Multi Cleaner.
- Use a soft brush and make circular movements.
- Let the suds soak in for a moment.
- Rinse thoroughly to remove all soap residue.
- Simply allow to dry.
- It's also possible to put the cushion in a washing machine (max 40°C). Follow the cleaning instruction on the label.
- If the cushion has metal brackets, we recommend turning the cover inside out first to avoid damaging the washing machine. In this case, leave the zipper open about 10 cm.

RECOMMENDED USE

- For Extremis Wood protector:

 1L	 0.5L	
3 to 5 wood care treatments for 180	1 to 3 wood care treatments for 180	200 - 300 ml for one Hopper combo 180
2 to 4 wood care treatments for 240	1 to 2 wood care treatments for 240	250 - 350 ml for one Hopper combo 240
2 to 3 wood care treatments for 300	1 to 2 wood care treatments for 300	300 - 400 ml for one Hopper combo 300
1 to 2 wood care treatments for 360	1 wood care treatments for 360	350 - 500 ml for one Hopper combo 360

Warnings

General

- Do not use any sharp tools to open the packaging.
- We strongly advise against using power tools.
- Tripping hazard, mind your step.
- Do not put out cigarettes on the table.
- Not graffiti proof.
- Do not leave children unattended whilst playing on the table.
- To avoid danger of suffocation, keep plastic bags away from babies and children.
- Colors can differ over years and from batch to batch.

Product

- Do not drag the table, but carry it with minimum 2 people.
- The packaging material of the legs must stay intact, you need it to attach the legs to the tabletop.
- 180 cm: max. 4 people or 320 kg per bench - 240 cm: max. 5 people or 400 kg per bench - 300 cm: max. 6 people or 480 kg per bench - 360 cm: max. 7 people or 560 kg per bench.
- Regularly clean the flat surface of the legs.

Wood

- When delivered, the wood is untreated.
- Wood is a natural material and its look is different for every slat, plank and tree.
- Wood will gradually become rougher and start to

turn grey as a consequence of exposure to the sun and rain. We recommend oiling the wood at regular intervals depending from location and general weather conditions.

- Clean regularly with mild detergent. Never use a high pressure cleaner as this will roughen the wood's smooth surface and irreparably damage the wood's fiber.
- Thorough cleaning with Extremis Wood Cleaner.
- We strongly recommend that you treat your wood with wood protector to protect it from stains - small cracks and crevices can also appear as part of this process. We strongly advise everyone to treat the furniture with our Wood Protector.

Galvanized steel

- Galvanization will become less shiny when used outdoors.
- Flame retarding - NEN-EN13501-1 A1 - Class A1 products will not contribute to fire in any stage, including fully developed fire. For this reason, they are assumed to be capable of satisfying all requirements of all lower classes as well.
- Possible impurities in the immersion tank can cause black marks during galvanization, which are intrinsic to this industrial finishing technique.
- White marks on this zinc layer are also intrinsic to this procedure and will disappear when the furniture is put outdoors.

- This industrial finishing technique may result in a rougher surface. This is intrinsic to the process.

Powder coating

- White powder coating requires more maintenance.
- Do not use abrasive scouring powders or scourers as they will scratch the surface.
- Color can fade to some extent when exposed to UV.
- Flame retarding - NEN-EN13501-1 A2-sl - Satisfying the same criteria as Class B for the SBI-test according to EN13823. In addition, under conditions of a fully developed fire these products will not significantly contribute to the fire load and fire growth.
- Dark colors can get very hot in sunny weather.

Sunbrella

- Not waterproof, store inside!
- Shake or brush off loose dirt immediately.
- UV color fastness: 7/8 (ISO 105-B02).

The content of this document, in particular the mentioned models, is protected by copyrights and/or design rights. The present document and its content is communicated to you for information purposes only. Any partial or total reproduction or any other use without our prior written permission is strictly prohibited. This technical sheet remains subject to possible changes. All dimensions are in **mm**, unless mentioned otherwise. Extremis is not responsible for the errors in the documentation of products. All measurements are approximate and are provided for informational purposes only.

**Tech
sheet**

20250108

Hopper picnic AA






© Design by Dirk Wynants for Extremis, 2019

extremis®



Dimensions


The Hopper picnic AA is available in 3 lengths



Box dimensions

The Hopper picnic AA comes in 3 boxes


Box 1: Tabletop



Box 2: benches





Box 3: Legs + mounting kit



Box dimensions (mm)		L	W	H	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Hopper picnic AA 240	Box 1	2470	870	150	1	0,32	51,00	45,00	6,00
	Box 2	1650	320	255	1	0,13	40,00	35,00	5,00
	Box 3	1125	635	625	1	0,45	58,60	42,40	16,20
	total:				0,90	149,60	122,40	27,20	
Hopper picnic AA 300	Box 1	3040	870	150	1	0,40	54,00	47,00	7,00
	Box 2	2420	320	255	1	0,20	44,00	38,00	6,00
	Box 3	1125	635	625	1	0,45	58,60	42,40	16,20
	total:				1,05	156,60	127,40	29,20	
Hopper picnic AA 360	Box 1	3735	870	150	1	0,49	66,00	58,00	8,00
	Box 2	3020	320	255	1	0,25	53,00	46,00	7,00
	Box 3	1125	635	625	1	0,45	58,60	42,40	16,20
	total:				1,19	177,60	146,40	31,20	

Backrest


The backrest is available in 3 lengths



Backrest box

The backrests comes in 1 box

Box 5: Profile + supports





Dimensions (mm)	L
Backrest for 240	1393
Backrest for 300	1993
Backrest for 360	2595

Box dimensions (mm)		L	W	H	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Backrest for 240	Box 5	1500	150	100	1	0,02	4,50	4,00	0,50
Backrest for 300	Box 5	2100	150	100	1	0,03	5,25	4,50	0,75
Backrest for 360	Box 5	2700	150	100	1	0,04	6,00	5,00	1,00

Cushion


The cushions are available in 3 lengths



Cushion bag

The cushions come in 1 plastic bag

Bag 1: cushion










Dimensions (mm)	L
Cushion for 240	1570
Cushion for 300	2170
Cushion for 360	2770

Box dimensions (mm)		L	W	H	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Cushion for 240	Bag 1	1570	270	30	1	0,01	1,60	1,60	0,00
Cushion for 300	Bag 1	2170	270	30	1	0,02	2,00	2,00	0,00
Cushion for 360	Bag 1	2770	270	30	1	0,02	2,40	2,40	0,00

Materials & colors

Check price list or www.extremis.com for current materials & colors

Tabletop, benches, legs & backrest

	Black (RAL9005) Structured powder coating
	Earth Structured powder coating
	Beach beige (RAL1019) Structured powder coating
	Off white (RAL9002) Structured powder coating
	Verdigris Structured powder coating
	Reed green (RAL6013) Structured powder coating
	Copper brown (RAL8004) Structured powder coating

Sunbrella® cushions

	Grey chiné Sunbrella Natté
	Dark taupe Sunbrella Natté
	Coconut Sunbrella Savane
	Marble Sunbrella Lopi
	Charcoal Sunbrella Lopi
	Leaf green Sunbrella Heritage
	Rust Sunbrella Heritage



Materials	Key facts	Thickness mm	Layer thickness micron	Density	In/outdoor	Water	UV color fastness	Flame retarding
Structured powder coated aluminium tabletop, bench, legs & backrest	<ul style="list-style-type: none"> A technique of applying dry paint to a part Electrostatically charged and sprayed onto the object More scratch-resistant than non structured powder coating 	8	50 - 100	2,70 10 ³ kg/m ³	Outdoor & indoor	n.a.	Very good: color can fade to some extent when exposed to UV	NEN -EN13501-1 A2-s1 **
Sunbrella® cushions	<ul style="list-style-type: none"> 100% Sunbrella Acrylic Best outdoor fabric available for making cushions Dirt repellent Not waterproof, store inside! Machine washable at max. 30°C. Ironing restores the protective layer 	0,50	n.a.	260 g/m ²	Outdoor & indoor	The fabric has a water column of 350 mm (EN 20811)	7/8 (ISO 105-B02)	/

NEN-EN13501-1 A2-s1

Satisfying the same criteria as class B for the SBI-test according to EN 13823. In addition, under conditions of a fully developed fire these products will not significantly contribute to the fire load and fire growth

Good to know

- 'Hopper' stands for 'Hop Picker', because the range is inspired by hop gardens, harvests and beer fests.
- The Hopper picnic legs are cut out of an aluminium or metal sheet nearly without any loss of material.

Floor fastening




Hopper picnic AA has an optional floor fastening set (ø 9mm), four stainless steel plates to be fixed with bolts.



Important

Use our packaging material for better support to attach the legs to the tabletop.

1. Leave the box on the pallet.
2. Remove the lid of the box.
3. Take the legs out of the box.
4. Put the lid back on the box.
5. Put the tabletop on top of the box.
6. Assemble the Hopper picnic AA.



Maintenance

www.extremis.com/maintenance

POWDER COATED PARTS

- Use Extremis multi cleaner, a 100% biodegradable detergent or common kitchen cleaning products. Avoid using aggressive products. These surfaces are best cleaned with a neutral cleaning product diluted in water.

SUNBRELLA

- Shake or brush off loose dirt immediately.
- Spray Extremis Multi Cleaner.
- Use a soft brush and make circular movements.
- Let the suds soak in for a moment.
- Rinse thoroughly to remove all soap residue.
- Simply allow to dry.
- It's also possible to put the cushion in a washing machine (max 40°C). Follow the cleaning instruction on the label.
- If the cushion has metal brackets, we recommend turning the cover inside out first to avoid damaging the washing machine. In this case, leave the zipper open about 10 cm.

Warnings ⚠

General

- Do not use any sharp tools to open the packaging.
- We strongly advise against using power tools.
- Tripping hazard, mind your step.
- Do not put out cigarettes on the table.
- Not graffiti proof.
- Do not leave children unattended whilst playing on the table.
- To avoid danger of suffocation, keep plastic bags away from babies and children.
- Colors can differ over years and from batch to batch.

Product

- Do not drag the table, but carry it with minimum 2 people.

- The packaging material of the legs must stay intact, you need it to attach the legs to the tabletop.
- 240 cm: max. 5 people or 400 kg per bench - 300 cm: max. 6 people or 480 kg per bench - 360 cm: max. 7 people or 560 kg per bench.
- Regularly clean the flat surface of the legs.

Powder coating

- White powder coating requires more maintenance.
- Do not use abrasive scouring powders or scourers as they will scratch the surface.
- Color can fade to some extent when exposed to UV.
- Flame retarding - NEN-EN13501-1 A2-s1 - Satisfying the same criteria as Class B for the SBI-test according to EN13823. In addition, under conditions of a fully developed fire these products

will not significantly contribute to the fire load and fire growth.

- Dark colors can get very hot in sunny weather.

Sunbrella

- Not waterproof, store inside!
- Shake or brush off loose dirt immediately.
- UV color fastness: 7/8 (ISO 105-B02).

The content of this document, in particular the mentioned models, is protected by copyrights and/or design rights. The present document and its content is communicated to you for information purposes only. Any partial or total reproduction or any other use without our prior written permission is strictly prohibited. This technical sheet remains subject to possible changes. All dimensions are in **mm**, unless mentioned otherwise. Extremis is not responsible for the errors in the documentation of products. All measurements are approximate and are provided for informational purposes only.

**Tech
sheet**

20250115

Hopper picnic






© Design by Dirk Wynants for Extremis, 2010

extremis®



Dimensions


The Hopper picnic is available in 4 lengths




Box dimensions

The Hopper picnic comes in 3 boxes


Box 1: Tabletop



Box 2: benches





Box 3: Legs + mounting kit



Box dimensions (mm)		L	W	H	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Hopper picnic 180	Box 1	2000	870	150	1	0,26	52,40	47,40	5,00
Galvanized	Box 2	1000	320	255	1	0,08	28,40	25,60	2,80
	Box 3	1125	635	625	1	0,45	113,60	96,00	17,60
Total:						0,79	194,40	169,00	25,40
Hopper picnic 180	Box 1	2000	870	150	1	0,26	52,40	47,40	5,00
Powder coated	Box 2	1000	320	255	1	0,08	28,40	25,60	2,80
	Box 3	1125	635	625	1	0,45	58,60	42,40	16,20
Total:						0,79	139,40	115,60	24,00
Hopper picnic 240	Box 1	2470	870	150	1	0,32	68,40	62,20	6,20
Galvanized	Box 2	1650	320	255	1	0,13	44,00	41,60	2,40
	Box 3	1125	635	625	1	0,45	113,60	96,00	17,60
Total:						0,90	226,00	199,80	26,20
Hopper picnic 240	Box 1	2470	870	150	1	0,32	68,40	62,20	6,20
Powder coated	Box 2	1650	320	255	1	0,13	44,00	41,60	2,40
	Box 3	1125	635	625	1	0,45	58,60	42,40	16,20
Total:						0,90	171,00	146,20	24,80
Hopper picnic 300	Box 1	3040	870	150	1	0,40	82,60	74,40	8,20
Galvanized	Box 2	2420	320	255	1	0,20	58,00	53,60	4,40
	Box 3	1125	635	625	1	0,45	113,60	96,00	17,60
Total:						1,05	254,20	224,00	30,20
Hopper picnic 300	Box 1	3040	870	150	1	0,40	82,60	74,40	8,20
Powder coated	Box 2	2420	320	255	1	0,20	58,00	53,60	4,40
	Box 3	1125	635	625	1	0,45	58,60	42,40	16,20
Total:						1,05	199,20	170,40	28,60
Hopper picnic 360	Box 1	3735	870	150	1	0,49	96,40	87,00	9,40
Galvanized	Box 2	3020	320	255	1	0,25	75,80	71,40	4,40
	Box 3	1125	635	625	1	0,45	113,60	96,00	17,60
Total:						1,19	285,80	254,40	31,40
Hopper picnic 360	Box 1	3735	870	150	1	0,49	96,40	87,00	9,40
Powder coated	Box 2	3020	320	255	1	0,25	75,80	71,40	4,40
	Box 3	1125	635	625	1	0,45	58,60	42,40	16,20
Total:						1,19	230,80	200,80	30,00

Backrest

The backrest is available in 4 lengths




Backrest box

The backrests comes in 2 boxes

Box 4: support (2x)



Box 5: Wooden plank





Dimensions (mm)	L
Backrest for 180	793
Backrest for 240	1393
Backrest for 300	1993
Backrest for 360	2595

Box dimensions (mm)		L	W	H	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Backrest for 180	Box 4	530	265	50	1	0,01	4,60	4,00	0,60
Galvanized	Box 5	900	165	55	1	0,01	3,40	3,00	0,40
Total:						0,02	8,00	7,00	1,00
Backrest for 180	Box 4	530	265	50	1	0,01	2,20	1,60	0,60
Powder coated	Box 5	900	165	55	1	0,01	3,40	3,00	0,40
Total:						0,02	5,60	4,60	1,00
Backrest for 240	Box 4	530	265	50	1	0,01	4,60	4,00	0,60
Galvanized	Box 5	1500	165	55	1	0,01	5,60	5,20	0,40
Total:						0,02	10,20	9,20	1,00
Backrest for 240	Box 4	530	265	50	1	0,01	2,20	1,60	0,60
Powder coated	Box 5	1500	165	55	1	0,01	5,60	5,20	0,40
Total:						0,02	7,80	6,80	1,00
Backrest for 300	Box 4	530	265	50	1	0,01	4,60	4,00	0,60
Galvanized	Box 5	2100	165	55	1	0,02	7,70	7,00	0,70
Total:						0,03	12,30	11,00	1,30
Backrest for 300	Box 4	530	265	50	1	0,01	2,20	1,60	0,60
Powder coated	Box 5	2100	165	55	1	0,02	7,70	7,00	0,70
Total:						0,01	9,90	8,60	1,30
Backrest for 360	Box 4	530	265	50	1	0,01	4,60	4,00	0,60
Galvanized	Box 5	2700	165	55	1	0,02	10,80	10,20	0,60
Total:						0,03	15,40	14,20	1,20
Backrest for 360	Box 4	530	265	50	1	0,01	2,20	1,60	0,60
Powder coated	Box 5	2700	165	55	1	0,02	10,80	10,20	0,60
Total:						0,03	13,00	11,80	1,20

Cushion


The cushions are available in 4 lengths



Cushion bag

The cushions come in 1 plastic bag

Bag 1: cushion



Dimensions (mm)	L
Cushion for 180	970
Cushion for 240	1570
Cushion for 300	2170
Cushion for 360	2770

Box dimensions (mm)		L	W	H	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Cushion for 180	Bag 1	970	270	30	1	0,01	1,20	1,20	0,00
Cushion for 240	Bag 1	1570	270	30	1	0,01	1,60	1,60	0,00
Cushion for 300	Bag 1	2170	270	30	1	0,02	2,00	2,00	0,00
Cushion for 360	Bag 1	2770	270	30	1	0,02	2,40	2,40	0,00

Materials & colors

Check price list or www.extremis.com for current materials & colors

Tabletop, benches & backrest



Iroko hardwood




Hellwood

Frame



Galvanized steel

Legs & backrest supports



Black (RAL9005)
Structured powder coating



Earth
Structured powder coating



Beach beige (RAL1019)
Structured powder coating



Off white (RAL9002)
Structured powder coating



Verdigris
Structured powder coating



Reed green (RAL6013)
Structured powder coating



Copper brown (RAL8004)
Structured powder coating



Galvanized steel


Sunbrella® cushions



Grey chiné
Sunbrella Natté



Dark taupe
Sunbrella Natté



Coconut
Sunbrella Savane




Marble
Sunbrella Lopi




Charcoal
Sunbrella Lopi



Leaf green
Sunbrella Heritage



Rust
Sunbrella Heritage

Materials	Key facts	Thickness mm	Layer thickness micron	Density	In/outdoor	Water	UV color fastness	Flame retarding
Iroko tabletop & benches	<ul style="list-style-type: none"> Durability CLASS 1 Feels comfortable in all weather conditions Advisable to oil the wood 	30	n.a.	600 à 700 kg/m ³	Outdoor & indoor	n.a.	Untreated wood turns grey after a while	/
Hellwood tabletop & benches	 <ul style="list-style-type: none"> Durability CLASS 1 Carries the PEFC™ label for durable forestry Feels comfortable in all weather conditions Advisable to oil the wood 	30	n.a.	600 kg/m ³	Outdoor & indoor	n.a.	Untreated wood turns grey after a while	/
Hot dip galvanized steel frame	<ul style="list-style-type: none"> Most durable method for protecting metal from rusting Protective layer Very long life span 100% recyclable Cradle to Cradle Certified™ 	2 - 6	50 - 100	7,50 10 ³ kg/m ³	Outdoor & indoor	n.a.	Very good, galvanization will however become less shiny when used outdoors	NEN-EN13501-1 A1 *
Hot dip galvanized steel legs & backrest supports	<ul style="list-style-type: none"> Most durable method for protecting metal from rusting Protective layer Very long life span 100% recyclable Cradle to Cradle Certified™ 	8	50 - 100	7,50 10 ³ kg/m ³	Outdoor & indoor	n.a.	Very good, galvanization will however become less shiny when used outdoors	NEN-EN13501-1 A1 *
Structured powder coated aluminium legs and backrest supports	<ul style="list-style-type: none"> A technique of applying dry paint to a part Electrostatically charged and sprayed onto the object More scratch-resistant than non structured powder coating 	10	50 - 100	2,70 10 ³ kg/m ³	Outdoor & indoor	n.a.	Very good: color can fade to some extent when exposed to UV	NEN-EN13501-1 A2-s1 **
Sunbrella® cushions	<ul style="list-style-type: none"> 100% Sunbrella Acrylic Best outdoor fabric available for making cushions Dirt repellent Not waterproof, store inside! Machine washable at max. 30°C. Ironing restores the protective layer 	0,50	n.a.	260 g/m ²	Outdoor & indoor	The fabric has a water column of 350 mm (EN 20811)	7/8 (ISO 105-B02)	/

NEN-EN13501-1 A1

Class A1 products will not contribute to fire in any stage, including fully developed fire. For this reason, they are assumed to be capable of satisfying all requirements of all lower classes as well.

NEN-EN13501-1 A2-sl

Satisfying the same criteria as class B for the SBI-test according to EN 13823. In addition, under conditions of a fully developed fire these products will not significantly contribute to the fire load and fire growth

Good to know

- 'Hopper' stands for 'Hop Picker', because the range is inspired by hop gardens, harvests and beer fests.
- PEFC™ certified wood originates from sustainably managed forests.
- The Hopper picnic legs are cut out of an aluminium or metal sheet nearly without any loss of material.

Floor fastening

Hopper picnic has an optional floor fastening set (ø 9mm), four stainless steel plates to be fixed with bolts.



For an even more rigid anchoring system, Hopper legs can be ordered with holes ø 12mm.



Certificates

- TÜV
- BIFMA
- PEFC
- Cradle to Cradle

F.A.Q.

Q: Do you need to oil the wood?

A: Just like other types of wood, wood will gradually become rougher and start to turn grey as a consequence of exposure to the sun and rain. Small cracks and crevices can also appear as part of this process. We strongly advise everyone to treat the furniture with our Wood Protector. This 100% natural oil controls the moisture level within the wood, which makes the planks stay stable for longer, and the layer of oil also helps to prevent spilled liquids from being absorbed, so that stains tend to stay superficial. It is best to repeat this treatment at regular intervals.

Maintenance

www.extremis.com/maintenance

POWDER COATED PARTS

- Use Extremis multi cleaner, a 100% biodegradable detergent or common kitchen cleaning products. Avoid using aggressive products. These surfaces are best cleaned with a neutral cleaning product diluted in water.

GALVANIZED PARTS

- Clean with lukewarm water and a mild detergent or Extremis multi cleaner.

WOOD




- Clean regularly with mild detergent.
- Thorough cleaning with Extremis Wood Cleaner.
- Oil the wood with Extremis Wood Protector. We recommend oiling the wood at regular intervals depending from location and general weather conditions.
- In order to smoothen the surface again after a thorough cleaning, lightly sand your wood with 120 grit sanding paper or a sanding pad.

SUNBRELLA

- Shake or brush off loose dirt immediately.
- Spray Extremis Multi Cleaner.
- Use a soft brush and make circular movements.
- Let the suds soak in for a moment.
- Rinse thoroughly to remove all soap residue.
- Simply allow to dry.
- It's also possible to put the cushion in a washing machine (max 40°C). Follow the cleaning instruction on the label.
- If the cushion has metal brackets, we recommend turning the cover inside out first to avoid damaging the washing machine. In this case, leave the zipper open about 10 cm.

RECOMMENDED USE

- For Extremis Wood protector:

 1L	 0.5L	
3 to 5 wood care treatments for 180	1 to 3 wood care treatments for 180	200 - 300 ml for one Hopper picnic 180
2 to 4 wood care treatments for 240	1 to 2 wood care treatments for 240	250 - 350 ml for one Hopper picnic 240
2 to 3 wood care treatments for 300	1 to 2 wood care treatments for 300	300 - 400 ml for one Hopper picnic 300
1 to 2 wood care treatments for 360	1 wood care treatments for 360	350 - 500 ml for one Hopper picnic 360

Warnings

General

- Do not use any sharp tools to open the packaging.
- We strongly advise against using power tools.
- Tripping hazard, mind your step.
- Do not put out cigarettes on the table.
- Not graffiti proof.
- Do not leave children unattended whilst playing on the table.
- To avoid danger of suffocation, keep plastic bags away from babies and children.
- Colors can differ over years and from batch to batch.

Product

- Do not drag the table, but carry it with minimum 2 people.
- The packaging material of the legs must stay intact, you need it to attach the legs to the tabletop.
- 180 cm: max. 4 people or 320 kg per bench - 240 cm: max. 5 people or 400 kg per bench - 300 cm: max. 6 people or 480 kg per bench - 360 cm: max. 7 people or 560 kg per bench.
- Regularly clean the flat surface of the legs.

Wood

- When delivered, the wood is untreated.
- Wood is a natural material and its look is different for every slat, plank and tree.
- Wood will gradually become rougher and start to

turn grey as a consequence of exposure to the sun and rain. We recommend oiling the wood at regular intervals depending from location and general weather conditions.

- Clean regularly with mild detergent. Never use a high pressure cleaner as this will roughen the wood's smooth surface and irreparably damage the wood's fiber.
- Thorough cleaning with Extremis Wood Cleaner.
- We strongly recommend that you treat your wood with wood protector to protect it from stains - small cracks and crevices can also appear as part of this process. We strongly advise everyone to treat the furniture with our Wood Protector.

Galvanized steel

- Galvanization will become less shiny when used outdoors.
- Flame retarding - NEN-EN13501-1 A1 - Class A1 products will not contribute to fire in any stage, including fully developed fire. For this reason, they are assumed to be capable of satisfying all requirements of all lower classes as well.
- Possible impurities in the immersion tank can cause black marks during galvanization, which are intrinsic to this industrial finishing technique.
- White marks on this zinc layer are also intrinsic to this procedure and will disappear when the furniture is put outdoors.

- This industrial finishing technique may result in a rougher surface. This is intrinsic to the process.

Powder coating

- White powder coating requires more maintenance.
- Do not use abrasive scouring powders or scourers as they will scratch the surface.
- Color can fade to some extent when exposed to UV.
- Flame retarding - NEN-EN13501-1 A2-sI - Satisfying the same criteria as Class B for the SBI-test according to EN13823. In addition, under conditions of a fully developed fire these products will not significantly contribute to the fire load and fire growth.
- Dark colors can get very hot in sunny weather.

Sunbrella

- Not waterproof, store inside!
- Shake or brush off loose dirt immediately.
- UV color fastness: 7/8 (ISO 105-B02).

The content of this document, in particular the mentioned models, is protected by copyrights and/or design rights. The present document and its content is communicated to you for information purposes only. Any partial or total reproduction or any other use without our prior written permission is strictly prohibited. This technical sheet remains subject to possible changes. All dimensions are in **mm**, unless mentioned otherwise. Extremis is not responsible for the errors in the documentation of products. All measurements are approximate and are provided for informational purposes only.

**Tech
sheet**
20250115

Hopper shade

© design by Dirk Wynants


extremis®



Dimensions


The Hopper shade is available in 3 lengths

Hopper shade with assembly under Hopper picnic




Dimensions (mm)	L
Hopper shade 240	2415
Hopper shade 300	3015
Hopper shade 360	3615

Hopper shade with assembly to Hopper picnic




Dimensions (mm)	L
Hopper shade 240	2415
Hopper shade 300	3015
Hopper shade 360	3615

Hopper shade with floor fastening



Dimensions (mm)	L	I1
Hopper shade 240	2415	2241
Hopper shade 300	3015	2840
Hopper shade 360	3615	3441

Hopper shade with concrete base




Dimensions (mm)	L	I1
Hopper shade 240	2558	2172
Hopper shade 300	3158	2772
Hopper shade 360	3756	3370

Box dimensions

The shade comes in several boxes

Box 1: Fabric + cover



Box 2: Poles



Box 3: Foot support



Box 4: Tube



Box 5: Floor fastening



Box 6: Concrete blocks



Box 7: Frame for concrete base




Box dimensions (mm)		L	W	H	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Hopper shade 240	Box 1	2490	190	190	1	0,09	21,00	18,00	3,00
	Box 2	2290	165	145	1	0,05	25,91	24,86	1,05
	Total:					0,14	49,91	42,86	4,05
Hopper shade 300	Box 1	3090	190	190	1	0,11	26,82	23,82	3,00
	Box 2	2290	165	145	1	0,05	25,91	24,86	1,05
	total:					0,16	52,73	48,68	4,05
Hopper shade 300	Box 1	3690	190	190	1	0,13	28,65	25,64	3,00
	Box 2	2290	165	145	1	0,05	25,91	24,86	1,05
	Total:					0,18	54,56	50,51	4,05
Assembly under Hopper picnic	Box 3	315	230	284	1	0,02	15,35	14,85	0,50
	Box 4	1250	70	50	1	0,01	4,73	2,73	2,00
	Total:					0,03	20,08	17,58	2,50
Assembly to Hopper picnic	Box 3	315	220	110	1	0,01	8,18	7,88	0,30
Floor fastening	Box 5	315	220	110	1	0,01	6,15	5,88	0,30
Concrete base	Box 6	580	210	175	4	0,09	122,00	120,00	2,00
	Box 7	1540	160	95	1	0,02	50,24	49,19	1,05
	Total:					0,11	172,24	169,19	3,05

Materials & colors

Check price list or www.extremis.com for current materials & colors

Fabric



White
High-tech polyester



Grey taupe
High-tech polyester

Poles & tubes



Stainless steel



Materials	Key facts	Thickness mm	Layer thickness micron	Density	In/outdoor	Water	UV color fastness	Flame retarding
High-tech polyester fabric	<ul style="list-style-type: none"> High UV protection factor High tear strength 	0,5	n.a.	300 g/m ²	Outdoor & indoor	The fabric has a water column of 350mm (EN 20811)	7-8/8 (ISO 105-B02)	/
Stainless steel poles & tubes	<ul style="list-style-type: none"> High rusting resistance Periodical maintenance required 	2 - 8	n.a.	8 10 ³ kg/m ³	Outdoor & indoor	n.a.	Very good	NEN-EN 13501-1 A1*
Concrete base	<ul style="list-style-type: none"> Self-consolidating concrete Higher strength Very smooth finish 	160	n.a.	2,40 10 ³ kg/m ³	Outdoor & indoor	n.a.	Very good	NEN-EN 13501-1 A1 *
Cover	<ul style="list-style-type: none"> 100% polyester Polyuréthane coating Breathable, so not 100% waterproof 	0,50	n.a.	240 g/m ²	Outdoor & indoor	One side very waterproof, one side breathable	6-8/8 (ISO 105-B02)	/

NEN-EN13501-1 A1

Class A1 products will not contribute to fire in any stage, including fully developed fire. For this reason, they are assumed to be capable of satisfying all requirements of all lower classes as well.

Good to know

- Hopper shade combines perfectly with Hopper picnic.
- If you combine Hopper shade on concrete base with Hopper, keep in mind that the Hopper should be 1 size smaller, otherwise the table won't fit between the concrete base.
- 'Hopper' stands for 'hop picker', because the range is inspired by hop gardens, harvests and beer fests. The slanted poles of the shade clearly resemble the poles of a hops garden.
- The parasol cover is included.

Floor fastening

Hopper shade comes with an optional floor fastening set.



F.A.Q.

Q: What will happen to the shade if it is rolled out during a heavy downpour?

A: As the ground is never 100% level, the water on the shade will first run to the centre of the shade and will then run off one side. A small amount of water may remain in the centre of the shade, but when you close the shade, it will also run off.

Q: How wind resistant is the shade?

A: Tests in a windtunnel have shown that the shade withstands wind speeds up to 6 on the Beaufort scale (49 km/h). Still, we strongly advise to close it sooner (from 4 on the Beaufort scale is the rule of thumb (28 km/h)).

Q: Do you need to use a shade cover?

A: The cover is needed to protect and fix the shade when not in use. Protect your shade from polluted rain, bird droppings, dust and heavy winds to avoid marks or stains on the shade fabric.

Maintenance

STAINLESS STEEL


- Clean regularly with a dry cloth and some stainless steel cleaner.

PARASOL FABRIC


- Shake or brush off loose dirt immediately.
- Spray Extremis Multi Cleaner
- Use a soft brush and make circular movements.
- Let the suds soak in for a moment.
- Rinse thoroughly to remove all soap residue.
- Simply allow to dry.

Important

- Never try to open the shade by pulling only one pole towards you.
- Hopper shade AISI 316 is advised for use near the sea or swimming pools.
- Always make sure that both sides are open to prevent any damage to the shade.



NOT GOOD



GOOD

Warnings ⚠

General

- Do not use any sharp tools to open the packaging.
- We strongly advise against using power tools.
- Tripping hazard, mind your step.
- Do not put out cigarettes on the parasol.
- Not graffiti proof.
- Do not leave children unattended whilst playing on the table.
- To avoid danger of suffocation, keep plastic bags away from babies and children.
- Colors can differ over years and from batch to batch.

Product

- Do not drag the shade, but carry it with minimum 2 people.
- Anchoring the product has to be done by qualified people.
- For anchoring: use suitable bolts or screws from a specialized store depending on the material your terrace is made of.
- In case of strong winds or if it is not being used, close the shade and tilt the latches downwards. Put the protective cover over the shade to prevent it from blowing open or getting dirty.
- For ventilation purposes, the cover is not 100% water proof.
- If you do not plan to use the shade for an extended period of time (e.g. during winter months), we recommend letting the shade dry completely & then storing it away in a dry environment until the next planned use.
- Do not leave the parasol closed for a long time when the parasol fabric is still damp or wet.

- Do not leave the shade unattended when opened.
- Tests in a windtunnel have shown that the shade withstands wind speeds up to 6 on the Beaufort scale (49 km/h). Still, we strongly advise to close it sooner (from 4 on the Beaufort scale is the rule of thumb (28 km/h)).
- Never try to open the shade by pulling only one pole towards you.
- Always make sure that both sides are open to prevent any damage to the shade.
- Hopper shade AISI 316 is advised for use near the sea or swimming pools (clean regularly).
- If you combine Hopper shade on concrete base with Hopper, keep in mind that the Hopper should be 1 size smaller, otherwise the table won't fit between the concrete base.
- During assembly, use a stable ladder step tool to insert the fabric roller tubes.
- In order not to soil the fabric, we recommend that you first wash your hands or wear gloves.
- Always make sure that no obstacles are situated between the shade and the table when closing the shade - mind your fingers.
- When closing the shade, it will suddenly speed up when it reaches its tipping point. Keep a firm grip on the leather strap and carefully guide the shade into its closed position. Some strength is required to hold the weight - Wrong or incautious use can cause serious injury. Always make sure that no people or obstacles are situated close to the poles or between the shade and the table when opening the shade.
- Do not open & close the shade with your bare feet, always wear shoes.

- For small people the shade can be too heavy to open single-handedly by means of the leather strap. In case, open the shade together with another person. (1m70)
- Do not use torches, candles, bbq's, etc under the shade.

High-tech polyester

- Shake or brush off loose dirt immediately.
- Do not use any aggressive detergents as they will remove the protective coating of the fabric.
- We strongly advise you not to use a high-pressure hose for cleaning.

Stainless steel

- Very good UV color fastness.
- Flame retarding: NEN-EN13501-1 A1 - Class A1 products will not contribute to fire in any stage, including fully developed fire. For this reason, they are assumed to be capable of satisfying all requirements of all lower classes as well.
- Watch out, stainless steel isn't entirely rustproof! Be sure to avoid contact with iron objects. If it does show signs of rust, clean with rust remover as quickly as possible.

Concrete

- Matt and porous.
- Very good UV color fastness.
- Flame retarding: NEN-EN13501-1 A1 - Class A1 products will not contribute to fire in any stage, including fully developed fire. For this reason, they are assumed to be capable of satisfying all requirements of all lower classes as well.

The content of this document, in particular the mentioned models, is protected by copyrights and/or design rights. The present document and its content is communicated to you for information purposes only. Any partial or total reproduction or any other use without our prior written permission is strictly prohibited. This technical sheet remains subject to possible changes. **All dimensions are in mm**, unless mentioned otherwise. Extremis is not responsible for the errors in the documentation of products. All measurements are approximate and are provided for informational purposes only.

**Tech
sheet**
20240115