




© Design by Dirk Wynants for Extremis, 2023

From a cozy setting of four ideal for cocooning to a sprawling table for a large group, Manille is sure to pull the right card with outdoor lovers across the globe.













The Manille fixed shade option is perfect for places where convenience is key. With its open gable roof shape, it ensures you're always protected from the sun and rain, without the need to close or store it away.











Manille transforms into a cozy cocoon with a shade system effortlessly sliding into the backrests, offering sun protection and creating a charming outdoor retreat.





On this small terrace by the swimming pond, Manille still allows easy access to all four seats. Its compact design makes it perfect for small urban gardens or inviting corners in more expansive landscapes.





Manille is a perfect blend of practicality and joy. Designed as a table-bench formation, this table comfortably accommodates up to four people, while the head of the table is reserved

for wheelchair users - making Manille an inclusive and accessible table. With a parasol system simply sliding into the backrests, Manille effortlessly becomes a cosy cocoon, protected from the sun.



Types



Manille (144 x 177 x 74 cm)



With soft shade (171 x 245 x 187 cm)



With soft shade (172 x 241 x 216 cm)

Accessories & options



Connection piece (Wood)



Connection piece (Powder coated)



Floor fastening



Wheelchair accessible

Materials & colors

Tabletop & benches



Hellwood

Frame



Galvanized steel

Legs, connection piece & fixed shade structure



Earth



Copper brown RAL8004



Cosmic cream RAL1015



Pistache RAL6021

Soft shade



White (Fabric)



Stainless steel



Light ivory (Fabric)




extremis[®]

© Design by Dirk Wynants for Extremis, 2023



Dimensions

The Manille is available in one dimension



Box dimensions

The Manille comes in 4 boxes









Box 3: Legs












1777

449	663	74 1
ı	'	

Box dimensions (mm)		L	W	н	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Manille	Box 1	1480	785	107	1	0,12	34,90	30,10	4,80
	Box 2	1160	390	145	1	0,07	20,60	18,20	2,40
	Box 3	843	300	139	1	0,04	13,00	11,80	1,20
	Box 4	1225	830	150	1	0,15	26,30	23,60	2,70
					Total:	0,38	94,80	83,70	11,10

Connection piece - Wood

The connetion piece is available in one dimension






The connection piece comes in 1 box

Box 5: connection piece







000	
709	 505

Box dimensions (mm)		L	W	Н	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Connection piece - Wood	Box 5	750	550	70	1	0,03	7,10	6,40	0,70

Connection piece - Powder coated

Box dimensions

The connetion piece is available in one dimension

The connection piece comes in 1 box

Box 6: connection piece








690	
709	281

Box dimensions (mm)		L	W	н	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Connection piece - Powder coated	Box 6	750	550	70	1	0,03	5,00	4,00	1,00

Multiple Manilles connected with connection pieces

Adding a connection piece and an extra table always results in a 1731 cm extension



Soft shade


Box dimensions


The soft shade is available in one dimension


The soft shade comes in 1 tube












Box dimensions (mm)		L	W	Н	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Shade	Box 7	2000	105	105	1	0,02	9,00	7,00	2,00

Multiple Manilles with removable shade Adding a Manille with removable shade always results in a 1731 cm extension





Fixed shade


The fixed shade is available in one dimension
The floor fastening is supplied (screws not included)


Fixed shade box

The fixed shade comes in 1 tube


Box 8: Fixed shade







1720




Box dimensions (mm)		L	W	Н	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)	
Fixed shade	Box 8	2380	530	90	1	0,11	26,00	24,00	2,00	_



Floor fastening

The floor fastening is available in one dimension





Box dimensions

The floor fastening comes in 1 box

Box 9: floor fastening






Box dimensions (mm)		L	W	Н	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)	
Floor fastening	Box 9	160	120	110	1	0,01	0,63	0,53	0,10	_





Wheelchair accessibility dimensions

As specifications for wheelchair accessibility vary around the world,

plesae review the dimensions below to ensure the measurements of each solution meet the specifications of your local requirements









Tabletop & benches



Hellwood

Frame



Galvanized steel

Soft shade poles



Stainless steel 316

Legs & fixed shade poles



Earth (RGB 88 88 84) Structured powder coating



Copper brown (RAL8004)



Cosmic cream (RAL1015)



Pistache (RAL6021) Structured powder coating

Soft shade fabric



Fixed shade fabric



Light ivory RAL1015



Materials	Key facts	Thickness	Layer thickness	Density	In/outdoor	Water	UV color fastness	Flame retarding
		mm	micron					
Hellwood tabletop & benches	 Durability CLASS 1 Carries the PEFC™ label for durable forestry Feels comfortable in all weather conditions Advisable to oil the wood 	30	n.a.	600 kg/m ³	Outdoor & indoor	n.a.	Untreated wood turns grey after a while	/
Hot dip galvanized steel frame	 Most durable method for protecting metal from rusting Protective layer Very long life span 100% recyclable Cradle to Cradle Certified™ 	2,50	50 - 100	7,50 10 ³ kg/m ³	Outdoor & indoor	n.a.	Very good, galvanization will however become less shiny when used outdoors	NEN- -EN13501- 1 A1 *
Structured powder coated stainless steel legs	Easy to clean Stainless steel (for protection against rust), then powder coated More scratch-resistant than non structured powder coated	2 - 8	80	8,00 10 ³ kg/m ³	Outdoor & indoor	n.a.	Very good: color can fade to some extent when expo- sed to UV	NEN- EN13501- 1 A1 *
High-tech polyester fabric (soft shade)	Excellent resistance to marine environments Excellent tear strength and dimensional stability Easy upkeep with soapy water or Cleaner 500 Up to 28% natural light transmission	0,45	n.a.	380 gr/m²	Outdoor & indoor	n.a.	Very good: Elab < 3 UVA 340 / 2000h***	M2 & B1
Stainless steel poles (soft shade)	High rusting resistance Periodical maintenance required	2	n.a.	8,00 10 ³ kg/m ³	Outdoor & indoor	n.a.	Very good	NEN- EN13501- 1 A1 *
Glamping tent fabric (fixed shade)	Deluxe dull embossing Effortless maintenance UV resistant and flame retardant Super Opaque	0,50	n.a.	650 gr/m²	Outdoor & indoor		7/8 (ISO 105-B02)	M2 & B1

<u>NEN-EN13501-1 A1</u>

Class A1 products will not contribute to fire in any stage, including fully developed fire. For this reason, they are assumed to be capable of satisfying all requirements of all lower classes as well.






Good to know

- PEFC™ certified wood originates from sustainably managed forests
- We strongly recommend using floor fastening when combining Manille with the
- A configuration of six Manilles with connection pieces fits on a high cube pallet.





Wheelchair accessible

Manille is wheelchair accessible on both ends of the table.



Certificates

- Cradle to Cradle
- BIFMA (Desk and Table Products / Lounge and Public Seating)

Maintenance

POWDER COATED PARTS

Use Extremis multi cleaner, a 100% biodegradable detergent or common kitchen cleaning products. Avoid using aggressive products. These surfaces are best cleaned with a neutral cleaning product diluted in water.

GALVANIZED PARTS

Clean with lukewarm water and a mild detergent or Extremis multi cleaner.

- Clean regularly with mild detergent.
- Thorough cleaning with Extremis Wood Cleaner.
- Oil the wood with Extremis Wood Protector. We recommend oiling the wood at regular intervals depending from location and general weather conditions.
- In order to smoothen the surface again after a thorough cleaning, lightly sand your wood with 120 grit sanding paper or a sanding pad.

RECOMMENDED USE

For Extremis Wood protector:



PARASOL FABRICS

Use Extremis multi cleaner, a 100% biodegradable detergent or common kitchen cleaning products. Avoid using aggressive products. These surfaces are best cleaned with a neutral cleaning product diluted in water.

STAINLESS STEEL

Clean regularly with a dry cloth and some stainless steel cleaner.

F.A.Q.

- Q: Do you need to oil the wood?
- A: Just like other types of wood, wood will gradually become rougher and start to turn grey as a consequence of exposure to the sun and rain. Small cracks and crevices can also appear as part of this process. We strongly advise everyone to treat the furniture with our Wood Protector. This 100%natural oil controls the moisture level within the wood, which makes the planks stay stable for longer, and the layer of oil also helps to prevent spilled liquids from being absorbed, so that stains tend to stay superficial. It is best to repeat this treatment at regular intervals

Warnings <u>A</u>

General

- Do not use any sharp tools to open the packaging.
- We strongly advise against using power tools.
- Tripping hazard, mind your step
- Do not put out cigarettes on the table
- Not grafitti proof.
- Do not leave children unattended whilst playing on
- To avoid danger of suffocation, keep plastic bags away from babies and children
- Colors can differ over years and from batch to batch.

Product

- Do not stand or jump on the table.
- · Do not drag the table, but carry it with minimum 2 people.
- Max. 2 people or 300 kg per bench.

- When delivered, the wood is untreated.
- Wood is a natural material and its look is different for every slat, plank and tree.
- Wood will gradually become rougher and start to turn grey as a consequence of exposure to the sun and rain. We recommend oiling the wood at regular intervals depending from location and general weather conditions
- · Clean regularly with mild detergent. Never use

- a high pressure cleaner as this will roughen the wood's smooth surface and irreparably damage the wood's fiber.
- Thorough cleaning with Extremis Wood Cleaner.
- We strongly recommend that you treat your wood with wood protector to protect it from stains - small cracks and crevices can also appear as part of this process. We strongly advise everyone to treat the furniture with our Wood Protector.

Powder coating

- White powder coating requires more maintenance.
- Do not use abrasive scouring powders or scourers as they will scratch the surface.
- Color can fade to some extent when exposed to UV.
- Flame retarding NEN-EN13501-1 A2-sl Satisfying the same criteria as Class B for the SBI-test according to EN13823. In addition, under conditions of a fully developed fire these products will nog significantly contribute to the fire load and fire arowth.
- Dark colors can get very hot in sunny weather.

Galvanized steel

- Galvanization will become less shiny when used
- Flame retarding NEN-EN13501-1 A1 Class A1 products will not contribute to fire in any stage, including fully developed fire. For this reason,

- they are assumed to be capable of satisfying all requirements of all lower classes as well.
- Possible impurities in the immersion tank can cause black marks during galvanization, which are intrinsic to this industrial finishing technique.
- White marks on this zinc layer are also intrinsic to this procedure and will disappear when the furniture is put outdoors
- This industrial finishing technique may result in a rougher surface. This is intrinsic to the process

Parasol fabrics

- We advise to clean frequently.
- Keep in mind that white is a more sensitive color.

Stainless steel

- Very good UV color fastness.
- Flame retarding: NEN-EN13501-1 A1 Class A1 products will not contribute to fire in any stage, including fully developed fire. For this reason, they are assumed to be capable of satisfying all requirements of all lower classes as well.
- Watch out, stainless steel isn't entirely rustproof! Be sure to avoid contact with iron objects. If it does show signs of rust, clean with rust remover as quickly as possible.

The content of this document, in particular the mentioned models, is protected by copyrights and/or design rights. The present document and its content is communicated to you for information purposes only. Any partial or total reproduction or any other use without our prior written permission is strictly prohibited. This technical sheet remains subject to possible changes. All dimensions are in mm, unless mentioned otherwise. Extremis is not responsible for the errors in the documentation of products. All measurements are approximate and are provided for informational purposes only.

Tech sheet

20250206

