




© Design by Dirk Wynants for Extremis, 2014

Pantagruel is the son of Gargantua and a giant too: A Gargantuan round tabletop to gather the whole family, but refined elements and a handy Lazy Susan were added. Besides a picnic version there's also a table and high table. All perfect tools to enjoy the good things in life.




Want to know more? Order the whole story about the giants! www.extremis.com/giants





#### Extremis



Pantagruel also serves as a parasol base. The pole fits into the tabletop, leaving all the space underneath for your legs!

At this university in Japan, they know the power of a good round table. Pantagruel picnic tables, scattered across the campus inside and out, are perfect for teamwork, lively debates, or heads-down focused work.









Hidden behind a stately Bruges facade lies this luxurious urban jungle. Landscape architect Monbaliu created a green oasis with a mix of asymmetrical shapes and exuberant borders and the round Pantagruel picnic as centerpiece.







## Extremis

Add a backrest to your Pantagruel benches for extra comfort. These curved backrests follow the shape of the round picnic table while adding a sleek back support.







The stepped construction of this apartment building by Govaert & Vanhoutte creates an intriguing play of floating terraces. The Pantagruel picnic seamlessly integrates in the design where open facades enhance the wide view of the North Sea, its dunes, and the natural reserve.










At the HQ of Afas Software in the Netherlands, the employees are enjoying a break on one of the many outdoor terraces. The Sunbrella cushions add a soft yet stylish touch to the Earth legs for ultimate comfort.









At Endo Lighting in Tokyo, Japan, this indoor patio brings the outdoor elements indoors. The Pantagruel picnic tables bring people together, and its round shape includes everybody equally. The wooden seats and tabletop add a warm touch, while the shadow play adds an exciting element to the space.





 $\leftarrow$ 

The Ena campus in Greece aims to offer a balance between workspaces and break areas.

The Lazy Susan in the center of the Pantagruel table makes sharing easy.





The Pantagruel round picnic table seats eight. When combined with the wood used for the tabletop and benches it forms a durable outdoor picnic set. Pantagruel also features a Lazy Susan, to

take the hard work out of passing food and drinks around. In addition to the picnic version, there is the Pantagruel table and the high table.



## **Types**



Pantagruel picnic (ø227 x 75 cm)



Pantagruel table (ø146 x 75 cm)



Pantagruel high table (ø146 x 105 cm)



Various parasols

## **Accessories & options**



Cushions (Set of 4 pcs)



Backrest (Set of 2 pcs)



Floor fastening



Charging module

#### Materials & colors

#### **Tabletop & benches**



Iroko



Hellwood

#### Frame, legs & backrests



Black RAL9005



Earth



Beach beige RAL1019



Off white RAL9002



Galvanized steel

## Sunbrella® cushions



Grey chiné



Dark taupe



Coconut



Marble



# Pantagruel picnic


© Design by Dirk Wynants for Extremis, 2014

# extremis<sup>®</sup>



## **Dimensions**

The Pantagruel picnic is available in one dimension





302

## **Box dimensions**

The Pantagruel picnic comes in 4 boxes





Box 2: benches (2x)



Box 3: Supports



Box 4: Legs + mounting kit



Box dimensions (mm)		L	W	Н	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Galvanized version	Box 1	1530	1500	100	1	0,23	69,00	63,20	5,80
	Box 2	1480	540	100	2	0,16	62,80	57,60	5,20
	Вох 3	470	160	145	1	0,01	12,00	11,80	0,20
	Box 4	1000	340	290	1	0,01	26,40	22,40	4,00
					Total:	0,41	170,20	155,00	15,20
Powder coated version	Box 1	1530	1500	100	1	0,23	69,00	63,20	5,80
	Box 2	1480	540	100	2	0,16	62,80	57,60	5,20
	Вох 3	470	160	145	1	0,01	12,00	11,80	0,20
	Box 4	1000	340	290	1	0,01	26,40	22,40	4,00
					Total:	0.41	170.20	155.00	15.20



## **Backrest**

The backrest is available in one dimension


# 0 700

## **Box dimensions**

The backrests come in 1 box per 2 backrests

Box 5: backrest (2x)






Box dimensions (mm)		L	W	Н	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Galvanized version	Box 5	1420	470	470	1	0,31	24,20	21,00	4,20
Powder coated version	Box 5	1420	470	470	1	0,31	25,60	21,40	4,20

## **Cushions**

The cushions are available in one dimension




## **Box dimensions**

The cushions come in 1 box

Box 6: 4 cushion (4x)





Box dimensions (mm)			\ <b>\</b> /	ш	Qty (#)	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
BOX difficitisions (mm)			VV	п	G(ty (#)	volulile (m3)	weight (kg)	weight (kg)	weight (kg)
Cushions	Box 6	1430	480	230	1	0.16	7 40	4 80	2 60



## Floor fastening

80

## **Box dimensions**

Box 7: floor fastening set

The floor fastening is available in one dimension

The floor fastening comes in 1 box








۰5

Box dimensions (mm)		L	W	Н	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Floor fastening	Box 7	205	145	150	1	0,01	1,03	0,96	0,07

These dimensions can be used for pre-drilling the holes into the ground to later attach the ground anchor





## **Protection felt**

## **Box dimensions**

The protection felt is available in one dimension

110

The protection felt comes in 1 box

Box 8: protection felt set



Box dimensions (inch)		L	W	н	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Protection felt	Box 8	205	145	150	1	0,01	0,08	0,01	0,07



## Tabletop & benches



Iroko hardwood



Hellwood

## Sunbrella® cushions



Grey chiné



Dark taupe Sunbrella Natté



Coconut



Marble Sunbrella Lopi

## Frame, legs & backrest



Black (RAL9005)



Earth



Beach beige (RAL1019)



Off white (RAL9002)



Galvanized steel





Black

Earth









Materials	Key facts	Thickness	Layer thickness	Density	In/outdoor	Water	UV color fastness	Flame retarding
		mm	micron					
Iroko tabletop & benches	Durability CLASS 1     Feels comfortable in all weather conditions     Advisable to oil the wood	20	n.a.	600 à 700 kg/m³	Outdoor & indoor	n.a.	Untreated wood turns grey after a while	/
Hellwood tabletop & benches	Durability CLASS 1     Carries the PEFC™ label for durable forestry     Feels comfortable in all weather conditions     Advisable to oil the wood	20	n.a.	600 kg/m³	Outdoor & indoor	n.a.	Untreated wood turns grey after a while	/
Hot dip galvanized steel legs, frame and backrests	Most durable method for protecting metal from rusting     Protective layer     Very long life span     100% recyclable     Cradle to Cradle Certified™	2-6	50 - 100	7,50 10 <sup>3</sup> kg/m <sup>3</sup>	Outdoor & indoor	n.a.	Very good, galvanisation will however become less shiny when used outdoors	NEN- EN13501- 1 A1 *
Structured powder coated zinced steel frame, bench supports & backrest	Easy to clean     Electro galvanized (for protection against rust), then powder coated     More scratch-resistant than non structured powder coating	4-6	+/-100	7,50 10 <sup>3</sup> kg/m <sup>3</sup>	Outdoor & indoor	n.a.	Very good: color can fade to some extent when expo- sed to UV	NEN- EN13501- 1 A1 *
Structured powder coated stainless steel legs	Easy to clean     Stainless steel (for protection against rust), then powder coated     More scratch-resistant than non structured powder coating	2	50 - 100	8,00 10 <sup>3</sup> kg/m <sup>3</sup>	Outdoor & indoor	n.a.	Very good: color can fade to some extent when expo- sed to UV	NEN- EN13501- 1 A1 *
High pressure Iaminate Lazy Susan	Manufactured under high pressure     Reinforced with wood fibres     Flat panel     High impact resistance     Easy to clean	13	n.a.	1,40 10 <sup>3</sup> kg/m <sup>3</sup>	Outdoor & indoor	n.a.	>6 (EN438-2:27) en (ASTM G53-91)	/
Sunbrella cushions	100% Sunbrella Acrylic     Best outdoor fabric available for making cushions     Dirt repellent     Not waterproof, store inside!     Machine washable at max. 30°C. Ironing restores the protective layer	0,50	n.a.	260 g/m²	Outdoor & indoor	The fabric has a water column of 350 mm (EN 20811)	7/8 (ISO 105-B02)	/

NEN-EN13501-1 A1 Class A1 products will not contribute to fire in any stage, including fully developed fire. For this reason, they are assumed to be capable of satisfying all requirements of all lower classes as well.





## Good to know

- PEFC™ certified wood (Hellwood) originates from sustainably managed forests.
- Pantagruel picnic is fitted with a Lazy Susan, a central rotating tray, to easily pass things through. The Lazy Susan can be fixed for use in public spaces
- The hole in the tabletop to place a shade in is ø65 mm.
- Pantagruel picnic combines perfectly with Inumbra medium/large & Inumbrina large. For both combinations, a connection piece is required.



## Certificates

- ΤÜV
- PEFC
- Cradle to Cradle

## F.A.Q.

#### O: Do you need to oil the wood?

A: Just like other types of wood, wood will gradually become rougher and start to turn grey as a consequence of exposure to the sun and rain. Small cracks and crevices can also appear as part of this process. We strongly advise everyone to treat the furniture with our Wood Protector. This 100% natural oil controls the moisture level within the wood, which makes the planks stay stable for longer, and the layer of oil also helps to prevent spilled liquids from being absorbed, so that stains tend to stay superficial. It is best to repeat this treatment at regular intervals.

## **Maintenance**

Find maintenance instructions at the product care section of extremis.com for

#### POWDER COATED PARTS

Use Extremis multi cleaner, a 100% biodegradable detergent or common kitchen cleaning products. Avoid using aggressive products. These surfaces are best cleaned with a neutral cleaning product diluted in water.

#### GALVANIZED PARTS

Clean with lukewarm water and a mild detergent or Extremis multi cleaner.

- Shake or brush off loose dirt immediately.
- Spray Extremis multi cleaner.
- Use a soft brush and make circular movements.
- Let the suds soak in for a moment.
- Rinse thoroughly to remove all soap residue.
- Simply allow to dry.
- It's also possible to put the cushions in a washing machine (max 40°C). Follow the cleaning instruction on the label.
- If the cushion has metal brackets, we recommend turning the cover inside out first to avoid damaging the washing machine. In this case, leave the zipper open

#### WOOD

- Clean regularly with mild detergent.
  Thorough cleaning with Extremis Wood Cleaner.
- Oil the wood with Extremis Wood Protector. We recommend oiling the wood at regular intervals depending from location and general weather conditions.
- In order to smoothen the surface again after a thorough cleaning, lightly sand your wood with 120 grit sanding paper or a sanding pad.

#### **RECOMMENDED USE**

For Extremis Wood protector:



## Floor fastening

Pantagruel comes with an optional floor anchoring set: four steel plates to be fixed with bolts



## Warnings A

## **General**

- Do not use any sharp tools to open the packaging We strongly advise against using power tools.
- Tripping hazard, mind your step.
- Do not put out cigarettes on the table.
- Not grafitti proof.
- Do not leave children unattended whilst playing on the table.
- To avoid danger of suffocation, keep plastic bags away from babies and children
- Colors can differ over years and from batch to

## **Product**

- Do not stand or jump on the table.
- Do not drag the table, but carry it with minimum 2
- Anchoring the product has to be done by qualified people.
- For anchoring: use suitable bolts or screws from a specialized store depending on the material your terrace is made of.
- There is protection felt for delicate floors or indoor Do not stand on the Lazy Susan or on the benches
- The white Lazy Susan relfects in the sunlight.
- Mind your fingers whilst assembling the Lazy
- Max. 3 people or 240 kg per bench.

## Wood

- When delivered, the wood is untreated.
- Wood is a natural material and its look is different for every slat, plank and tree.
- Wood will gradually become rougher and start to turn grey as a consequence of exposure to the sun and rain. We recommend oiling the wood at regular intervals depending from location and general weather conditions
- Clean regularly with mild detergent. Never use a high pressure cleaner as this will roughen the wood's smooth surface and irreparably damage the wood's fiber.
- Thorough cleaning with Extremis Wood Cleaner.
- We strongly recommend that you treat your wood with wood protector to protect it from stains - small cracks and crevices can also appear as part of this process. We strongly advise everyone to treat the furniture with our Wood Protector.

## **Galvanized steel**

- Galvanization will become less shiny when used outdoors.
- Flame retarding NEN-EN13501-1 A1 Class A1 products will not contribute to fire in any stage, including fully developed fire. For this reason, they are assumed to be capable of satisfying all requirements of all lower classes as well
- · Possible impurities in the immersion tank can

- cause black marks during galvanization, which are intrinsic to this industrial finishing technique.
- White marks on this zinc layer are also intrinsic to this procedure and will disappear when the furniture is put outdoors.
- This industrial finishing technique may result in a rougher surface. This is intrinsic to the process.

- White powder coating requires more maintenance.
- Do not use abrasive scouring powders or scourers as they will scratch the surface.
- Color can fade to some extent when exposed to UV.
- Flame retarding NEN-EN13501-1 A2-sl Satisfying the same criteria as Class B for the SBI-test according to EN13823. In addition, under conditions of a fully developed fire these products will nog significantly contribute to the fire load and fire growth.
- Dark colors can get very hot in sunny weather.

UV color fastness: >6 (EN438-2:27) en (ASTM G53-91)

- Not waterproof, store inside!
- Shake or brush off loose dirt immediately.
- UV color fasteness: 7/8 (ISO 105-B02).

The content of this document, in particular the mentioned models, is protected by copyrights and/or design rights. The present document and its content is communicated to you for information purposes only. Any partial or total reproduction or any other use without our prior written permission is strictly prohibited. This technical sheet remains subject to possible changes. All dimensions are in mm, unless mentioned otherwise. Extremis is not responsible for the errors in the documentation of products. All measurements are approximate and are provided for informational purposes only.

Tech sheet

20241121



# Pantagruel tables

© Design by Dirk Wynants for Extremis, 2014


# extremis<sup>®</sup>







## **Dimensions**

The Pantagruel table is available in two heights







## **Box dimensions**

The Pantagruel tables come in 2 boxes

Box 1: Tabletop



Box 2: Table egs + mounting kit



Box 3: High table legs + mounting kit




Box dimensions (mm)		L	W	Н	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Pantagruel table	Box 1	1530	1500	100	1	0,23	69,00	63,20	5,80
	Box 2	1000	340	290	1	0,10	25,10	22,40	2,70
					Total:	0,33	94,10	85,60	8,50
Pantagruel high table	Box 1	1530	1500	100	1	0,23	69,00	63,20	5,80
	Box 3	1510	330	270	1	0,13	30,40	26,80	3,60
					Total:	0,36	99,40	90,00	9,40



## Floor fastening

The floor fastening is available in one dimension



## **Box dimensions**

The floor fastening comes in 1 box

Box 4: floor fastening set



Box dimensions (mm)		L	W	н	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Floor fastening	Box 7	205	145	150	1	0,01	1,03	0,96	0,07

## **Protection felt**

The protection felt is available in one dimension



110

## **Box dimensions**

The protection felt comes in 1 box

Box 5: protection felt set



Box dimensions (inch)		L	W	Н	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Protection felt	Box 8	205	145	150	1	0,01	0,08	0,01	0,07



## Tabletop



Iroko hardwood



Hellwood

## Frame & legs



Black (RAL9005) Structured powder coating



Structured powder coating



Structured powder coating

Beach beige (RAL1019)



## **HPL Lazy Susan**



Black



Beach beige



Off white



Materials	Key facts	Thickness	Layer thickness	Density	In/outdoor	Water	UV color fastness	Flame retarding
		mm	micron					
Iroko tabletop	Durability CLASS 1     Feels comfortable in all weather conditions     Advisable to oil the wood	20	n.a.	600 à 700 kg/m³	Outdoor & indoor	n.a.	Untreated wood turns grey after a while	/
Hellwood tabletop	Durability CLASS 1     Carries the PEFC™ label for durable forestry     Feels comfortable in all weather conditions     Advisable to oil the wood	20	n.a.	600 kg/m <sup>3</sup>	Outdoor & indoor	n.a.	Untreated wood turns grey after a while	/
Structured powder coated zinced steel frame	Easy to clean     Electro galvanized (for protection against rust), then powder coated     More scratch-resistant than non structured powder coating	4 - 6	+/-100	7,50 10 <sup>3</sup> kg/m <sup>3</sup>	Outdoor & indoor	n.a.	Very good: color can fade to some extent when expo- sed to UV	NEN- -EN13501- 1 A1 *
Structured powder coated stainless steel legs	Easy to clean     Stainless steel (for protection against rust), then powder coated     More scratch-resistant than non structured powder coating	2	50 - 100	8,00 10 <sup>3</sup> kg/m <sup>3</sup>	Outdoor & indoor	n.a.	Very good: color can fade to some extent when expo- sed to UV	NEN- -EN13501- 1 A1 *
High pressure laminate Lazy Susan	Manufactured under high pressure     Reinforced with wood fibres     Flat panel     High impact resistance     Easy to clean	13	n.a.	1,40 10 <sup>3</sup> kg/m <sup>3</sup>	Outdoor & indoor	n.a.	>6 (EN438-2:27) en (ASTM G53-91)	/

NEN-EN13501-1 A1 Class A1 products will not contribute to fire in any stage, including fully developed fire. For this reason, they are assumed to be capable of satisfying all requirements of all lower classes as well.





## Good to know

- PEFC™ certified wood (Hellwood) originates from sustainably managed forests.
- The hole in the tabletop to place a shade in is ø65 mm.
- The Pantagruel tables are fitted with a Lazy Susan, a central rotating tray, to easily pass things through.





## **Maintenance**

Find maintenance instructions at the product care section of extremis.com for

#### POWDER COATED PARTS

Use Extremis multi cleaner, a 100% biodegradable detergent or common kitchen cleaning products. Avoid using aggressive products. These surfaces are best cleaned with a neutral cleaning product diluted in water.

#### WOOD

- Clean regularly with mild detergent.
- Thorough cleaning with Extremis Wood Cleaner.
- Oil the wood with Extremis Wood Protector. We recommend oiling the wood at regular intervals depending from location and general weather conditions.
- In order to smoothen the surface again after a thorough cleaning, lightly sand your wood with 120 grit sanding paper or a sanding pad.

#### RECOMMENDED USE

For Extremis Wood protector:

7 to 10 wood care

treatments







100 - 150 ml for one Pantagruel table

## F.A.Q.

#### Q: Do you need to oil the wood?

A: Just like other types of wood, wood will gradually become rougher and start to turn grey as a consequence of exposure to the sun and rain. Small cracks and crevices can also appear as part of this process. We strongly advise everyone to treat the furniture with our Wood Protector. This 100% natural oil controls the moisture level within the wood, which makes the planks stay stable for longer, and the layer of oil also helps to prevent spilled liquids from being absorbed, so that stains tend to stay superficial. It is best to repeat this treatment at regular intervals.

## Floor fastening

Pantagruel comes with an optional floor anchoring set: four steel plates to be fixed with bolts



## Warnings 🔔

- Do not use any sharp tools to open the packaging.
- We strongly advise against using power tools
- Tripping hazard, mind your step Do not put out cigarettes on the table.
- Not grafitti proof.
- Do not leave children unattended whilst playing on the table.
- To avoid danger of suffocation, keep plastic bags away from babies and children.
- Colors can differ over years and from batch to batch.

## Product

- Do not stand or jump on the table.
- · Do not drag the table, but carry it with minimum 2
- Anchoring the product has to be done by qualified
- For anchoring: use suitable bolts or screws from a specialized store depending on the material your terrace is made of.

- · There is protection felt for delicate floors or indoor use.
- Do not stand on the Lazy Susan.
- The white Lazy Susan relfects in the sunlight.
- Mind your fingers whilst assembling the Lazy

## Wood

- When delivered, the wood is untreated.
- Wood is a natural material and its look is different for every slat, plank and tree.
- Wood will gradually become rougher and start to turn grey as a consequence of exposure to the sun and rain. We recommend oiling the wood at regular intervals depending from location and general weather conditions
- Clean regularly with mild detergent. Never use a high pressure cleaner as this will roughen the wood's smooth surface and irreparably damage the wood's fiber.
- Thorough cleaning with Extremis Wood Cleaner.
- We strongly recommend that you treat your wood

with wood protector to protect it from stains - small cracks and crevices can also appear as part of this process. We strongly advise everyone to treat the furniture with our Wood Protector.

## Powder coating

- White powder coating requires more maintenance.
- Do not use abrasive scouring powders or scourers as they will scratch the surface.
- Color can fade to some extent when exposed to UV.
- Flame retarding NEN-EN13501-1 A2-sl Satisfying the same criteria as Class B for the SBI-test according to EN13823. In addition, under conditions of a fully developed fire these products will nog significantly contribute to the fire load and
- Dark colors can get very hot in sunny weather.

UV color fastness: >6 (EN438-2:27) en (ASTM G53-91)

The content of this document, in particular the mentioned models, is protected by copyrights and/or design rights. The present document and its content is communicated to you for information purposes only. Any partial or total reproduction or any other use without our prior written permission is strictly prohibited. This technical sheet remains subject to possible changes. All dimensions are in mm, unless mentioned otherwise. Extremis is not responsible for the errors in the documentation of products. All measurements are approximate and are provided for informational purposes only.

Tech sheet

20241121



