



© Design by Dirk Wynants & Xavier Lust for Extremis, 2002

The launch of this design elevated a simple 'tête à tête' to an extremely romantic or even philosophical converse. Picnik became a real design classic, thanks to its iconic shape.













All our designs are original creations and protected by intellectual property rights.







The sweet spot of this house? The terrace with dune views! Step outside the bedroom and you'll find the Picnik table waiting for you to kickstart your day.



← The Picnik in Verdigris blends easily with the garden, making the table a subtle eye-catcher.



Extremis



www.lecio.my
Outdoor Furniture Specialist



At the Promenade Mall in Romania, Picniks in varying shades of red add a vibrant touch to the front terrace, inviting passersby to relax and enjoy a coffee after their shopping spree.



Relaxing in style in this beautiful urban garden.





This table for two is in fact much more than just a table seating two people. Picnik was of course primarily designed as a table and bench seat combination for small outdoor spaces. But thanks to its

striking looks - both solid and stylized at the same time - Picnik is also frequently used indoors. One flat aluminium sheet is transformed into a Picnik, thanks to a number of strategic incisions and folds.



Types



Picnik (147 x 95 x 75 cm)

Feet options



Standard feet



Floor fastening



Protective feet (for delicate floors)

Options



Wheelchair accessible

Materials & colors

Powder coated aluminium



Off white RAL9002



Verdigris



Copper brown RAL8004



Cobalt blue RAL5013



Sun yellow RAL1032



Pistache RAL6021




extremis[®]


© Design by Dirk Wynants & Xavier Lust for Extremis, 2002





Dimensions

The Picnik is available in 1 dimension









Box dimensions

The Picnik comes in 1 box

Box 1: Picnik




Box dimensions (mm)		L	W	Н	Qty	Volume (m3)	Gross weight (kg)	Net weight (kg)	Packaging weight (kg)
Picnik	Box 1	1500	1000	800	1	1,20	73,70	60,00	13,70



Wheelchair accessibility dimensions

As specifications for wheelchair accessibility vary around the world, please review the dimensions below to ensure the measurements of each solution meet the specifications of your local requirements

Accessible on the open side of the tabletop



761









Off white (RAL9002)



Verdigris Structured powder coating



Copper brown (RAL8004)





Cobalt blue (RAL5013) Structured powder coating



Sun yellow (RAL1032) Structured powder coating



Pistache (RAL6021)




Materials	Key facts	Thickness	Layer thickness	Density	In/outdoor	Water	UV color fastness	Flame retarding
		mm	micron					
Structured powder- coated aluminium	A technique of applying dry paint to a part Electrostatically charged and sprayed onto the object Placed in an oven and powder particles melt and coalesce to form a continuous film More scratch-resistant than non structured powder-coating	10	50 - 100	2,70 10 ³ kg/m ³	Outdoor & indoor	n.a.	Very good: color can fade to some extent when expo- sed to UV	NEN-EN 13501-1 A2-s1*

NEN-EN13501-1 A2-s

Satisfying the same criteria as class B for the SBI-test according to EN 13823. In addition, under conditions of a fully developed fire these products will not significantly contribute to the fire load and fire growth



- Also a miniature version of this iconic piece available.
- Stackable up to 5 pieces and protect with blankets.
- · Picnik is cut out of one aluminium sheet without any loss of material.



Maintenance

POWDER COATED PARTS

 Use Extremis multi cleaner, a 100% biodegradable detergent or common kitchen cleaning products. Avoid using aggressive products. These surfaces are best cleaned with a neutral cleaning product diluted in water.

Floor fastening

Picnik comes with an optional floor fastening set: four stainless steel feet to be fixed with bolts. Use suitable bolts or screws from a specialized store depending on the material your terrace is made of.



F.A.Q.

Q: Is it possible to stack the table?

A: It is possible, but as it is quite heavy, it is not so often done. To avoid dammage, we recommend using blankets.

Q: Is it easy to move the table?

A: With two people this is very doable.

Protective feet

Picnik comes with optional protective feet for delicate floor: four stainless steel feet with felt.



Warnings 🗘

<u>General</u>

- Do not use any sharp tools to open the packaging.
- We strongly advise against using power tools.
- Tripping hazard, mind your step.

 Pa not put out aignostice on the to
- Do not put out cigarettes on the table.
- · Not grafitti proof.
- Do not leave children unattended whilst playing on the table.
- To avoid danger of suffocation, keep plastic bags away from babies and children.
- Colors can differ over years and from batch to batch.

Product

Do not drag the table, but carry it with minimum 2 people.

- Anchoring the product has to be done by qualified people.
- For anchoring: use suitable bolts or screws from a specialized store depending on the material your terrace is made of.
- There are protective feet for indoor use.
- Stackable up to 5 pieces and protect with blankets.
- Always stack the table with 2 people.
 The Picpik tableton can bear a maximum.
- The Picnik tabletop can bear a maximum load of 120 kg.
- Max. 2 people or 160 kg per bench.

Powder coating

- White powder coating requires more maintenance.
- Do not use abrasive scouring powders or scourers as they will scratch the surface.

- Color can fade to some extent when exposed to UV.
- Flame retarding NEN-EN13501-1 A2-sl Satisfying the same criteria as Class B for the SBI-test according to EN13823. In addition, under conditions of a fully developed fire these products will nog significantly contribute to the fire load and fire growth.
- Dark colors can get very hot in sunny weather.

The content of this document, in particular the mentioned models, is protected by copyrights and/or design rights. The present document and its content is communicated to you for information purposes only. Any partial or total reproduction or any other use without our prior written permission is strictly prohibited. This technical sheet remains subject to possible changes. All dimensions are in **mm**, unless mentioned otherwise. Extremis is not responsible for the errors in the documentation of products. All measurements are approximate and are provided for informational purposes only.

Tech sheet 20231205



