





© Design by Hsu-Li Teo & Stefan Kaiser for Extremis, 2003

A space divider and the perfect way to create privacy wherever needed, inside or outside. Sticks divide your room or terrace optically, without losing the feeling of spaciousness.

Extremis





Merging perfectly with the color palette of this co-working space located in a former chapel, these Sticks offer privacy while adding a natural touch.







↑ In an open-plan office, employees find some privacy where needed.

Hide away behind the curved Sticks to get some focused work done. Without closing off the space with a hard boundary, this space divider offers privacy and a textured material.



Extremis



Inspired by nature, Sticks is the ideal space divider. They create a reed-like visual and physical barrier while allowing the light to flood through. Optional weighted bases and floor anchoring suggestions are offered for windy outdoor spaces.



Create your own stylish cocoon at home with the indoor Sticks with natural rubberwood bases.







This space divider is the ideal way to create privacy, while keeping an open flow. Use Sticks indoors to adapt the look of a room or office arrangement entirely to your own taste. You can

also choose which and how many rods you use and create various degrees of transparency, color combinations or differences in length. Delivered with optional feet for delicate floors.



Types



Rectangular bases (60 x 30 x 5 cm)



Sharp curved bases (65 x 33 x 5 cm)



Wide curved bases (63 x 32 x 5 cm)

Accessories & options



Bases with LED (Warm or cool white)



Biophilic Sticks (Rods vary in height between 120/150/180/210 cm)



Extra weight



Connection piece

Materials & colors

Bases



Rubber



Dark rubberwood (indoor use only)



Natural rubberwood (indoor use only)

Fiberglass rods



White



Black



Wood color




Green



extremis[®]


© Design by Hsu-Li Teo & Stefan Kaiser for Extremis, 2003




Dimensions

The standard base with rods is available in 4 heights









| Dimensions (mm) | L |
|-----------------------------|------|
| Standard base with 120 rods | 1220 |
| Standard base with 150 rods | 1520 |
| Standard base with 180 rods | 1820 |
| Standard base with 210 rods | 2120 |

The standard base with Biophilic rods is available in 1 height







600




The sharp curved base with rods is available in 4 heights













| Dimensions (mm) | L |
|---------------------------------|------|
| Sharp curved base with 120 rods | 1220 |
| Sharp curved base with 150 rods | 1520 |
| Sharp curved base with 180 rods | 1820 |
| Sharp curved base with 210 rods | 2120 |


The wide curved base with rods is available in 4 heights











| Dimensions (mm) | L |
|--------------------------------|------|
| Wide curved base with 120 rods | 1220 |
| Wide curved base with 150 rods | 1520 |
| Wide curved base with 180 rods | 1820 |
| Wide curved base with 210 rods | 2120 |

Box dimensions

Sticks comes in 1 box and 1 bag

Bag 1: Rubber bases

Box 1: Rubber base with LED / Wooden bases (with LED)



 $\underline{\text{Box 2}} \colon \text{Rubber curved bases with LED /} \\ \text{Wooden curved bases (with LED)}$



| Box dimensions (mm) | | L | W | н | Qty | Volume (m3) | Gross weight (kg) | Net weight (kg) | Packaging weight (kg) |
|--------------------------|-------|------|-----|-----|--------|-------------|----------------------|--------------------|--------------------------|
| Standard base rubber | Bag 1 | 630 | 300 | 40 | 1 | 0,01 | 10,10 | 10,00 | 0,10 |
| Rods 120 cm | Bag 2 | 1200 | 180 | 180 | 1 | 0,04 | 6,40 | 6,30 | 0,10 |
| | | | | | Total: | 0,05 | 16,50 | 16,30 | 0,20 |
| Standard base rubber | Bag 1 | 630 | 300 | 40 | 1 | 0,01 | 10,10 | 10,00 | 0,10 |
| Rods 150 cm | Bag 2 | 1500 | 180 | 180 | 1 | 0,05 | 8,00 | 7,90 | 0,10 |
| | | | | | Total: | 0,06 | 18,10 | 17,90 | 0,20 |
| Standard base rubber | Bag 1 | 630 | 300 | 40 | 1 | 0,01 | 10,10 | 10,00 | 0,10 |
| Rods 180 cm | Bag 2 | 1800 | 180 | 180 | 1 | 0,06 | 9,44 | 9,34 | 0,10 |
| | | | | | Total: | 0,07 | 19,54 | 19,34 | 0,20 |
| Standard base rubber | Bag 1 | 630 | 300 | 40 | 1 | 0,01 | 10,10 | 10,00 | 0,10 |
| Rods 210 cm | Bag 2 | 2100 | 180 | 180 | 1 | 0,07 | 11,06 | 10,96 | 0,10 |
| | | | | | Total: | 0,08 | 21,16 | 20,96 | 0,20 |
| Standard base rubberwood | Box 1 | 630 | 300 | 50 | 1 | 0,01 | 5,10 | 5,00 | 0,10 |
| Rods 120 cm | Bag 2 | 1200 | 180 | 180 | 1 | 0,04 | 6,40 | 6,30 | 0,10 |
| | | | | | | 0,05 | 11,50 | 11,30 | 0,20 |
| Standard base rubberwood | Box 1 | 630 | 300 | 50 | 1 | 0,01 | 5,10 | 5,00 | 0,10 |
| Rods 150 cm | Bag 2 | 1500 | 180 | 180 | 1 | 0,05 | 8,00 | 7,90 | 0,10 |
| | | | | | | 0,06 | 13,10 | 14,90 | 0,20 |
| Standard base rubberwood | Box 1 | 630 | 300 | 50 | 1 | 0,01 | 5,10 | 5,00 | 0,10 |
| Rods 180 cm | Bag 2 | 1800 | 180 | 180 | 1 | 0,06 | 9,44 | 9,34 | 0,10 |
| | | | | | | 0,07 | 14,54 | 14,34 | 0,20 |
| Standard base rubberwood | Box 1 | 630 | 300 | 50 | 1 | 0,01 | 5,10 | 5,00 | 0,10 |
| Rods 210 cm | Bag 2 | 2100 | 180 | 180 | 1 | 0,07 | 11,06 | 10,96 | 0,10 |
| | | | | | | 0,08 | 16,16 | 15,96 | 0,20 |




| Box dimensions (mm) | | L | W | н | Qty | Volume (m3) | Gross weight (kg) | Net weight (kg) | Packaging weight (kg) |
|--|-------|------|-----|-----|--------|-------------|----------------------|--------------------|--------------------------|
| Sharp curved base rubber | Bag 1 | 650 | 320 | 40 | 1 | 0,01 | 10,30 | 10,00 | 0,30 |
| Rods 120 cm | Bag 2 | 1200 | 180 | 180 | 1 | 0,04 | 6,40 | 6,30 | 0,10 |
| | | | | | Total: | 0,05 | 16,70 | 16,30 | 0,40 |
| Sharp curved base rubber | Bag 1 | 650 | 320 | 40 | 1 | 0,01 | 10,30 | 10,00 | 0,30 |
| Rods 150 cm | Bag 2 | 1500 | 180 | 180 | 1 | 0,05 | 8,00 | 7,90 | 0,10 |
| | | | | | Total: | 0,06 | 18,30 | 17,90 | 0,40 |
| Sharp curved base rubber | Bag 1 | 650 | 320 | 40 | 1 | 0,01 | 10,30 | 10,00 | 0,30 |
| Rods 180 cm | Bag 2 | 1800 | 180 | 180 | 1 | 0,06 | 9,44 | 9,34 | 0,10 |
| | | | | | Total: | 0,07 | 19,74 | 19,34 | 0,40 |
| Sharp curved base rubber | Bag 1 | 650 | 320 | 40 | 1 | 0,01 | 10,30 | 10,00 | 0,30 |
| Rods 210 cm | Bag 2 | 2100 | 180 | 180 | 1 | 0,07 | 11,06 | 10,96 | 0,10 |
| | | | | | Total: | 0,08 | 21,36 | 20,96 | 0,40 |
| Sharp curved base rubberwood | Bag 1 | 715 | 325 | 50 | 1 | 0,01 | 5,30 | 5,00 | 0,30 |
| Rods 120 cm | Bag 2 | 1200 | 180 | 180 | 1 | 0,04 | 6,40 | 6,30 | 0,10 |
| | - 3 - | | | | Total: | 0,05 | 11,70 | 11,30 | 0,40 |
| Sharp curved base rubberwood | Bag 1 | 715 | 325 | 50 | 1 | 0,01 | 5,30 | 5,00 | 0,30 |
| Rods 150 cm | Bag 2 | 1500 | 180 | 180 | 1 | 0,05 | 8,00 | 7,90 | 0,10 |
| | | 1000 | 100 | 100 | Total: | 0,06 | 13,30 | 12,90 | 0,40 |
| Sharp curved base rubberwood | Bag 1 | 715 | 325 | 50 | 1 | 0,01 | 5,30 | 5,00 | 0,30 |
| Rods 180 cm | | 1800 | 180 | 180 | 1 | 0,06 | 9,44 | 9,34 | 0,10 |
| Nous 100 CIII | Bag 2 | 1000 | 100 | 100 | | | | | |
| Character of the control of the cont | D 4 | 74.5 | 205 | | Total: | 0,07 | 14,74 | 14,34 | 0,40 |
| Sharp curved base rubberwood | Bag 1 | 715 | 325 | 50 | 1 | 0,01 | 5,30 | 5,00 | 0,30 |
| Rods 210 cm | Bag 2 | 2100 | 180 | 180 | 1 | 0,07 | 11,06 | 10,96 | 0,10 |
| | | | | | Total: | 0,08 | 16,36 | 15,96 | 0,40 |
| Wide curved base rubber | Bag 1 | 650 | 320 | 40 | 1 | 0,01 | 10,30 | 10,00 | 0,30 |
| Rods 120 cm | Bag 2 | 1200 | 180 | 180 | 1 . | 0,04 | 6,40 | 6,30 | 0,10 |
| | | | | | Total: | 0,05 | 16,70 | 16,30 | 0,40 |
| Wide curved base rubber | Bag 1 | 650 | 320 | 40 | 1 | 0,01 | 10,30 | 10,00 | 0,30 |
| Rods 150 cm | Bag 2 | 1500 | 180 | 180 | 1 | 0,05 | 8,00 | 7,90 | 0,10 |
| | | | | | Total: | 0,06 | 18,30 | 17,90 | 0,40 |
| Wide curved base rubber | Bag 1 | 650 | 320 | 40 | 1 | 0,01 | 10,30 | 10,00 | 0,30 |
| Rods 180 cm | Bag 2 | 1800 | 180 | 180 | 1 | 0,06 | 9,44 | 9,34 | 0,10 |
| | | | | | Total: | 0,07 | 19,74 | 19,34 | 0,40 |
| Wide curved base rubber | Bag 1 | 650 | 320 | 40 | 1 | 0,01 | 10,30 | 10,00 | 0,30 |
| Rods 210 cm | Bag 2 | 2100 | 180 | 180 | 1 | 0,07 | 11,06 | 10,96 | 0,10 |
| | | | | | Total: | 0,08 | 21,36 | 20,96 | 0,40 |
| Wide curved base rubberwood | Bag 1 | 650 | 350 | 50 | 1 | 0,01 | 5,30 | 5,00 | 0,30 |
| Rods 120 cm | Bag 2 | 1200 | 180 | 180 | 1 | 0,04 | 6,40 | 6,30 | 0,10 |
| | | | | | Total: | 0,05 | 11,70 | 11,30 | 0,40 |
| Sharp curved base rubberwood | Bag 1 | 650 | 350 | 50 | 1 | 0,01 | 5,30 | 5,00 | 0,30 |
| Rods 150 cm | Bag 2 | 1500 | 180 | 180 | 1 | 0,05 | 8,00 | 7,90 | 0,10 |
| | | | | | Total: | 0,06 | 13,30 | 12,90 | 0,40 |
| Sharp curved base rubberwood | Bag 1 | 650 | 350 | 50 | 1 | 0,01 | 5,30 | 5,00 | 0,30 |
| Rods 180 cm | Bag 2 | 1800 | 180 | 180 | 1 | 0,06 | 9,44 | 9,34 | 0,10 |
| | | | | | Total: | 0,07 | 14,74 | 14,34 | 0,40 |
| Sharp curved base rubberwood | Bag 1 | 650 | 350 | 50 | 1 | 0,01 | 5,30 | 5,00 | 0,30 |
| | | | | | | | | | |
| Rods 210 cm | Bag 2 | 2100 | 180 | 180 | 1 | 0,07 | 11,06 | 10,96 | 0,10 |



Extra weight dimensions


The extra weight for the standard bases is available in one version






| Dimensions (mm) | L |
|--|------|
| Standard base & extra weight with 120 rods | 1228 |
| Standard base & extra weight with 150 rods | 1528 |
| Standard base & extra weight with 180 rods | 1828 |
| Standard base & extra weight with 210 rods | 2128 |

The extra weight for the sharp curved bases is available in one version








| Dimensions (mm) | L |
|--|------|
| Sharp curved base & extra weight with 120 rods | 1228 |
| Sharp curved base & extra weight with 150 rods | 1528 |
| Sharp curved base & extra weight with 180 rods | 1828 |
| Sharp curved base & extra weight with 210 rods | 2128 |

The extra weight for the wide curved bases is available in one version



628





| Dimensions (mm) | L |
|---|------|
| Wide curved base & extra weight with 120 rods | 1228 |
| Wide curved base & extra weight with 150 rods | 1528 |
| Wide curved base & extra weight with 180 rods | 1828 |
| Wide curved base & extra weight with 210 rods | 2128 |



Extra weight box dimensions

The extra weight comes in 1 box

Box 3: Extra weight (standard bases)

Box 4: Extra weight (sharp curved bases)

Box 5: Extra weight (wide curved bases)







| Box dimensions (mm) | | L | W | Н | Qty | Volume (m3) | Gross weight (kg) | Net weight (kg) | Packaging weight (kg) |
|-------------------------------------|-------|-----|-----|----|-----|-------------|----------------------|--------------------|--------------------------|
| Extra weight for standard bases | Вох 3 | 630 | 310 | 50 | 1 | 0,01 | 10,30 | 10,20 | 0,10 |
| Extra weight for sharp curved bases | Box 4 | 715 | 325 | 50 | 1 | 0,01 | 10,30 | 10,20 | 0,10 |
| Extra weight for wide curved bases | Box 5 | 715 | 325 | 50 | 1 | 0,01 | 10,30 | 10,20 | 0,10 |

Bases



Rubber



Rubberwood Natural



Rubberwood Dark

Extra weight



Galvanized steel

LEDs



Cool white



Warm white

Rods



White



Black



Wood colo



Green



| Materials | Key facts | Thickness | Layer thickness | Density | In/outdoor | Water | UV color fastness | Flame retarding |
|--|---|-----------|--------------------|--|------------------|-------|--|-----------------------------|
| | | mm | micron | | | | | |
| Fiberglass rods | Made with pultrusion technique: a non-stop process of fibre glass wires pulled through a bath of polyester resin Strong Flexible Lightweight | 6 | n.a. | 0,45 10 ³ kg/m ³ | Outdoor & indoor | n.a. | Very good: color can fade to some extent when expo- sed to UV | / |
| Rubber base | Made from mostly regenerated rubber, more ecological Rubber can cause black marks on the floor by direct contact Use protection feet | 40 | n.a. | 1,25 10 ³ kg/m ³ | Outdoor & indoor | n.a. | Good | / |
| Rubberwood base | Wood of the rubber tree, very valuable High stability Easy to process Ecologically sustainable wood Treated with oil to make it more resistant to dirt and to maintain its colour | 40 | 50 - 100 | 600 g/m² | Indoor | n.a. | n.a. | / |
| LEDs | Color temperature of 6500K (cool white) or 3000K (warm white) Beam angle of 25° 350mA 2 x 3,2W 100 - 220 V; 50 - 60 Hz Up to 20 LEDs per plug, i.e. 10 straight or curved bases | n.a. | n.a. | n.a. | Outdoor & indoor | IP65 | / | / |
| Lead, plug & stop | Supplied plug is of the type F In countries where this plug is not used, a plug will have to be fitted locally by an electrician Up to 18 LEDs per plug, i.e. 9 straight or curved bases in a row | n.a. | n.a. | n.a. | Outdoor & indoor | IP65 | / | / |
| Hot dip galvanized steel extra weight | Most durable method for protecting metal from rusting Protective layer Very long life span 100% recyclable Cradle to Cradle Certified™ | 8 | n.a. | 7,50 10 ³ kg/m ³ | Outdoor & indoor | n.a. | Very good, galvanization will however become less shiny when used outdoors | NEN- -EN13501- 1 A1 * |

NEN-EN13501-1 A

Class A1 products will not contribute to fire in any stage, including fully developed fire. For this reason, they are assumed to be capable of satisfying all requirements of all lower classes as well.



Good to know

- In 2003, Extremis launched the most internationally oriented product of a Chinese-German couple living in Australia, put on the market by a Belgian company, and (partially) manufactured in Sri Lanka.
 - The Sri Lanka production unit is part of a development project set up by the 'Building a Future Foundation'. BAF Foundation is a special purpose foundation that is established with the sole and only purpose to create a future for the youth along the coastal areas affected by tsunami by bringing in new activities, technologies, skills and trainings in order to generate such economic activities and employment opportunities
- You do not have to insert all the rods. To achieve more transparency, you can always put fewer sticks in bases.
- Biophilic rods: the rods vary ub height between 120/150/180/210 cm.
- Combine the Biophilic rods with any base.



Maintenance

RUBBER & FIBERGLASS RODS

 The rubber and the fiberglass rods do not require special maintenance. They can simply be kept dustfree with a slightly damp cloth.

GALVANIZED PARTS

· Clean with lukewarm water and a mild detergent or Extremis multi cleaner.

Floor fastening

Sticks base can be anchored to the ground by drilling a hole in the ground and putting a screw (ø 6mm) through the middle of the base (instead of a rod) in the ground.

F.A.Q.

- Q: How many rods are there in one base?
- A: 1 bunch of rods = 49 rods
 Standard & curved bases → 2 bunches of 49 rods = 98 rods
- Q: Are the rods safe for children? Can it cause skin irritations by touching the rods?
- A: The rods are covered with a protective layer, so the fiberglass won't hurt the skin. Because of the production process, some fiberglass dust may stick to the rods, so we advise to wear gloves for the assembly.
- Q: How many bases with LEDs can be fixed to each other with only 1 power supply?
- A: Up to 9 bases with 1 power supply.

Up to 8 bases with 1 power supply & a connection cable of 100 cm.
Up to 6 bases with 1 power supply & a connection cable of 400 cm.
Up to 4 bases with 1 power supply & a connection cable of 900 cm.

Warnings 🗘

<u>General</u>

- Do not use any sharp tools to open the packaging.
- We strongly advise against using power tools.
- Tripping hazard, mind your step.

 Page 1 aut out aigurettee on the common terms.
- Do not put out cigarettes on the product.
- Not grafitti proof.
- Do not leave children unattended whilst playing on the table.
- To avoid danger of suffocation, keep plastic bags away from babies and children.
- Colors can differ over years and from batch to batch.

Product

- Anchoring the product has to be done by qualified people.
- For anchoring: use suitable bolts or screws from a specialized store depending on the material your terrace is made of.
- We consequently recommend that you thoroughly dust or rinse the rods before inserting them into the bases to reduce these fibres to a minimum.
- Do not touch the fiberglass rods with your bare hands. Always use gloves to assemble Sticks.
 During the production process tiny glass fibers may come loose and could stick on the rods. In case of skin contact they may cause slight irritation. We consequently recommend that you thoroughly dust or rinse the rods beofre inserting them into the bases to reduce these fibers to a minimum.

- Do not allow anyone to use the rods for playing or jousting. This may cause injuries.
- Because of the specific characteristics of the production process of fiberglass, colors can only be reproduced approximatively and color differences may occur. This is the case for both standard colors as for colours upon request.
- Rubberwood bases are not suitable for outdoor use.
- When using the Sticks high up or in windy places, we advise you to attach the bases to the ground. In places where this is not possible, we offer a weighted base.
- Make sure the electrical modules (bases with LED lighting, cables, adapters and switches) never end up in a puddle.

<u>Fiberglass</u>

- Stains should be removed immediately with a clean, soft cloth, particularly in case of darkcoloured liquids such as wine, ink, coffee, coke, oil or bird droppings. If left to dry, these liquids may cause permanent damage!
- Avoid using aggressive and abrasive products.
- The white hue can change to some extent when exposed to UV.
- With darker colors, the ends may look lighter because of the white glass fibers.
- Color variations are possible, and even likely.
 This is intrinsic to this production technique. It contributes to the natural effect.

<u>Rubber</u>

- Rubber can cause stains on delicate floor, therefore, we advise to use the plastic feet.
- Rubber can cause stains on carpets, therefore, we advise to use only the wooden bases on carpets
- Rubber has a distinctive smell but it will fade over time.

Galvanized steel

- Galvanization will become less shiny when used outdoors.
- Flame retarding NEN-EN13501-1 A1 Class A1 products will not contribute to fire in any stage, including fully developed fire. For this reason, they are assumed to be capable of satisfying all requirements of all lower classes as well.
- Possible impurities in the immersion tank can cause black marks during galvanization, which are intrinsic to this industrial finishing technique.
- White marks on this zinc layer are also intrinsic to this procedure and will disappear when the furniture is put outdoors.
- This industrial finishing technique may result in a rougher surface. This is intrinsic to the process.

The content of this document, in particular the mentioned models, is protected by copyrights and/or design rights. The present document and its content is communicated to you for information purposes only. Any partial or total reproduction or any other use without our prior written permission is strictly prohibited. This technical sheet remains subject to possible changes. All dimensions are in mm, unless mentioned otherwise. Extremis is not responsible for the errors in the documentation of products. All measurements are approximate and are provided for informational purposes only.

Tech sheet 20250206

