

BALAD

3602 - SET OF 3 LAMPS H.12 CM

DESIGN BY TRISTAN LOHNER

DOMESTIC | PROFESSIONAL | INTENSIVE

2 IREP

IRCY



Polyethylene diffuser

Aluminium frame

ABS base

Technology: integrated LED - Luminous flux: 20 lm

Switch type: push button

Function of the switch: change the light temperature & brightness (short click, 1 s), OFF (long click, 3 s)

Lighting mood:

Position 1 cool white (6000°K) 100% brightness

Position 2 neutral white (4000°K) 100% brightness

Position 3 candle-style warm white (2300°K) flickering

Type of power supply: battery - Min. Battery life (100%) 10 h

Battery use cycle: 500 cycles

Recharge time: 4h - Type of recharge: USB, cable (supplied) 1,5m

Bypass to prevent battery damage during wired use

0.25 A - 5 V - 0.3 W | IP44 | IK 10 | CE | FCC | UKCA

Powered by Smart & Green



0,13 kg



360282		Cactus	360273		Honey
360247		Anthracite	3602B9		Black Cherry
360221		Acapulco Blue	360220		Red Ochre
360214		Nutmeg	3602A5		Clay Grey

3612 - LAMP H.25 CM

DESIGN BY TRISTAN LOHNER

DOMESTIC | PROFESSIONAL | INTENSIVE

2 IREP

IRCY



Polyethylene diffuser

Aluminium frame

ABS base

Technology: integrated LED - Luminous flux: 40 lm

Switch type: push button

Function of the switch: change the light temperature & brightness (short click, 1 s), OFF (long click, 3 s)

Lighting mood:

Position 1 cool white (6000°K) 100% brightness

Position 2 neutral white (4000°K) 100% brightness

Position 3 neutral white (4000°K) 50% brightness

Position 4 candle-style warm white (2300°K) flickering

Type of power supply: battery - Min. Battery life (100%) 7 h

Battery use cycle: 300 cycles

Recharge time: 5h - Type of recharge: USB, cable (supplied) 2m

Bypass to prevent battery damage during wired use

0.5 A - 5 V - 0.5 W | IP44 | IK 10 | CE | FCC | UKCA

Powered by Smart & Green



0,53 kg



361282		Cactus	3612C6		Honey
361247		Anthracite	3612B9		Black Cherry
361221		Acapulco Blue	3612A5		Clay Grey

BALAD

3622 - LAMP H.38 CM

DESIGN BY TRISTAN LOHNER

DOMESTIC PROFESSIONAL INTENSIVE

2 IREP

IRCY



Polyethylene diffuser

Aluminium frame

ABS base

Technology: integrated LED - Luminous flux: 150 lm

Switch type: push button

Function of the switch: change the light temperature & brightness (short click, 1 s), OFF (long click, 3 s)

Lighting mood:

Position 1 cool white (6000°K) 100% brightness

Position 2 cool white (6000°K) 50% brightness

Position 3 neutral white (4000°K) 100% brightness

Position 4 neutral white (4000°K) 50% brightness

Position 5 candle-style warm white (2300°K) flickering

Type of power supply: battery - Min. Battery life (100%) 9 h

Battery use cycle: 300 cycles

Recharge time: 7h - Type of recharge: USB, cable (supplied) 2m

Bypass to prevent battery damage during wired use


2 A - 5 V - 2.5 W | IP44 | IK 10 | CE | FCC | UKCA

Energy rating: E

Powered by Smart & Green

362282 Cactus
362247 Anthracite
362221 Acapulco Blue
362273 Honey

362220 Red Ochre
3622B9 Black Cherry
3622A5 Clay Grey



BALAD



BALAD

3632 - SPIKE STAND

DESIGN BY TRISTAN LOHNER



Steel wire frame
Steel clip on the ball joint system, with protective rubber pads
Compatible with:
LAMP H.25 CM - BALAD
LAMP H.38 CM - BALAD

363282 Cactus
363247 Anthracite
363221 Acapulco Blue

3632C6 Honey
3632B9 Black Cherry
3632A5 Clay Grey



3631 - UPRIGHT STAND

DESIGN BY TRISTAN LOHNER



Steel wire frame
Steel ballast
Steel clip with protective rubber pads
Compatible with:
LAMP H.25 CM - BALAD
LAMP H.38 CM - BALAD


363182 Cactus
363147 Anthracite
363121 Acapulco Blue

3631C6 Honey
3631B9 Black Cherry
3631A5 Clay Grey



3630 - OFFSET STAND


DESIGN BY TRISTAN LOHNER



Steel wire frame
Steel ballast
Steel clip with protective rubber pads
Compatible with:
LAMP H.38 CM - BALAD
LAMP H.25 CM - BALAD


363082 Cactus
363047 Anthracite
363021 Acapulco Blue
363020 Red Ochre

3630C6 Honey
3630B9 Black Cherry
3630A5 Clay Grey



Recommendations for appropriate installations:

**Choose
Balad H.25 cm
with:**



**Choose
Balad H.38 cm
with:**



BALAD

CONTRACT EXCLUSIVITY

3600 - SET OF 6 LAMPS H. 12 CM (CONTRACT)

DESIGN BY TRISTAN LOHNER



Polyethylene diffuser

Aluminium frame

ABS base

Technology: integrated LED - Luminous flux: 20 lm

Switch type: push button

Lighting mood:

Position 1 warm white (2700°K) 100% brightness

Position 2 candle-style warm white (2700°K) flickering

Position 3 neutral white (4000°K) 100% brightness

Position 4 candle-style neutral white (4000°K) flickering

Position 5 cool white (6000°K) 100% brightness

Position 6 candle-style cool white (6000°K) flickering

Type of power supply: battery - Min. Battery life (100%): 10 h

Battery use cycle: 500 cycles

Recharge time: 4h - Type of recharge: USB charging on steel charging pack

(not supplied) - White light indicator (1 Lm) when charging

Remote control (max. 5 metres, 20° angle) with infrared remote (2 supplied)

Power OFF mode: long press (5 seconds) (flash = infrared disabled) on the touch button under the lamp or on the charging pack

0.25 A - 5 V - 0.3 W - IP44 | IK 10 | CE | FCC

Powered by Smart & Green

Compatible with :

CHARGING PACK – SET OF 6 LAMPS H. 12 CM (CONTRACT) - BALAD

360026 ● Storm Grey

360029 ● Verbena

360014 ● Nutmeg



0,13 kg



3643 - CHARGING PACK – SET OF 6 LAMPS H. 12 CM (CONTRACT)

DESIGN BY TRISTAN LOHNER



Steel frame

Steel shell

Type of power supply : USB - Cable (supplied) 2 m

6-point charging base for set of 6 Balad H. 12 lamps (Contract)

Lamp affixed to the base with magnet system

2 T-shaped openings on the back to affix flush to the wall (horizontal or vertical)

Compatible with :

SET OF 6 LAMPS H. 12 CM (CONTRACT) - BALAD

364326 ● Storm Grey



1,10 kg



BALAD

365100 - SET OF 3 LAMPS BAMBOO H.12 CM

DESIGN BY TRISTAN LOHNER



Polyethylene diffuser

Bamboo frame

ABS base

Technology: integrated LED - Luminous flux: 20 lm

Switch type: push button

Function of the switch: change the light temperature & brightness (short click, 1 s), OFF (long click, 3 s)

Lighting mood:

Position 1 cool white (6000°K) 100% brightness

Position 2 neutral white (4000°K) 100% brightness

Position 3 candle-style warm white (2300°K) flickering

Type of power supply: battery - Min. Battery life (100%) 10 h


Battery use cycle: 500 cycles

Recharge time: 4h - Type of recharge: USB, cable (supplied) 1,5m

Bypass to prevent battery damage during wired use

0.25 A - 5 V - 0.3 W - IP44 | IK 10 | CE | FCC | UKCA

Powered by Smart & Green



0,13 kg



365200 - LAMP BAMBOO H.25 CM

DESIGN BY TRISTAN LOHNER



Polyethylene diffuser

Bamboo frame

ABS base

Technology: integrated LED - Luminous flux: 40 lm

Switch type: push button

Function of the switch: change the light temperature & brightness (short click, 1 s), OFF (long click, 3 s)

Lighting mood:

Position 1 cool white (6000°K) 100% brightness

Position 2 neutral white (4000°K) 100% brightness

Position 3 neutral white (4000°K) 50% brightness

Position 4 candle-style warm white (2300°K) flickering

Type of power supply: battery - Min. Battery life (100%) 7 h

Battery use cycle: 300 cycles

Recharge time: 5h - Type of recharge: USB, cable (supplied) 2m

Bypass to prevent battery damage during wired use

0.5 A - 5 V - 0.5 W - IP44 | IK 10 | CE | FCC | UKCA

Powered by Smart & Green



0,47 kg



INDOOR

BALAD

365300 - LAMP BAMBOO H.38 CM

DESIGN BY TRISTAN LOHNER

DOMESTIC PROFESSIONAL INTENSIVE

2 IREP

IRCY

INDOOR



Polyethylene diffuser

Bamboo frame

ABS base

Technology: integrated LED - Luminous flux: 150 lm

Switch type: push button

Function of the switch: change the light temperature & brightness (short click, 1 s), OFF (long click, 3 s)

Lighting mood:

Position 1 cool white (6000°K) 100% brightness

Position 2 cool white (6000°K) 50% brightness

Position 3 neutral white (4000°K) 100% brightness

Position 4 neutral white (4000°K) 50% brightness

Position 5 candle-style warm white (2300°K) flickering

Type of power supply: battery - Min. Battery life (100%) 9 h

Battery use cycle: 300 cycles

Recharge time: 7h - Type of recharge: USB, cable (supplied) 2m

Bypass to prevent battery damage during wired use

2 A - 5 V - 2.5 W - IP44 | IK 10 | CE | FCC | UKCA

Energy rating: E

Powered by Smart & Green



BALAD BAMBOO



BALAD

365100 - SET OF 3 LAMPS BAMBOO H.12 CM

DESIGN BY TRISTAN LOHNER

DOMESTIC | PROFESSIONAL | INTENSIVE

2 IREP

IRCY



Polyethylene diffuser

Bamboo frame

ABS base

Technology: integrated LED - Luminous flux: 20 lm

Switch type: push button

Function of the switch: change the light temperature & brightness (short click, 1 s), OFF (long click, 3 s)

Lighting mood:

Position 1 cool white (6000°K) 100% brightness

Position 2 neutral white (4000°K) 100% brightness

Position 3 candle-style warm white (2300°K) flickering

Type of power supply: battery - Min. Battery life (100%) 10 h

Battery use cycle: 500 cycles

Recharge time: 4h - Type of recharge: USB, cable (supplied) 1,5m

Bypass to prevent battery damage during wired use

0.25 A - 5 V - 0.3 W - IP44 | IK 10 | CE | FCC | UKCA

Powered by Smart & Green



0,13 kg



365200 - LAMP BAMBOO H.25 CM

DESIGN BY TRISTAN LOHNER

DOMESTIC | PROFESSIONAL | INTENSIVE

2 IREP

IRCY



Polyethylene diffuser

Bamboo frame

ABS base

Technology: integrated LED - Luminous flux: 40 lm

Switch type: push button

Function of the switch: change the light temperature & brightness (short click, 1 s), OFF (long click, 3 s)

Lighting mood:

Position 1 cool white (6000°K) 100% brightness

Position 2 neutral white (4000°K) 100% brightness

Position 3 neutral white (4000°K) 50% brightness

Position 4 candle-style warm white (2300°K) flickering

Type of power supply: battery - Min. Battery life (100%) 7 h

Battery use cycle: 300 cycles

Recharge time: 5h - Type of recharge: USB, cable (supplied) 2m

Bypass to prevent battery damage during wired use

0.5 A - 5 V - 0.5 W - IP44 | IK 10 | CE | FCC | UKCA

Powered by Smart & Green



0,47 kg



INDOOR

BALAD

365300 - LAMP BAMBOO H.38 CM

DESIGN BY TRISTAN LOHNER

DOMESTIC | PROFESSIONAL | INTENSIVE

2 IREP

IRCY



Polyethylene diffuser

Bamboo frame

ABS base

Technology: integrated LED - Luminous flux: 150 lm

Switch type: push button

Function of the switch: change the light temperature & brightness (short click, 1 s), OFF (long click, 3 s)

Lighting mood:

Position 1 cool white (6000°K) 100% brightness

Position 2 cool white (6000°K) 50% brightness

Position 3 neutral white (4000°K) 100% brightness

Position 4 neutral white (4000°K) 50% brightness

Position 5 candle-style warm white (2300°K) flickering

Type of power supply: battery - Min. Battery life (100%) 9 h

Battery use cycle: 300 cycles

Recharge time: 7h - Type of recharge: USB, cable (supplied) 2m

Bypass to prevent battery damage during wired use

2 A - 5 V - 2.5 W - IP44 | IK 10 | CE | FCC | UKCA

Energy rating: E

Powered by Smart & Green



BALAD BAMBOO



364000 - SET OF 4 CHARGEURS SECTEUR USB- 5V/2A



Compatible with :
LAMP H.24 CM - APLÔ
LAMPS H.12, H.25, H.38 - BALAD & BALAD BAMBOO
LAMP H.41 CM & H.41 MAX - MOOON!
LAMP Ø24 CM - HOOPIK
LAMP H.27 CM - OTO
LAMP H.20 CM - SWIING

364100 - USB CABLE



Cable length: 2 m
USB-A port > mini USB
Compatible with :
LAMP BAMBOO H.25 CM & LAMP BAMBOO H.38 CM - BALAD
LAMP H.25 CM & LAMP H.38 CM - BALAD
LAMP H.41 CM - MOOON!

364400 - USB-C CABLE X3 H.12 LAMPS



Cable length: 1,5 m
USB-A port > mini USB
Compatible with :
SET OF 3 LAMPS BAMBOO H.12 CM - BALAD
SET OF 3 LAMPS H.12 CM - BALAD

366000 - BATTERY-POWERED LIGHTING MODULE FOR H.12 X3 LAMP



Compatible with :
SET OF 3 LAMPS H.12 CM - BALAD
SET OF 3 LAMPS BAMBOO H.12 CM - BALAD

366200 - DIFFUSER FOR H.12 LAMP



Polyethylene diffuser
Compatible with :
SET OF 3 LAMPS BAMBOO H.12 CM - BALAD
SET OF 3 LAMPS H.12 CM - BALAD

366300 - BATTERY-POWERED LIGHTING MODULE FOR H.25 LAMP



Compatible with :
LAMP BAMBOO H.25 CM - BALAD
LAMP H.25 CM - BALAD

BALAD

366400 - DIFFUSOR FOR LAMP H.25



Polyethylene diffuser
Compatible with :
LAMP BAMBOO H.25 CM - BALAD
LAMP H.25 CM - BALAD

366400 ☐ Transparent

366500 - BATTERY-POWERED LIGHTING MODULE FOR H.38 LAMP



Compatible with :
LAMP BAMBOO H.38 CM - BALAD
LAMP H.38 CM - BALAD

366600 - DIFFUSER FOR LAMP H.38



Polyethylene diffuser
Compatible with :
LAMP BAMBOO H.38 CM - BALAD
LAMP H.38 CM - BALAD

366600 ☐ Transparent

284400 - BAG OF SCREWS FOR OFFSET STAND



Compatible with :
OFFSET STAND - BALAD

2814A - BAG OF SCREWS FOR SPIKE STAND



Compatible with :
SPIKE STAND - BALAD

281400 - 6 PATINS POUR PIEDS ET CLIP



Compatible with :
UPRIGHT STAND - BALAD
SPIKE STAND - BALAD
OFFSET STAND - BALAD

281400 ☒ Black

SYMBOLS

RECOMMENDED USAGE



Each of our products comes with a recommended usage setting, so you can better cater to your own customers' requirements and keep the guarantee valid:

Domestic : product designed for private use in non-public spaces such as gardens, winter gardens, patios, terraces and balconies.

Professional: product designed for professional use in supervised public spaces such as restaurants, outdoor pools, beaches and recreational facilities.

Intensive professional: mobile product, not fixed to the ground, designed for professional use in unsupervised public spaces such as motorway service stations, public parks and squares that are accessible around the clock.

COLOURS



No. of available colours for the product



No. of available colours for the fabric

IPAC



Anti-corrosion protection index



Optional additional anti-corrosion treatment



Product for indoor use only

IREP



Cannot be repaired



Can be repaired by a professional with access to specific tools or expertise



Can be easily repaired by private individuals using simple tools (e.g. screwdriver)

IRCY



Non-recyclable



Mostly recyclable



Totally recyclable

FURNITURE SPECIFICITIES



Requires assembly



Removable tray



Folding



Stacking



Adjustable



Extending



No. of guests max.



Fold-away tops



Right armrest



Left armrest



Product fitted with silencing pads

FABRICS CHARACTERISTICS



Water repellent fabric



Machine washable at 30°C



Removable covers



Brush the fabric if there are stains or other marks



Iron-safe

LIGHT CHARACTERISTICS



Bluetooth



USB



Fermob magnet



Charging base



Plug type



Rechargeable Battery



Battery operated



Wire power supply

01 - Cotton White

Textured

A5 - Clay Grey

Textured

OTF

C7 - Lapilli Grey

Textured

26 - Storm Grey

Speckled textured

OTF

47 - Anthracite

Speckled textured

OTF

42 - Liquorice

Textured

48 - Rosemary

Textured

OTF

82 - Cactus

Textured

OTF

65 - Willow Green

Speckled textured

D3 - Pesto

Textured

02 - Cedar Green

Textured

92 - Deep Blue

Textured

21 - Acapulco Blue

Textured

OTF

E1 - Maya Blue

Textured

NEW

D1 - Marshmallow

Textured

A7 - Ice Mint

Textured

A6 - Frosted Lemon

Textured

D2 - Gingerbread

Textured

E3 - Tonka

Textured

NEW

B9 - Black Cherry

Textured

OTF

43 - Chili

Textured

OTF

20 - Red Ochre

Textured

OTF

E2 - Candied Orange

Textured

NEW

C6 - Honey

Textured

OTF

I4 - Nutmeg

Speckled textured

OTF

LIMITED COLOUR OFFERINGS

FURNITURE

		01 - Cotton White A5 - Clay Grey 7 - Lapilli Grey 26 - Storm Grey 47 - Anthracite 42 - Liquorice 48 - Rosemary 82 - Cactus 65 - Willow Green D3 - Pesto 02 - Cedar Green 92 - Deep Blue 21 - Acapulco Blue E1 - Maya Blue D1 - Marshmallow A7 - Ice Mint A6 - Frosted Lemon D2 - Gingerbread E3 - Tonka B9 - Black Cherry 43 - Chili 20 - Red Ochre E2 - Candied Orange 73 / C6 - Honey 14 - Nutmeg																					
G = Large size - M = Middle size - P = Small size																							
FURNITURE																							
BISTRO	Classic chair																						
	Duraflon® chair	•																					
	Leather chair	NEW																					
CALVI	Velvety matte finish table	NEW																					
FACE À FACE	Writing desk																						
LUXEMBOURG KID	Chairs « nickname »	NEW																					
MONTMARTRE	Collection																						
NEVADO	Log Holder																						
OULALA	Set of 3 nesting low tables	Ocean wave				P																	
		Natural glow			P																		
		Zenith																					
STUDIE	Fabric chair	NEW																					
	Fabric armchair	NEW																					
SURPRISING	Leather Low armchair	NEW																					
	Leather footrest	NEW																					
TERRAZZA	Collection																						

OTF - OUTDOOR TECHNICAL FABRIC (Batyline® OTF outdoor fabric: tearproof, and resistant to stains, mould and deformation)

D = DUO ST = STÉRÉO		D	ST		ST	ST		ST	D														
ALIZÉ	Low armchair Footrest																						
	Surlounger XS																						
	Surlounger																						
BASICS	Placemat	•																					
	Bistro Cushions 38 x 28																						
CADIZ	Chair Armchair																						
	Low armchair Bar chair																						
	Lounge Armchair	NEW																					
	2-seater bench	NEW																					
DUNE	Sunlounger																						
DUNE PREMIUM	Chair Armchair																						
LATITUDE	Chair																						
LUXEMBOURG	Headrest																						
PLEIN AIR	Chair Armchair																						

THREAD

CROISSETTE	Collection																						
SIXTIES	Collection	•																					

FABRIC

SHADOO	Parasol																						
SOMERSET	Collection																						

ACCESSORIES & LIGHTING

		A5 - Clay Grey	C7 - Lapilli Grey	26 - Storm Grey	47 - Anthracite	42 - Liquorice	82 - Cactus	02 - Cedar Green	D3 - Pesto	29 - Verbena	21 - Acapulco Blue	D1 - Marshmallow	A7 - Ice Mint	A6 - Frosted Lemon	D2 - Gingerbread	B9 - Black Cherry	20 - Red Ochre	C6 - Honey	I4 - Nutmeg
ACCESSORIES																			
ACCROCHE COEURS	Coat stand								NEW			NEW	NEW						
ACROBATE	Peg								NEW			NEW	NEW						
ALTO	Collection								NEW				NEW						
BOUQUET SAUVAGE	Trivet cactus				NEW				NEW		NEW	NEW		NEW	NEW	NEW		NEW	
	Trivet Monstera	NEW			NEW		NEW		NEW			NEW	NEW	NEW	NEW	NEW		NEW	
IOS	Single-stem vase								NEW				NEW						
ITAC	Vases								NEW				NEW						
	Trinket tray mirror	NEW	NEW		NEW		NEW		NEW		NEW	NEW	NEW	NEW	NEW	NEW		NEW	
LORETTE	Trivet								NEW				NEW	NEW	NEW	NEW			
PICOTI	Bird feeder								NEW			NEW	NEW						
	Trivet 26 x 18 cm	NEW	NEW		NEW		NEW		NEW		NEW	NEW	NEW	NEW	NEW	NEW		NEW	
TRÈFLE	Trivet	NEW			NEW				NEW		NEW	NEW	NEW		NEW			NEW	
LIGHTING																			
APLÔ	Lamp H.24																		
	Accessories (Wall light bracket, Suspension strap, Magnetic base)	NEW			NEW		NEW				NEW					NEW		NEW	
	Upright Stand	NEW																	
BALAD	Set of 3 lamps H.12																		
	Set of 6 lamps H.12 CONTRACT																		
	Charging pack – set of 6 lamps h.12 cm CONTRACT																		
	Lamp H.25																		
	Lamp H.38																		
	Upright stand Spike stand																		
	Offset stand																		
HOOPIK	String lights L1200 Type E & F																		
	String lights L1200 Type J																		
	Lamp Ø 24	NEW																	
INOUI	Lighting stool H.44																		
LUDO	Smart switch																		
MOOON!	Lamp H.41																		
	Lamp H.41 MAX																		
	Lamp H.63																		
	Lamp H.134																		
	Wall light Ø 15																		
	Pendant lights Ø 25																		
	Triple pendant lights Ø 15																		
OTO	Lamp H.27	NEW																	
SWIING	Lamp H.20	NEW	NEW		NEW								NEW			NEW			
	Set of 6 Lamps H.20	NEW	NEW		NEW								NEW			NEW			
	Charging tray 44 X 25 CM	NEW			NEW														