



Dune

Fioriere dalle ampie misure in grado di delimitare ampi spazi, senza però mai smorzarne il respiro.

Materiale: Polietilene

Versioni luminose: 2

Colori standard: 6

Colori on demand: 3

design **Luigi Siard**
technical data p. 195

Planters with large dimensions capable of delimiting large spaces, without ever dampening their breath.

Material: Polyethylene

Luminous versions: 2

Standard colors: 6

On demand colors: 3

Flower Box / Column





Dune Flower Box
design
Lyxo Design Team
pg. 142
Code: FI307-0800M1
Dimensions: 80x27x80 cm
Depth/Profondità: 25 cm
Material: polyethylene

standard	PRL	FER	ARG	GDA	AMB	CRT
on demand				AQM	AGT	QRZ



Dune Column
design
Lyxo Design Team
pg. 142
Code: CL307-0270M1
Dimensions: 27x27x80 cm
Depth/Profondità: 25 cm
Material: polyethylene

standard	PRL	FER	ARG	GDA	AMB	CRT
on demand				AQM	AGT	QRZ



Dune Luminous Flower Box
design
Lyxo Design Team
pg. 142

Code: FI307-0800X1
Dimensions: 80x27x80 cm
Depth/Profondità: 25 cm
Material: polyethylene
Light: wire white led inox base
Light: battery RGBW led

Wire white led inox base / Con cavo
E27 1x10W LED240V 6.500°K
IP65 PLUG/
SPINA IP44
Rechargeable battery RGBW led
With remote control / Con con telecomando 110/220V
IP65 PLUG/
SPINA IP20



Dune Luminous Column
design
Lyxo Design Team
pg. 142

Code: CL307-0270X1
Dimensions: 27x27x80 cm
Depth/Profondità: 25 cm
Material: polyethylene
Light: wire white led inox base
Light: battery RGBW led

Wire white led inox base / Con cavo
E27 1x10W LED240V 6.500°K
IP65 PLUG/
SPINA IP44
Rechargeable battery RGBW led
With remote control / Con telecomando 110/220V
IP65 PLUG/
SPINA IP20

DUNE

FIORIERA ALTA

COD. FI307




Fioriera alta Dune / Dune High Flower box / Jardinière haut Dune / Jardinera alta Dune
 Materiale: Polietilene / Material: Polyethylene / Matériel: Polyéthylène / Material: Polietilene

COLORI / COLOURS / COULEURS / COLORES

standard



on demand



COD.	A	B	C	H	Kg	Kg	m3
FI307-0800M1	80	27	80	25	7	10	0,19

COD.	in/out	anti UV					
FI307-0800M1	in/out	X	- -65° +85°	X	PE	33	16,5

DUNE

COLONNA

COD. CL307



Colonna Dune / Dune Column / Colonne Dune / Columna Dune


Materiale: Polietilene / Material: Polyethylene / Matériel: Polyéthylène / Material: Polietilene

COLORI / COLOURS / COULEURS / COLORES

standard



on demand



COD.	A	B	C	H	Kg	Kg	m3
CL307-0270M1	25	25	80	25	3,5	4,47	0,06

COD.	in/out	anti UV						
CL307-0270M1	in/out	X	-	-65° +85°	X	PE	7,5	4

DUNE

FIORIERA ALTA LUMINOSA

COD. FI307



Fioriera alta Dune / Dune High Flower box / Jardinière haut Dune / Jardinera alta Dune
Materiale: Polietilene / Material: Polyethylene / Matériel: Polyéthylène / Material: Polietilene

Wire white led inox base / Con cavo

Cod. 019CA02

E27 1x10W LED240V 6.500°K


IP65 PLUG/ SPINA IP44 wire length 3mt

Induction battery RGBW led

Cod. 019CA01


With remote control / Con telecomando 110/220 V

IP68 PLUG/ SPINA IP20



COD.	A	B	C	H	Kg	Kg 	m3 
FI307-0800X1	80	27	80	25	7	10,52	0,19

COD.	in/out	anti UV						
FI307-0800X1	in/out	X	-	-65° +85°	X	PE	33	16,5



Con drenaggio
With drainage
Avec drainage
Con drenaje

DUNE

COLONNA LUMINOSA

COD. CL307



Colonna Dune / Dune Column / Colonne Dune / Columna Dune

Materiale: Polietilene / Material: Polyethylene / Matériel: Polyéthylène / Material: Polietilene

Wire white led inox base / Con cavo

Cod. 019CA02

E27 1x10W LED240V 6.500°K

IP65

PLUG/
SPINA IP44

wire length
3mt


Induction battery RGBW led

Cod. 019CA01

With remote control / Con telecomando 110/220 V


IP68

PLUG/
SPINA IP20



COD.	A	B	C	H	Kg	Kg	m3
CL307-0270X1	25	25	80	25	3,5	4,98	0,06

COD.	in/out	anti UV						
CL307-0270X1	in/out	X	-	-65° +85°	X	PE	7,5	4



Con drenaggio
With drainage
Avec drainage
Con drenaje

INDICATORE


INDICATORE DI LIVELLO DELL'ACQUA

COD. RA004



Indicatore livello acqua / Water level indicator / Indicateur de niveau d'eau / Indicador de nivel de agua

Materiale: Polietilene / Material: Polyethylene / Matériel: Polyéthylène / Material: Polietilene



COD.	A	B	C
RA004-0375MM	ø 3	37,5	ø 9
RA004-0490MM	ø 3	49	ø 9
RA004-0590MM	ø 3	59	ø 9
RA004-0690MM	ø 3	69	ø 9

COD.	in/out	anti UV			
RA004-0375MM	in/out	X	- -65° +85°	X	PE
RA004-0490MM	in/out	X	- -65° +85°	X	PE
RA004-0590MM	in/out	X	- -65° +85°	X	PE
RA004-0690MM	in/out	X	- -65° +85°	X	PE