



Peanuts

Panchine multicolori o luminose dalla forma ondulata pensate per aggiungere vivacità agli spazi che le circondano.

Materiale: Polietilene

Versioni luminose: 1

Colori standard: 5

Colori on demand: 10

design **Simone Micheli**
technical data p. 179

Multicolored or bright benches with a wavy shape designed to add liveliness to the spaces that surround them.

Material: Polyethylene

Luminous versions: 1

Standard colors: 5

On demand colors: 10

Bench





Peanuts Bench

design
Simone Micheli

pg. 88

Code: PA301-0002M1
Dimensions: 99x55x45 cm
Material: polyethylene

Code: PA301-0003M1
Dimensions: 144x55x45 cm
Material: polyethylene

standard

PRL

FER

ZFR

GDA

AMB

on demand

ONC

ARG

AQM

SMD

AGT

TRM

AMT

QRZ

GNT

CRL



Peanuts Luminous Bench

design
Simone Micheli

pg. 88

Code: PA301-0002X1
Dimensions: 99x55x45 cm
Material: polyethylene
Light: linear white led

Code: PA301-0003X1
Dimensions: 144x55x45 cm
Material: polyethylene
Light: linear white led

Linear white led with wire / Con cavo
Led 18(2P)-36(3P)W 240V 4.000°K With Wire Linear Led Light

IP65 **PLUG/**
SPINA IP44

PEANUTS

PANCA

COD. PA301



Panca Peanuts / Peanuts Bench / Banc Peanuts / Banco Peanuts


Materiale: Polietilene / Material: Polyethylene / Matériel: Polyéthylène / Material: Polietilene

COLORI / COLOURS / COULEURS / COLORES

standard



on demand



COD.	A	B	C	Kg	Kg	m3
PA301-0002M1	99	55	45	9	12,02	0,29
PA301-0003M1	144	55	45	15	18,45	0,42

COD.	in/out	anti UV				
PA301-0002M1	in/out	X	-	-65° +85°	X	PE
PA301-0003M1	in/out	X	-	-65° +85°	X	PE

PEANUTS

PANCA LUMINOSA

COD. PA301






Panca luce Peanuts / Luminous Peanuts Bench / Banc Lumineux Peanuts / Banco con Lux Peanuts
Materiale: Polietilene / Material: Polyethylene / Matériel: Polyéthylène / Material: Polietilene

Linear white led with wire / Con cavo

Led 18(2P)-36(3P)W 240V 4.000°K With Wire Linear Led Light

IP65

PLUG/
SPINA IP44



COD.	A	B	C	Kg	Kg 	m3 
PA301-0002X1	99	55	45	9,7	12,62	0,29
PA301-0003X1	144	55	45	15,7	19,33	0,41

COD.	in/out	anti UV				
PA301-0002X1	in/out	X	-	-65° +85°	X	PE
PA301-0003X1	in/out	X	-	-65° +85°	X	PE